

## **Bibliography from BioInitiative Report**

Martuzzi M. 2005. Science, Policy and the Protection of Human Health: A European Perspective. *Bioelectromagnetics Supplement* 7: S151-156.

Adey, WR. Potential Therapeutic Applications of Nonthermal Electromagnetic Fields: Ensemble Organization of Cells in Tissue as a Factor in Biological Field Sensing. *Bioelectromagnetic Medicine*. 2004, Rosch PJ and Markov MS, editors, page 1.

REFLEX, 2004. Risk Evaluation of Potential Environmental Hazards from Low Frequency Electromagnetic Field Exposure Using Sensitive *in vitro* Methods.

World Health Organization, 2007. ELF Health Criteria Monograph. Neurodegenerative Disorders, Page 187.

TNO Physics and Electronics Laboratory, The Netherlands. 2003. Effects of Global Communication System radio-frequency fields on well-being and cognitive functions of human beings with and without subjective complaints. Netherlands Organization for Applied Scientific Research 1-63.

Kheifets LI Afifi AA Buffler PA Zhang ZW. 1995. Occupational electric and magnetic field exposure and brain cancer: a meta-analysis. *JOEM* Vol 37, No. 2, 1327 – 1341.

Green LM, Miller AB, Villeneuve PJ, Agnew DA, Greenberg ML, Li J, Donnelly KE. 1999. A case-control study of childhood leukemia in southern Ontario Canada and exposure to magnetic fields in residences. *Int J Cancer* 82: 161–170.

World Health Organization, 2007. ELF Health Criteria Monograph, page 256 and WHO Fact Sheet No. 322.

Foliart DE Pollock BH Mezei G Iriye R Silva JM Epi KL Kheifets L Lind MP Kavet R. 2006. Magnetic field exposure and long-term survival among children with leukemia. *British Journal of Cancer* 94 161-164.

Svendsen AL Weihkopf T Kaatsch P Schuz J. 2007. Exposure to magnetic fields and survival after diagnosis of childhood leukemia: a German cohort study. *Cancer Epidemiol Biomarkers Prev* 16(6) 1167-1171.

Lowenthal RM, Tuck DM and Bray IC (2007) Residential exposure to electric power transmission lines and risk of lymphoproliferative and myeloproliferative disorders: a casecontrol study. *Int Med J* doi:10.1111/j.1445-5994.2007.01389.x

Hill, AB. 1971. Principles of Medical Statistics Chapter XXIV. Statistical Evidence and Inference, Oxford University Press, Oxford University, Oxford, UK, p. 309-323.

Henshaw DL Reiter RJ. 2005. Do magnetic fields cause increased risk of childhood leukemia via melatonin disruption? A Review. *Bioelectromagnetics Supplement* 7, pages S86-S97.

Adey, WR. 2004. Potential Therapeutic Applications of Nonthermal Electromagnetic Fields: Ensemble Organization of Cells in Tissue as a Factor in Biological Field Sensing.

Bioelectromagnetic Medicine. Rosch PJ and Markov MS, editors, page 1.

IEEE Std C95.1TM-2005 (Revision of IEEE Std C95.1-1991) IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz. I E E E 3 Park Avenue New York, NY10016-5997, USA Sponsored by the IEEE International Committee on Electromagnetic Safety (SCC39); 19 April 2006.

WHO - World Health Organization 2007. Extremely low frequency fields. Environmental Health Criteria, Vol. 238. Geneva, Switzerland.

International Commission on Non-Ionizing Radiation Protection. 1998. Guidelines for limiting exposure to time-varying electric, magnetic and electromagnetic fields (up to 300 GHz). Health Physics Vol 74:4 April, 1998.

Institute of Electrical and Electronics Engineers, Inc (IEEE) 1992. Section 4.2 of "IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz," ANSI/IEEE C95.1-1992. New York, NY 10017.

National Council on Radiation Protection and Measurements (NCRP), 1986. Biological Effects and Exposure Criteria for Radiofrequency Electromagnetic Fields, NCRP Report No. 86, Section 17.4.5. Bethesda, Maryland 20814.

OET 1997. Office of Engineering Technology, Federal Communications Commission Bulletin 65 97-01, August 1997.

Osepchuk JM Petersen RC. 2003. Historical Review of RF Exposure Standards and the International Committee on Electromagnetic Safety (ICES). Bioelectromagnetics Supplement 6:S7-16. Osepchuk is a former employee of Raytheon. Petersen is a former employee of Bell Labs and Lucent Technologies. Both are independent industry consultants in their retirement.

BioInitiative Working Group, 2007. Letter to the RFIAWG dated January 24, 2007 and signed by Martin Blank, David Carpenter, Zoreh Davanipour, Olle Johansson, Michael Kundi, Henry Lai, Cindy Sage, Eugene Sobel.

D'Andrea Adair ER de Lorge JO. 2003a. Behavioral and Cognitive Effects of Microwave Exposure Bioelectromagnetics Supplement 6:S7-S16.

D'Andrea Chou CK Johnston SA Adair ER. 2003b. Microwave Effects on the Nervous System Bioelectromagnetics Supplement 6: S107-S147

Elwood JM 2003. Epidemiological Studies of Radiofrequency Exposures and Human Cancer Bioelectromagnetics Supplement 6:S63-S73.

European Commission, 2002. European Treaty 174 at  
[http://www.law.harvard.edu/library/services/research/guides/international/eu/eu\\_legal\\_research\\_treaties.php](http://www.law.harvard.edu/library/services/research/guides/international/eu/eu_legal_research_treaties.php)

European Commission, Health and Consumer Protection, 2007. Scientific Committee on SCENIHR Report on Emerging and Newly Identified Health Risks – Possible Effects of Electromagnetic Fields (EMF) on Human Health.

European Union Treaty 174.

[http://www.law.harvard.edu/library/services/research/guides/international/eu/eu\\_legal\\_research\\_treaties.php](http://www.law.harvard.edu/library/services/research/guides/international/eu/eu_legal_research_treaties.php)

Food and Drug Administration, 2007. NAS RF Research Announcement. National Academy of Sciences Project: NRSB-O-06-02-A [www.nationalacademies.org/headlines/2007](http://www.nationalacademies.org/headlines/2007) and <http://www.fda.gov/cellphones/index.html>

IEGMP - Stewart Report, 2000. United Kingdom Independent Expert Group on Mobile Phones, Health Protection Agency. [www.iegmp.org.uk](http://www.iegmp.org.uk) and [www.hpa.org.uk/hpa/news/nrpb\\_archive/response\\_statements/2000/response\\_statement\\_2\\_00.htm](http://www.hpa.org.uk/hpa/news/nrpb_archive/response_statements/2000/response_statement_2_00.htm)

International Commission on Non-Ionizing Radiation Protection. 1998. Guidelines for limiting exposure to time-varying electric, magnetic and electromagnetic fields (up to 300 GHz). Health Physics Vol 74:4 April, 1998. <http://www.icnirp.de>

Institute of Electrical and Electronics Engineers, Inc (IEEE) 1992. Section 4.2 of "IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz," ANSI/IEEE C95.1-1992. New York, NY 10017.

Lotz G. 1999. Letter from Greg Lotz, PhD, Chief Physical Agents Effects Branch, Division of Biomedical and Behavioral Science, National Institute of Occupational Safety and Health to Richard Tell, Chair, IEEE SCC28 (SC4) Risk Assessment Work Group dated June 17, 1999.

National Institutes for Health - National Toxicology Program, 2002. [www.fda.gov.us](http://www.fda.gov.us)

National Academy of Sciences National Research Council 2002. An Assessment of Non-Lethal Weapons Science and Technology by the Naval Studies Board, Division of Engineering and Physical Sciences. National Academies Press.

NRPB, 2001. Power Frequency Electromagnetic Fields and the Risk of Cancer Doc. 12, No. 1

NRPB Response Statement to the IARC Classification of ELF as Possible Human Carcinogen. [http://www.hpa.org.uk/hpa/news/nrpb\\_archive/response\\_statements/2004/response\\_statement\\_5\\_04.htm](http://www.hpa.org.uk/hpa/news/nrpb_archive/response_statements/2004/response_statement_5_04.htm)

Osepchuk JM, Petersen, RC. 2003. Historical Review of RF Exposure Standards and the International Committee on Electromagnetic Safety (ICES), Bioelectromagnetics Supplement 6:S7-S16.

WHO September 1996 Press Release - Welcome to the International EMF Project. <http://www.who.int/peh-emf>

WHO EMF Program Framework for Developing EMF Standards, Draft, October 2003 at [www.who.int/peh-emf](http://www.who.int/peh-emf)

WHO 2002. Children's Health and Environment: A Review of Evidence: A Joint Report from the European Environmental Agency and The World Health Organization. <http://www.who.int/peh-emf>

WHO 2003. WHO EMF Program Framework for Developing EMF Standards, Draft, October 2003. [www.who.int/peh-emf](http://www.who.int/peh-emf)

WHO 2007. WHO Fact Sheet No. 322, [www.who.int/peh-emf/project/en](http://www.who.int/peh-emf/project/en) and [http://www.who.int/peh-emf/meetings/elf\\_emf\\_workshop\\_2007/en/index.html](http://www.who.int/peh-emf/meetings/elf_emf_workshop_2007/en/index.html)

WHO 2007. Extremely Low Frequency Fields Environmental Health Criteria Monograph 238. [www.who.int/peh-emf/project/en](http://www.who.int/peh-emf/project/en) and <http://www.who.int/>

Antonini RA, Benfante R, Gotti C, Moretti M, Kuster N, Schuderer J, Clementi F, Fornasari D. 2006. Extremely low-frequency electromagnetic field (ELF-EMF) does not affect the expression of alpha3, alpha5 and alpha7 nicotinic receptor subunit genes in SH-SY5Y neuroblastoma cell line. *Toxicol Lett* 164(3):268-77.

Balcer-Kubiczek EK, Harrison GH, Davis CC, Haas ML, Koffman BH. 2000. Expression analysis of human HL60 cells exposed to 60 Hz square- or sine-wave magnetic fields. *Radiat Res* 153(5 Pt 2):670-8.

Belyaev IY, Koch CB, Terenius O, Roxstrom-Lindquist K, Malmgren LO, W HS, Salford LG, Persson BR. 2006. Exposure of rat brain to 915 MHz GSM microwaves induces changes in gene expression but not double stranded DNA breaks or effects on chromatin conformation. *Bioelectromagnetics* 27(4):295-306.

Binninger DM, Ungvichian V. 1997. Effects of 60 Hz AC magnetic fields on gene expression following exposure over multiple cell generations using *Saccharomyces cerevisiae*. *Bioelectrochem Bioenerg* 43:83-89.

Feychtung M, Ahlbom A, Kheifets L. 2005. EMF and health. *Annu Rev Public Health* 26:165-89.  
Goodman R, Blank M. 2002. Insights into electromagnetic interaction mechanisms. *J Cell Physiol* 192(1):16-22.

Gurisik E, Warton K, Martin DK, Valenzuela SM. 2006. An in vitro study of the effects of exposure to a GSM signal in two human cell lines: monocytic U937 and neuroblastoma SK-N-SH. *Cell Biol Int* 30(10):793-9.

Harvey C, French PW. 1999. Effects on protein kinase C and gene expression in a human mast cell line, HMC-1, following microwave exposure. *Cell Biol Int* 23(11):739-48.

Henderson B, Kind M, Boeck G, Helmberg A, Wick G. 2006. Gene expression profiling of human endothelial cells exposed to 50-Hz magnetic fields fails to produce regulated candidate genes. *Cell Stress Chaperones* 11(3):227-32.

Huang T, Lee MS, Bae Y, Park H, Park W, Seo J. 2006. Prediction of Exposure to 1763 MHz Radiofrequency Radiation Using Support Vector Machine Algorithm in Jurkat Cell Model System. *Genomics & Informatics* 4(2):71-76.

Lee S, Johnson D, Dunbar K, Dong H, Ge X, Kim YC, Wing C, Jayathilaka N, Emmanuel N, Zhou CQ and others. 2005. 2.45 GHz radiofrequency fields alter gene expression in cultured human cells. *FEBS Lett* 579(21):4829-36.

Leszczynski D, Joenvaara S, Reivinen J, Kuokka R. 2002. Non-thermal activation of the hsp27/p38MAPK stress pathway by mobile phone radiation in human endothelial cells: molecular mechanism for cancer- and blood-brain barrier-related effects. *Differentiation* 70(2-3):120-9.

Leszczynski D, Meltz ML. 2006. Questions and answers concerning applicability of proteomics and transcriptomics in EMF research. *Proteomics* 6(17):4674-7.

Leszczynski D, Nylund R, Joenvaara S, Reivinen J. 2004. Applicability of discovery science approach to determine biological effects of mobile phone radiation. *Proteomics* 4(2):426-31.

Li H, Zeng Q, Weng Y, Lu D, Jiang H, Xu Z. 2005. Effects of ELF magnetic fields on protein

expression profile of human breast cancer cell MCF7. *Sci China C Life Sci* 48(5):506-14.

Loberg LI, Engdahl WR, Gauger JR, McCormick DL. 2000. Expression of cancer-related genes in human cells exposed to 60 Hz magnetic fields. *Radiat Res* 153(5 Pt 2):679-84.

Luceri C, Filippo CD, Giovannelli L, Blangiardo M, Cavalieri D, Aglietti F, Pampaloni M, Andreuccetti D, Pieri L, Bambi F and others. 2005. Extremely low-frequency electromagnetic fields do not affect DNA damage and gene expression profiles of yeast and human lymphocytes. *Radiat Res* 164(3):277-85.

Lupke M, Frahm J, Lantow M, Maercker C, Remondini D, Bersani F, Simko M. 2006. Gene expression analysis of ELF-MF exposed human monocytes indicating the involvement of the alternative activation pathway. *Biochim Biophys Acta* 1763(4):402-12.

Nakasono S, Laramee C, Saiki H, McLeod KJ. 2003. Effect of power-frequency magnetic fields on genome-scale gene expression in *Saccharomyces cerevisiae*. *Radiat Res* 160(1):25-37.

Nakasono S, Saiki H. 2000. Effect of ELF magnetic fields on protein synthesis in *Escherichia coli* K12. *Radiat Res* 154(2):208-16.

Nylund R, Leszczynski D. 2004. Proteomics analysis of human endothelial cell line EA.hy926 after exposure to GSM 900 radiation. *Proteomics* 4(5):1359-65.

Nylund R, Leszczynski D. 2006. Mobile phone radiation causes changes in gene and protein expression in human endothelial cell lines and the response seems to be genome- and proteome-dependent. *Proteomics* 6(17):4769-80.

Olivares-Banuelos T, Navarro L, Gonzalez A, Drucker-Colin R. 2004. Differentiation of chromaffin cells elicited by ELF MF modifies gene expression pattern. *Cell Biol Int* 28(4):273-9.

Pacini S, Ruggiero M, Sardi I, Aterini S, Gulisano F, Gulisano M. 2002. Exposure to global system for mobile communication (GSM) cellular phone radiofrequency alters gene expression, proliferation, and morphology of human skin fibroblasts. *Oncol Res* 13(1):19-24.

Phillips JL, Haggren W, Thomas WJ, Ishida-Jones T, Adey WR. 1992. Magnetic field-induced changes in specific gene transcription. *Biochim Biophys Acta* 1132(2):140-4.

Qutob SS, Chauhan V, Bellier PV, Yauk CL, Douglas GR, Berndt L, Williams A, Gajda GB, Lemay E, Thansandote A and others. 2006. Microarray gene expression profiling of a human glioblastoma cell line exposed in vitro to a 1.9 GHz pulse-modulated radiofrequency field. *Radiat Res* 165(6):636-44.

Remondini D, Nylund R, Reivinen J, Pouletier de Gannes F, Veyret B, Lagroye I, Haro E, Trillo MA, Capri M, Franceschi C and others. 2006. Gene expression changes in human cells after exposure to mobile phone microwaves. *Proteomics* 6(17):4745-54.

Sinclair J, Weeks M, Butt A, Worthington JL, Akpan A, Jones N, Waterfield M, Allanand D, Timms JF. 2006. Proteomic response of *Schizosaccharomyces pombe* to static and oscillating extremely low-frequency electromagnetic fields. *Proteomics* 6(17):4755-64.

Wei LX, Goodman R, Henderson A. 1990. Changes in levels of c-myc and histone H2B following exposure of cells to low-frequency sinusoidal electromagnetic fields: evidence for a window effect. *Bioelectromagnetics* 11(4):269-72.

Whitehead TD, Moros EG, Brownstein BH, Roti Roti JL. 2006a. Gene expression does not change significantly in C3H 10T(1/2) cells after exposure to 847.74 CDMA or 835.62 FDMA radiofrequency radiation. *Radiat Res* 165(6):626-35.

Whitehead TD, Moros EG, Brownstein BH, Roti Roti JL. 2006b. The number of genes changing expression after chronic exposure to code division multiple access or frequency DMA radiofrequency

radiation does not exceed the false-positive rate. *Proteomics* 6(17):4739-44.

Wu RY, Chiang H, Hu GL, Zeng QL, Bao JL. 2000. The effect of 50 Hz magnetic field on GCSmRNA expression in lymphoma B cell by mRNA differential display. *J Cell Biochem* 79(3):460-70.

Zeng Q, Chen G, Weng Y, Wang L, Chiang H, Lu D, Xu Z. 2006. Effects of global system for mobile communications 1800 MHz radiofrequency electromagnetic fields on gene and protein expression in MCF-7 cells. *Proteomics* 6(17):4732-8.

Zhao R, Zhang S, Xu Z, Ju L, Lu D, Yao G. 2007. Studying gene expression profile of rat neuron exposed to 1800MHz radiofrequency electromagnetic fields with cDNA microassay. *Toxicology*.

Aitken et al. [2005] exposed mice to 900-MHz RFR at a specific absorption rate (SAR) of 0.09 W/kg for 7 days at 12 h per day. DNA damage in caudal epididymal spermatozoa was assessed by quantitative PCR (QPCR) as well as alkaline and pulsed-field gel electrophoresis postexposure. Gel electrophoresis revealed no significant change in single- or double-DNA strand breakage in spermatozoa. However, QPCR revealed statistically significant damage to both the mitochondrial genome ( $p < 0.05$ ) and the nuclear -globin locus ( $p < 0.01$ ).

Diem et al [2005] exposed human fibroblasts and rat granulosa cells to mobile phone signal (1800 MHz; SAR 1.2 or 2 W/kg; different modulations; during 4, 16 and 24 h; intermittent 5 min on/10min off or continuous). RFR exposure induced DNA singleand double-strand breaks as measured by the comet assay. Effects occurred after 16 h exposure in both cell types and after different mobile-phone modulations. The intermittent exposure showed a stronger effect in the than continuous exposure.

Gandhi and Anita [2005] reported increases in DNA strand breaks and micronucleation in lymphocytes obtained from cell phone users.

Garaj-Vrhovac et al [1990] reported changes in DNA synthesis and structure in Chinese hamster cells after various durations of exposure to 7.7 GHz field at 30 mW/cm<sup>2</sup>.

Lai and Singh [1995; 1996; 1997a; 2005] and Lai et al. [1997] reported increases in single and double strand DNA breaks in brain cells of rats exposed for 2 hrs to 2450-MHz field at 0.6-1.2 W/kg.

Lixia et al. [2006] reported an increase in DNA damage in human lens epithelial cells at 0 and 30 min after 2 hrs of exposure to 1.8 GHz field at 3 W/kg.  
DNA Damage and Genotoxicity

Markova et al. [2005] reported that GSM signals affected chromatin conformation and gama-H2AX foci that colocalized in distinct foci with DNA double strand breaks in human lymphocytes.

Narasimhan and Huh [1991] reported changes in lambdaphage DNA suggesting single strand breaks and strand separation.

Nikolova et al. [2005] reported a low and transient increase in DNA double strand break

in mouse embryonic stem cells after acute exposure to 1.7- GHz field.

Paulraj and Behari [2006] reported an increased in single strand breaks in brain cells of rats after 35 days of exposure to 2.45 and 16.5 GHz fields at 1 and 2.01 W/kg.

Phillips et al. [1998] found increase and decrease in DNA strand breaks in cells exposure to various forms of cell phone radiation.

Sun et al. [2006] reported an increase in DNA single strand breaks in human lens epithelial cells after 2 hrs of exposure to 1.8 GHz field at 3 and 4 W/kg. The DNA damages caused by 4 W/kg field were irreversible.

Zhang et al. [2002] reported that 2450-MHz field at 5 mW/cm<sup>2</sup> did not induce DNA and chromosome damage in human blood cells after 2 hrs of exposure, but could increase DNA damage effect induced by mitomycin-C.

Zhang et al. [2006] reported that 1800-MHz field at 3.0 W/kg induced DNA damage in Chinese hamster lung cells after 24 hrs of exposure.

Belyaev et al. [1992] studied the effect of low intensity microwaves on the conformational state of the genome of X-irradiated E. coli cells by the method of viscosity anomalous time dependencies. A power density of 1 microW/cm<sup>2</sup> is sufficient to suppress radiation-induced repair of the genome conformational state.

Belyaev et al. [1996] studied the effect of millimeter waves on the genome conformational state of E. coli AB1157 by the method of anomalous viscosity time dependencies in the frequency range of 51.64-51.85 GHz. Results indicate an electron-conformational interactions.

Belyaev et al. [2005] investigated response of lymphocytes from healthy subjects and from persons reporting hypersensitivity to microwaves from GSM mobile phone (915 MHz, specific absorption rate 37 mW/kg), and power frequency magnetic field (50 Hz, 15 microT peak value). Changes in chromatin conformation were measured with the method of anomalous viscosity time dependencies (AVTD). Exposure at room temperature to either 915 MHz or 50 Hz resulted in significant condensation of chromatin, shown as AVTD changes, which was similar to the effect of heat shock at 41 degrees C. No significant differences in responses between normal and hypersensitive subjects were detected.

Belyaev et al. [2006] investigated whether exposure of rat brain to microwaves of global system for mobile communication (GSM) induces DNA breaks, changes in chromatin conformation and in gene expression at a specific absorption rate (SAR) of 0.4 mW/g for 2 h. Data showed that GSM MWs at 915 MHz did not induce DNA double stranded breaks detectable by pulsed-field gel electrophoresis or changes in chromatin conformation, but affected expression of genes in rat brain cells.

Gadhia et al. [2003] reported a significant increase in dicentric chromosomes in blood

cells among mobile users who were smoker–alcoholic as compared to nonsmoker–nonalcoholic; the same held true for controls of both types.

Garaj-Vrhovac et al. [1990] exposed V79 Chinese hamster cells to continuous-wave 7.7 GHz RFR at power density of 30 mW/cm<sup>2</sup> for 15, 30, and 60 min. Results suggest that the radiation causes changes in the synthesis as well as in the structure of DNA molecules.

Garaj-Vrhovac et al. [1991] exposed V79 Chinese hamster fibroblast cells to continuous wave 7.7 GHz radiation at power density of 0.5 mW/cm<sup>2</sup> for 15, 30 and 60 min. There was a significantly higher frequency of specific chromosome aberrations such as dicentric and ring chromosomes in irradiated cells.

Mashevich et al. [2003] found that human peripheral blood lymphocytes exposed to continuous 830-MHz electromagnetic fields (1.6-8.8 W/kg for 72 hr) showed a SARdependent chromosome aneuploidy, a major “somatic mutation leading to genomic instability and thereby to cancer. The aneuploidy was accompanied by an abnormal mode of replication of the chromosome 17 region engaged in segregation (repetitive DNA arrays associated with the centromere), suggesting that epigenetic alterations are involved in the SAR dependent genetic toxicity. The effects were non-thermal.

Ono et al. (2004) exposed pregnant mice intermittently at a whole-body averaged specific absorption rate of 0.71 W/kg (10 seconds on, 50 seconds off which is 4.3 W/kg during the 10 seconds exposure) for 16 hours a day, from the embryonic age of 0 to 15 days. At 10 weeks of age, mutation frequencies at the lacZ gene in spleen, liver, brain, and testis were examined. Quality of mutation assessed by sequencing the nucleotides of mutant DNAs revealed no appreciable difference between exposed and non-exposed samples.

Sarimov et al. [2004] reported that exposure to microwaves of 895-915 MHz at 5.4 mW/kg resulted in statistically significant changes in condensation of chromatin in human lymphocytes. Effects are similar to stress response, differ at various frequencies, and vary among donors.

Sarkar et al. [1994] exposed mice to 2450-MHz microwaves at a power density of 1 mW/cm<sup>2</sup> for 2 h/day over a period of 120, 150 and 200 days. Rearrangement of DNA segments were observed in testis and brain of exposed animals.

Semin et al. [1995] exposed DNA samples at 18°C at 10 different microwave frequencies (4- to 8 GHz, 25 ms pulses, 0.4 to 0.7 mW/cm<sup>2</sup> peak power, 1- to 6-Hz repetition rate, no heating). Irradiation at 3 or 4 Hz and 0.6 mW/cm<sup>2</sup> peak power clearly increased the accumulated damage to the DNA secondary structure ( $P < .00001$ ). However, changing the pulse repetition rate to 1, 5, 6 Hz, as well as changing the peak power to 0.4 or 0.7 mW/cm<sup>2</sup> did not induce significant effect. Thus, the effect occurred only within narrow ‘windows’ of the peak intensities and modulation frequencies.

Sykes et al. [2001] exposed mice daily for 30 min to plane-wave fields of 900 MHz with a pulse repetition frequency of 217 Hz and a pulse width of 0.6 ms for 1, 5 or 25 days. Three days after the last exposure, spleen sections were screened for DNA inversion events. There was no significant difference between the control and treated groups in the 1- and 5-day exposure groups, but there was a significant reduction in inversions below the spontaneous frequency in the 25-day exposure group. This observation suggests that exposure to RF radiation can lead to a perturbation in recombination frequency which may have implications for recombination repair of DNA.

Aitken RJ, Bennetts LE, Sawyer D, Wiklendt AM, King BV. Impact of radio frequency electromagnetic radiation on DNA integrity in the male germline. *Inter J Androl* 28:171-179, 2005.

Anderson LE, Morris JE, Sasser LB, Löscher W. Effects of 50- or 60-hertz, 100 microT magnetic field exposure in the DMBA mammary cancer model in Sprague-Dawley rats: possible explanations for different results from two laboratories. *Environ Health Perspect.* 108(9):797-802, 2000.

Antonopoulos A, Eisenbrandt H, Obe G, Effects of high-frequency electromagnetic fields on human lymphocytes in vitro. *Mutat Res* 395(2-3): 209-214, 1997.

Balode, Z, Assessment of radio-frequency electromagnetic radiation by the micronucleus test in bovine peripheral erythrocytes. *Sci Total Environ* 180(1):81-85, 1996.

Belyaev IYa, Alipov YD, Shcheglov VS, Lystsov VN, Resonance effect of microwaves on the genome conformational state of E. coli cells. *Z Naturforsch [C]* 47(7-8):621-827, 1992.

Belyaev IY, Shcheglov VS, Alipov YD, Polunin VA, Resonance effect of millimeter waves in the power range from 10(-19) to 3 x 10(-3) W/cm<sup>2</sup> on Escherichia coli cells at different concentrations. *Bioelectromagnetics* 17(4):312-321, 1996.

Belyaev IY, Hillert L, Protopopova M, Tamm C, Malmgren LO, Persson BR, Selivanova G, Harms-Ringdahl M. 915 MHz microwaves and 50 Hz magnetic field affect chromatin conformation and 53BP1 foci in human lymphocytes from hypersensitive and healthy persons. *Bioelectromagnetics*. 26(3):173-184, 2005.

Belyaev IY, Koch CB, Terenius O, Roxstrom-Lindquist K, Malmgren LO, H Sommer W, Salford LG, Persson BR. Exposure of rat brain to 915 MHz GSM microwaves induces changes in gene expression but not double stranded DNA breaks or effects on chromatin conformation. *Bioelectromagnetics*. 27:295-306, 2006.

Bisht KS, Moros EG, Straube WL, Baty JD, Roti Roti JL, The Effect of 835.62 MHz FDMA or 847.74 MHz CDMA Modulated Radiofrequency Radiation on the Induction of Micronuclei in C3H 10T½ Cells. *Radiat. Res.* 157, 506–515, 2002.

Busljeta I, Trosic I, Milkovic-Kraus S. Erythropoietic changes in rats after 2.45 GJz nonthermal irradiation. *Int J Hyg Environ Health*. 207(6):549-554, 2004.

Chang SK, Choi JS, Gil HW, Yang JO, Lee EY, Jeon YS, Lee ZW, Lee M, Hong MY, Ho Son T, Hong SY. Genotoxicity evaluation of electromagnetic fields generated by 835-MHz mobile phone frequency band. *Eur J Cancer Prev*. 14(2):175-179, 2005.

Ciaravino V, Meltz ML, Erwin DN, Absence of a synergistic effect between moderatepower radio-frequency electromagnetic radiation and adriamycin on cell-cycle progression and sister-chromatid exchange. *Bioelectromagnetics* 12(5):289-298, 1991.

d'Ambrosio G, Massa R, Scarfi MR, Zeni O, Cytogenetic damage in human lymphocytes following GMSK phase modulated microwave exposure. *Bioelectromagnetics* 23:7-13, 2002.

Di Carlo AL, Litovitz TA. Is genetics the unrecognized confounding factor in bioelectromagnetics? Flock-dependence of field-induced anoxia protection in chick embryos. *Bioelectrochem Bioenerg*. 48(1):209-215, 1999.

Diem E, Schwarz C, Adlkofer F, Jahn O, Rudiger H. Non-thermal DNA breakage by mobile-phone radiation (1800MHz) in human fibroblasts and in transformed GFSH-R17 rat granulosa cells in vitro. *Mutat Res*. 583:178-183, 2005.

Ferreira AR, Knakievicz T, de Bittencourt Pasquali MA, Gelain DP, Dal-Pizzol F, Fernandez CE, de Almeida de Salles AA, Ferreira HB, Moreira JC. Ultra high frequencyelectromagnetic field irradiation during pregnancy leads to an increase in erythrocytes micronuclei incidence in rat offspring. *Life Sci*. 80:43-50, 2006.

Fucic A, Garaj-Vrhovac V, Skara M, Dimitrovic B, X-rays, microwaves and vinyl chloride monomer: their clastogenic and aneugenic activity, using the micronucleus assay on human lymphocytes. *Mutat Res* 282(4):265-271, 1992.

Gadhia PK, Shah T, Mistry A, Pithawala M, Tamakuwala D. A Preliminary Study to Assess Possible Chromosomal Damage Among Users of Digital Mobile Phones. *Electromag Biol Med* 22:149-159, 2003.

Gandhi G, Anita. Genetic damage in mobile phone users: some preliminary findings. *Ind J Hum Genet* 11(2): 99-104, 2005.

Gandhi G, Singh P. Cytogenetic damage in mobile phone users: preliminary data. *Int J Hum Genet* 5(4):259-265, 2005.

Garaj-Vrhovac V, Horvat D, Koren Z, The effect of microwave radiation on the cell genome. *Mutat Res* 243(2):87-93, 1990.

Garaj-Vrhovac V, Horvat D, Koren Z, The relationship between colony-forming ability, chromosome aberrations and incidence of micronuclei in V79 Chinese hamster cells exposed to microwave radiation. *Mutat Res* 263(3):143-149, 1991.

Garaj-Vrhovac V, Fucic A, Horvat D, The correlation between the frequency of micronuclei and specific chromosome aberrations in human lymphocytes exposed to microwave radiation in vitro. *Mutat Res* 281(3):181-186, 1992.

Garaj-Vrhovac, V, Micronucleus assay and lymphocyte mitotic activity in risk assessment of occupational exposure to microwave radiation. *Chemosphere* 39(13):2301-2312, 1999.

Garson OM, McRobert TL, Campbell LJ, Hocking BA, Gordon I. A chromosomal study of workers with long-term exposure to radio-frequency radiation. *Med J Aust* 155(5):289-292, 1991.

Gos P, Eicher B, Kohli J, Heyer WD, No mutagenic or recombinogenic effects of mobile phone fields at 900 MHz detected in the yeast *Saccharomyces cerevisiae*. *Bioelectromagnetics* 21(7):515-523, 2000.

Haider T, Knasmueller S, Kundi M, Haider M, Clastogenic effects of radiofrequency radiations on chromosomes of *Tradescantia*. *Mutat Res* 324(1-2):65-68, 1994.

Hook GJ, Zhang P, Lagroye I, Li L, Higashikubo R, Moros EG, Straube WL, Pickard WF, Baty JD, Roti Roti JL. Measurement of DNA damage and apoptosis in molt-4 cells after in vitro exposure to radiofrequency radiation. *Radiat Res.* 161(2): 193-200, 2004.

Höytö A, Juutilainen J, Naarala J. Ornithine decarboxylase activity is affected in primary astrocytes but not in secondary cell lines exposed to 872 MHz RF radiation. *Int J Radiat Biol.* 83(6):367-374, 2007.

Huss A, Egger M, Hug K, Huwiler-Müntener K, Röösli M. Source of funding and results of studies of health effects of mobile phone use: systematic review of experimental studies. *Environ Health Perspect.* 115(1):1-4, 2007.

Juutilainen J, Heikkinen P, Soikkeli H, Mäki-Paakkanen J. Micronucleus frequency in erythrocytes of mice after long-term exposure to radiofrequency radiation. *Int J Radiat Biol.* 83(4):213-220, 2007.

Kerbacher JJ, Meltz ML, Erwin DN, Influence of radiofrequency radiation on chromosome aberrations in CHO cells and its interaction with DNA-damaging agents. *Radiat Res* 123(3):311-319, 1990.

Komatsubara Y, Hirose H, Sakurai T, Koyama S, Suzuki Y, Taki M, Miyakoshi J. Effect of high-frequency electromagnetic fields with a wide range of SARs on chromosomal aberrations in murine m5S cells. *Mutat Res.* 587(1-2):114-119, 2005.

Koyama S, Isozumi Y, Suzuki Y, Taki M, Miyakoshi J. Effects of 2.45-GHz electromagnetic fields with a wide range of SARs on micronucleus formation in CHO-K1 cells. *ScientificWorldJournal* 4 Suppl 2:29-40, 2004.

Lagroye I, Anane R, Wettring BA, Moros EG, Straube WL, Laregina M, Niehoff M, Pickard WF, Baty J, Roti JL. Measurement of DNA damage after acute exposure to pulsed-wave 2450 MHz microwaves in rat brain cells by two alkaline comet assay methods. *Int J Radiat Biol.* 80(1):11-20, 2004a.

Lagroye I, Hook GJ, Wettring BA, Baty JD, Moros EG, Straube WL, Roti JL. Measurements of Alkali-Labile DNA Damage and Protein-DNA Crosslinks after 2450 MHz Microwave and Low-Dose Gamma Irradiation In Vitro. *Radiat Res.* 161(2): 201-214, 2004b.

Lai H, Singh NP, Acute low-intensity microwave exposure increases DNA single-strand breaks in rat brain cells. *Bioelectromagnetics* 16(3):207-210, 1995.

Lai H, Singh NP, Single- and double-strand DNA breaks in rat brain cells after acute exposure to radiofrequency electromagnetic radiation. *Int J Radiat Biol.* 69(4):513-521, 1996.

Lai, H, Singh, NP, Melatonin and a spin-trap compound block radiofrequency electromagnetic radiation-induced DNA strand breaks in rat brain cells. *Bioelectromagnetics* 18(6):446-454, 1997a.

Lai H, Singh NP. Melatonin and N-tert-butyl-alpha-phenylnitronate block 60-Hz magnetic field-induced DNA single and double strand breaks in rat brain cells. *J Pineal Res.* 22(3):152-162, 1997b.

Lai H, Carino MA, Singh NP, Naltrexone blocks RFR-induced DNA double strand breaks in rat brain cells. *Wireless Networks* 3:471-476, 1997.

Lai H, Singh NP Magnetic-field-induced DNA strand breaks in brain cells of the rat. *Environ Health Perspect.* 112(6):687-694, 2004.

Lai H, Singh NP, Interaction of microwaves and a temporally incoherent magnetic field on single and double DNA strand breaks in rat brain cells. *Electromag Biol Med* 24:23-29, 2005.

Li L, Bisht KS, LaGroye I, Zhang P, Straube WL, Moros EG, Roti Roti JL. Measurement of DNA damage in mammalian cells exposed in vitro to radiofrequency fields at sars of 3-5 w/kg. *Radiat Res* 156:328-332, 2001.

Lixia S, Yao K, Kaijun W, Deqiang L, Huajun H, Xiangwei G, Baohong W, Wei Z, Jianling L, Wei W. Effects of 1.8GHz radiofrequency field on DNA damage and expression of heat shock protein 70 in human lens epithelial cells. *Mutat Res.* 602:135-142, 2006.

Maes A, Verschaeve L, Arroyo A, De Wagter C, Vercruyssen L, In vitro cytogenetic effects of 2450 MHz waves on human peripheral blood lymphocytes. *Bioelectromagnetics* 14(6):495-501, 1993.

Maes A, Collier M, Slaets D, Verschaeve L, 954 MHz microwaves enhance the mutagenic properties of mitomycin C. *Environ Mol Mutagen* 28(1):26-30, 1996.

Maes A, Collier M, Van Gorp U, Vandoninck S, Verschaeve L, Cytogenetic effects of 935.2-MHz (GSM) microwaves alone and in combination with mitomycin C. *Mutat Res* 393(1-2):151-156, 1997.

Maes A, Collier M, Verschaeve L Cytogenetic investigations on microwaves emitted by a 455.7 MHz car phone. *Folia Biol (Praha)* 46(5):175-180, 2000.

Maes A, Collier M, Verschaeve L Cytogenetic effects of 900 MHz (GSM) microwaves on human lymphocytes. *Bioelectromagnetics* 22(2):91-96, 2001.

Maes A, Van Gorp U, Verschaeve L. Cytogenetic investigation of subjects professionally exposed to radiofrequency radiation. *Mutagenesis*. 21:139-142, 2006.

Malyapa RS, Ahern EW, Straube WL, Moros EG, Pickard WF, Roti Roti JL, Measurement of DNA damage after exposure to 2450 MHz electromagnetic radiation. *Radiat Res* 148(6):608-617, 1997a.

Malyapa RS, Ahern EW, Straube WL, Moros EG, Pickard WF, Roti Roti JL, Measurement of DNA damage after exposure to electromagnetic radiation in the cellular phone communication frequency band (835.62 and 847.74 MHz). *Radiat Res* 148(6):618-627, 1997b.

Malyapa RS, Ahern EW, Bi C, Straube WL, LaRegina M, Pickard WF, Roti Roti JL, DNA damage in rat brain cells after in vivo exposure to 2450 MHz electromagnetic radiation and various methods of euthanasia. *Radiat Res* 149(6):637-645, 1998.

Malyapa RS, Bi C, Ahern EW, Roti Roti JL Detection of DNA damage by the alkaline comet assay after exposure to low-dose gamma radiation. *Radiat Res.* 149(4):396-400, 1998.

Markova E, Hillert L, Malmgren L, Persson BR, Belyaev IY. Microwaves from GSM Mobile Telephones Affect 53BP1 and gamma-H2AX Foci in Human Lymphocytes from Hypersensitive and Healthy Persons. *Environ Health Perspect.* 113(9):1172-1177, 2005.

Mashevich M, Folkman D, Kesar A, Barbul A, Korenstein R, Jerby E, Avivi L. Exposure of human peripheral blood lymphocytes to electromagnetic fields associated with cellular phones leads to chromosomal instability. *Bioelectromagnetics* 24:82-90, 2003.

McNamee JP, Bellier PV, Gajda GB, Miller SM, Lemay EP, Lavallee BF, Marro L,

Thansandote A. DNA Damage and Micronucleus Induction in Human Leukocytes after Acute In Vitro Exposure to a 1.9 GHz Continuous-Wave Radiofrequency Field. *Radiat Res* 158(4):523-533, 2002a.

McNamee JP, Bellier PV, Gajda GB, Lavallee BF, Lemay EP, Marro L, Thansandote A. DNA Damage in Human Leukocytes after Acute In Vitro Exposure to a 1.9 GHz Pulse-Modulated Radiofrequency Field. *Radiat Res* 158(4):534-537, 2002b.

McNamee JP, Bellier PV, Gajda GB, Lavallee BF, Marro L, Lemay E, Thansandote A. No Evidence for Genotoxic Effects from 24 h Exposure of Human Leukocytes to 1.9 GHz Radiofrequency Fields. *Radiat Res* 159(5):693-697, 2003.

Meltz ML, Eagan P, Erwin DN, Proflavin and microwave radiation: absence of a mutagenic interaction. *Bioelectromagnetics* 11(2):149-157, 1990.

Narasimhan V, Huh WK, Altered restriction patterns of microwave irradiated lambdaphage DNA. *Biochem Int* 25(2):363-370, 1991.

Nikolova T, Czyz J, Rolletschek A, Blyszczuk P, Fuchs J, Jovtchev G, Schuderer J, Kuster N, Wobus AM. Electromagnetic fields affect transcript levels of apoptosis-related genes in embryonic stem cell-derived neural progenitor cells. *ASEB J.* 19(12):1686-1688, 2005.

Ono T, Saito Y, Komura J, Ikehata H, Tarusawa Y, Nojima T, Goukon K, Ohba Y, Wang J, Fujiwara O, Sato R. Absence of mutagenic effects of 2.45 GHz radiofrequency exposure in spleen, liver, brain, and testis of lacZ-transgenic mouse exposed in utero. *Tohoku J Exp Med.* 202(2):93-103, 2004.

Oral B, Guney M, Ozguner F, Karahan N, Mungan T, Comlekci S, Cesur G. Endometrial apoptosis induced by a 900-MHz mobile phone: preventive effects of vitamins E and C. *Adv Ther.* 23(6):957-973, 2006

Paulraj R, Behari J. Single strand DNA breaks in rat brain cells exposed to microwave radiation. *Mutat Res.* 596:76-80, 2006.

Phillips, J.L., Ivaschuk, O., Ishida-Jones, T., Jones, R.A., Campbell-Beachler, M. and Haggren, W. DNA damage in Molt-4 T- lymphoblastoid cells exposed to cellular telephone radiofrequency fields in vitro. *Bioelectrochem. Bioenerg.* 45:103-110, 1998.

Port M, Abend M, Romer B, Van Beuningen D. Influence of high-frequency electromagnetic fields on different modes of cell death and gene expression. *Int J Radiat Biol.* 79(9):701-708, 2003

Roti Roti JL , Malyapa RS, Bisht KS, Ahern EW, Moros EG, Pickard WF, Straube WL, Neoplastic Transformation in C3H 10T(1/2) Cells after Exposure to 835.62 MHz FDMA and 847.74 MHz CDMA Radiations. *Radiat Res* 155(1):239-247, 2001.

Sakuma N, Komatsubara Y, Takeda H, Hirose H, Sekijima M, Nojima T, Miyakoshi J. DNA strand breaks are not induced in human cells exposed to 2.1425 GHz band CW and W-CDMA modulated radiofrequency fields allocated to mobile radio base stations. *Bioelectromagnetics*. 27:51-57, 2006.

Sarimov R, Malmgren L.O.G., Markova, E., Persson, B.R.R.. Belyaev, I.Y. Nonthermal GSM microwaves affect chromatin conformation in human lymphocytes similar to heat shock. *IEEE Trans Plasma Sci* 32:1600-1608, 2004.

Sarkar S, Ali S, Behari J, Effect of low power microwave on the mouse genome: a direct DNA analysis. *Mutat Res* 320(1-2):141-147, 1994.

Scarfì MR, Fresegna AM, Villani P, Pinto R, Marino C, Sarti M, Altavista P, Sannino A, Lovisolo GA. Exposure to radiofrequency radiation (900 MHz, GSM signal) does not affect micronucleus frequency and cell proliferation in human peripheral blood lymphocytes: an interlaboratory study. *Radiat Res.* 165(6):655-663, 2006.

Semin IuA, Shvartsburg LK, Dubovik BV. [Changes in the secondary structure of DNA under the influence of external low-intensity electromagnetic field] *Radiats Biol Radioecol* 35(1):36-41, 1995.

Simkó M Cell type specific redox status is responsible for diverse electromagnetic field effects. *Curr Med Chem.* 14(10):1141-1152, 2007.

Stronati L, Testa A, Moquet J, Edwards A, Cordelli E, Villani P, Marino C, Fresegna AM, Appolloni M, Lloyd D. 935 MHz cellular phone radiation. An in vitro study of genotoxicity in human lymphocytes. *Int J Radiat Biol.* 82(5):339-346, 2006.

Sun LX, Yao K, He JL, Lu DQ, Wang KJ, Li HW. [Effect of acute exposure to microwave from mobile phone on DNA damage and repair of cultured human lens epithelial cells in vitro.] *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 24(8):465-467, 2006.

Sykes PJ, McCallum BD, Bangay MJ, Hooker AM, Morley AA. Effect of Exposure to 900 MHz Radiofrequency Radiation on Intrachromosomal Recombination in pKZ1 Mice. *Radiat Res* 156(5):495-502, 2001.

Takahashi S, Inaguma S, Cho Y-M, Imaida K, Wang J, Fujiwara O, Shirai T, Lack of Mutation Induction with Exposure to 1.5 GHz Electromagnetic Near Fields Used for Cellular Phones in Brains of Big Blue Mice. *Cancer Res* 62:1956-1960, 2002.

Tice RR, Hook GG, Donner M, McRee DI, Guy AW. Genotoxicity of radiofrequency signals. I. Investigation of DNA damage and micronuclei induction in cultured human blood cells. *Bioelectromagnetics* 23:113-126, 2002.

Trosic I. Multinucleated giant cell appearance after whole body microwave irradiation of

rats. *Int J Hyg Environ Health.* 204(2-3):133-138, 2001.

Trosic I, Busljeta I, Kasuba V, Rozgaj R. Micronucleus induction after whole-body microwave irradiation of rats. *Mutat Res* 521(1-2):73-79, 2002.

Trosic I, Busljeta I, Modlic B. Investigation of the genotoxic effect of microwave irradiation in rat bone marrow cells: in vivo exposure. *Mutagenesis.* 19(5):361-364, 2004.

Trosic I, Busljeta I. Erythropoietic dynamic equilibrium in rats maintained after microwave irradiation. *Exp Toxicol Pathol.* 57(3):247-251, 2006.

Verschaeve, L., Heikkinen, P., Verheyen, G., Van Gorp, U., Boonen, F., Vander Plaetse, F., Maes, A., Kumlin, T., Maki-Paakkonen, J., Puranen, L. and Juutilainen, J. Investigation of Co-genotoxic Effects of Radiofrequency Electromagnetic Fields In Vivo. *Radiat. Res.* 165, 598-607, 2006.

Vijayalaxmi, Mohan, N, Meltz, ML, Wittler, MA, Proliferation and cytogenetic studies in human blood lymphocytes exposed in vitro to 2450 MHz radiofrequency radiation. *Int J Radiat Biol* 72(6):751-757, 1997a.

Vijayalaxmi, Frei, MR, Dusch, SJ, Guel, V, Meltz, ML, Jauchem, JR, Frequency of micronuclei in the peripheral blood and bone marrow of cancer-prone mice chronically exposed to 2450 MHz radiofrequency radiation. *Radiat Res* 147(4):495-500, 1997b.

Vijayalaxmi, Seaman RL, Belt ML, Doyle JM, Mathur SP, Prihoda TJ., Frequency of micronuclei in the blood and bone marrow cells of mice exposed to ultra-wideband electromagnetic radiation. *Int J Radiat Biol.* 75(1):115-120, 1999.

Vijayalaxmi, Leal BZ, Szilagyi M, Prihoda TJ, Meltz ML, Primary DNA Damage in Human Blood Lymphocytes Exposed In Vitro to 2450 MHz Radiofrequency Radiation. *Radiat Res* 153(4):479-486, 2000.

Vijayalaxmi, Pickard WF, Bisht KS, Prihoda TJ, Meltz ML, LaRegina MC, Roti Roti JL, Straube WL, Moros EG. Micronuclei in the peripheral blood and bone marrow cells of rats exposed to 2450 MHz radiofrequency

Vijayalaxmi , Leal BZ, Meltz ML, Pickard WF, Bisht KS, Roti Roti JL , Straube WL, Moros EG, Cytogenetic Studies in Human Blood Lymphocytes Exposed In Vitro to Radiofrequency Radiation at a Cellular Telephone Frequency (835.62 MHz, FDMA). *Radiat Res* 155(1):113-121, 2001b.

Vijayalaxmi, Bisht KS, Pickard WF, Meltz ML, Roti Roti JL, Moros EG. Chromosome damage and micronucleus formation in human blood lymphocytes exposed in vitro to radiofrequency radiation at a cellular telephone frequency (847.74 MHz, CDMA). *Radiat Res* 156(4):430-432, 2001c.

Vijayalaxmi, Sasser LB, Morris JE, Wilson BW, Anderson LE. Genotoxic Potential of 1.6 GHz Wireless Communication Signal: In Vivo Two-Year Bioassay. *Radiat Res* 159(4):558-564, 2003.

Zeni, O., Schiavoni, A. S., Sannino, A., Antolini, A., Forigo, D., Bersani, F. and Scarfi, M. R. Lack of Genotoxic Effects (Micronucleus Induction) in Human Lymphocytes Exposed In Vitro to 900 MHz Electromagnetic Fields. *Radiat. Res.* 160, 152-158, 2003.

Zeni O, Romano M, Perrotta A, Lioi MB, Barbieri R, d'Ambrosio G, Massa R, Scarfi MR. Evaluation of genotoxic effects in human peripheral blood leukocytes following an acute in vitro exposure to 900 MHz radiofrequency fields. *Bioelectromagnetics*. 26(4):258-265, 2005.

Zhang DY, Xu ZP, Chiang H, Lu DQ, Zeng QL. [Effects of GSM 1800 MHz radiofrequency electromagnetic fields on DNA damage in Chinese hamster lung cells.] *Zhonghua Yu Fang Yi Xue Za Zhi*. 40(3):149-152, 2006.

Zhang MB, He JL, Jin LF, Lu DQ. Study of low-intensity 2450-MHz microwave exposure enhancing the genotoxic effects of mitomycin C using micronucleus test and comet assay in vitro. *Biomed Environ Sci* 15(4):283-290, 2002.

Zotti-Martelli L, Peccatori M, Scarpato R, Migliore L, Induction of micronuclei in human lymphocytes exposed in vitro to microwave radiation. *Mutat Res* 472(1-2):51-58, 2000.

Zotti-Martelli L, Peccatori M, Maggini V, Ballardin M, Barale R. Individual responsiveness to induction of micronuclei in human lymphocytes after exposure in vitro to 1800-MHz microwave radiation. *Mutat Res.* 582(1-2):42-52, 2005.

Ahlbom H, Day N, Feychtig M, Roman E, Skinner J, Dockerty J, Linet M, McBride M, Michaelis J, Olsen JH, Tynes T, Verkasalo PK. 2000. A pooled analysis of magneticfields and childhood leukemia," Brit J Cancer 83:692-698.

Balcer-Kubicek EK, Harrison GH, Davis CC, Haas ML, Koffman BH. 2000. Expression analysisof human HL60 cells to 60Hz square or sine wave magnetic fields. *Radiation Res* 153:670-678.

BEMS Supplement 6 .2003. Reviews of Effects of RF Energy on Human Health. *Bioelectromagnetics* 24:S1-S213.

BEMS Supplement 7 .2005. Sensitivity of Children to EMF Exposure. *Bioelectromagnetics* 26:S1-S160.

Blank M. 1994. Protein Aggregation Reactions: Surface Free Energy Model. *J Theoret Biol* 169: 323-326.

Blank M. 1995. Electric Stimulation of Protein Synthesis in Muscle. *Adv Chem* 250:143-

153.

Blank M. 2005. Do electromagnetic fields interact with electrons in the Na,KATPase? Bioelectromagnetics 26: 677-683.

Blank M. 2006. The Precautionary Principle Must Be Guided by EMF Research. Electromagnetic Biology and Medicine 25: 203-208.

Blank M, Khorkova O, Goodman R. 1994. Changes in polypeptide distribution stimulated by different levels of EM and thermal stress. Bioelectrochem Bioenerg 33:109-114.

Blank M, Goodman R. 2002. Electromagnetic initiation of transcription at specific DNA sites. J Cell Biochem 81: 689-692.

Blank M, Goodman R. 2004. Initial Interactions in Electromagnetic Field-Induced Biosynthesis. J Cellular Physiology 199: 359-363.

Blank M, Goodman R. 2004. A Biological Guide for Electromagnetic Safety: The StressResponse Electromagnetic initiation of transcription at specific DNA sites. Bioelectromagnetics 25: 642-646.

Blank M, Goodman R. 2006. BEMS, WHO, and the Precautionary Principle. Bioelectromagnetics, DOI 10.1002/bem.20261.

Blank M, Soo L. 1987. Surface Free Energy as the Potential in Oligomeric Equilibria: Prediction of Hemoglobin Disaggregation Constant. Bioelectrochem Bioenerg 17:349-360.

Blank M, Soo L. 1996. The threshold for Na,K-ATPase stimulation by electromagnetic fields. Bioelectrochem Bioenerg 40:63-65.

Blank M, Soo L. 1997. Frequency dependence of Na,K-ATPase function in magnetic fields. Bioelectrochem Bioenerg 42:231-234.

Blank M, Soo M. 1998. Enhancement of cytochrome oxidase activity in 60Hz magnetic fields. Bioelectrochem Bioenerg 45:253-259.

Blank M, Soo L. 2001a. Optimal frequencies for magnetic acceleration of cytochrome oxidase and Na,K-ATPase reactions. Bioelectrochem 53:171-174.

Blank M, Soo L. 2001b. Electromagnetic acceleration of electron transfer reactions. J Cell Biochem 81:278-283.

Blank M, Soo L. 2003. Electromagnetic acceleration of the Belousov-Zhabotinski reaction. Bioelectrochem 61:93-97.

Blank M, Soo L, Lin H, Henderson AS, Goodman R. 1992. Changes in Transcription in HL-60 Cells Following Exposure to AC Electric Fields. *Bioelectrochem Bioenerg* 28: 301-309.

Bohr H, Bohr J. 2000. Microwave enhanced kinetics observed in ORD studies of protein. *Bioelectromagnetics*. 21:68-72.

Capri M, Scarcella E, Bianchi E, Fumelli C, Mesirca P, Agostini C, Remondini D, Schuderer J, Kuster N, Franceschi C, Bersani F. 2004. 1800 MHz radiofrequency (mobile phones, different Global System for Mobile communication modulations) does not affect apoptosis and heat shock protein 70 level in peripheral blood mononuclear cells from young and old donors. *Int J Radiat Biol.* 80:389-397.

Caraglia M, Marra M, Mancinelli F, D'Ambrosio G, Massa R, Giordano A, Budillon A, Abbruzzese A, Bismuto E. 2005. Electromagnetic fields at mobile phone frequency induce apoptosis and inactivation of the multi-chaperone complex in human epidermoid cancer cells. *J Cell Physiol.* 204:539-548.

Chauhan V, Mariampillai A, Bellier PV, Qutob SS, Gajda GB, Lemay E, Thansandote A, McNamee JP. 2006. Gene Expression Analysis of a Human Lymphoblastoma Cell Line Exposed In Vitro to an Intermittent 1.9 GHz Pulse-Modulated Radiofrequency Field. *Radiat Res* 165:424-429, 2006.

Chauhan V, Mariampillai A, Gajda GB, Thansandote A, McNamee JP. 2006. Analysis of proto-oncogene and heat-shock protein gene expression in human derived cell-lines exposed in vitro to an intermittent 1.9 GHz pulse-modulated radiofrequency field. *Int J Radiat Biol.* 82:347-354.

Chow K, Tung WL. 2000. Magnetic field exposure enhances DNA repair through the induction of DnaK/J synthesis. *FEBS Letters* 748:133-136.

Cleary SF, Cao G, Liu LM, Egle PM, Shelton KR. 1997. Stress proteins are not induced in mammalian cells exposed to radiofrequency or microwave radiation. *Bioelectromagnetics* 18:499-505, 1997.

Cotgreave IA. 2005. Biological stress responses to radio frequency electromagnetic radiation: are mobile phones really so (heat) shocking? *Arch Biochem Biophys* 435: 227-240.

Czyz J , Guan K, Zeng Q, Nikolova T, Meister A, Schönborn F, Schuderer J, Kuster N, Wobus AM. 2004. High frequency electromagnetic fields (GSM signals) affect gene expression levels in tumor suppressor p53-deficient embryonic stem cells. *Bioelectromagnetics* 25:296-307, 2004.

Daniells, C, Duce, I, Thomas, D, Sewell, P, Tattersall, J, de Pomerai, D. 1998. Transgenic nematodes as biomonitoring of microwave-induced stress. *Mutat Res* 399:55-64.

Dawe AS, Smith B, Thomas DW, Greedy S, Vasic N, Gregory A, Loader B, de Pomerai DI. 2005. A small temperature rise may contribute towards the apparent induction by microwaves of heat-shock gene expression in the nematode *Caenorhabditis Elegans*. *Bioelectromagnetics*. 2005 Dec 8; [Epub]

de Pomerai DI, Smith B, Dawe A, North K, Smith T, Archer DB, Duce IR, Jones D, Candido EP. 2003. Microwave radiation can alter protein conformation without bulk heating. *FEBS Lett* 22;543(1-3):93-97.

Di Carlo A, Farrell JM, Litovitz T. 1998. A simple experiment to study electromagnetic field effects: protection induced by short-term exposures to 60Hz magnetic fields. *Bioelectromagnetics* 19:498-500.

Di Carlo A, White N, Guo F, Garrett P, Litovitz T. 2002. Chronic electromagnetic field exposure decreases HSP70 levels and lowers cytoprotection. *J. Cell. Biochem.* 84: 447-454.

Diem E, Schwarz C, Adlkofer F, Jahn O, Rudiger H. 2005. Non-thermal DNA breakage by mobile-phone radiation (1800MHz) in human fibroblasts and in transformed GFSH-R-17 granulosa cells in vitro. *Mutation Res.* 583: 178-183.

Fecko CJ, Eaves JD, Loparo JJ, Tokmakoff A, Geissler PL. 2003. Ultrafast hydrogenbond dynamics in infrared spectroscopy of water. *Science* 301: 1698-1701.

Fritze K, Wiessner C, Kuster N, Sommer C, Gass P, Hermann DM, Kiessling M, Hossmann KA. 1997. Effect of global system for mobile communication microwave exposure on the genomic response of the rat brain. *Neuroscience* 81:627-639.

Giese B, Spichty M. 2000. Long distance charge transport through DNA: Quantification and extension of the hopping model. *Chem Phys Chem* 1: 195-198.

Goodman R, Bassett CAL, Henderson A. 1983. Pulsing electromagnetic fields induce cellular transcription. *Science* 220: 1283-1285.

Goodman R, Blank M, Lin H, Khorkova O, Soo L, Weisbrot D, Henderson AS. 1994. Increased levels of hsp70 transcripts are induced when cells are exposed to lowfrequencyelectromagnetic fields. *Bioelectrochem Bioenerg* 33:115-120.

Goodman R, Blank M. 1998. Magnetic field stress induces expression of hsp70. *Cell Stress and Chaperones* 3:79-88.

Goodman R, Blank M. 2002. Insights into Electromagnetic Interaction Mechanisms. *J Cell Physiol* 192:16-22.

Goodman R, Henderson A. 1988. Exposure of salivary gland cells to low frequencyelectromagnetic fields alters polypeptide synthesis. *PNAS* 85: 3928-3932.

Goodman R, Shirley-Henderson A 1991. Transcription and translation in cells exposed to extremely low frequency electromagnetic fields. *Bioelectrochem Bioenerg* 25: 335-355.

Gray HB, Winkler JR. 2003. Electron tunneling through proteins. *Quart Rev Biophys* 36:341-372

Greenland S, Sheppard AR, Kaune WT, Poole C, Kelsh MA. 2000. A Pooled Analysis of Magnetic Fields, Wire Codes, and Childhood Leukemia. *Epidemiology* 11:624-634.

Hardell L, Walker MJ, Wahljalt B, Friedman LS, Richter ED. 2006. Secret Ties to Industry and Conflicting Interests in Cancer Research. *Am J Ind Med* (published online) DOI 10.1002/ajim20357.

Harvey C, French PW. 2000. Effects on protein kinase C and gene expression in a human mast cell line, HMC-1, following microwave exposure. *Cell Biol Int* 23:739-748.

Hirose H, Sakuma N, Kaji N, Suhara T, Sekijima M, Nojima T, Miyakoshi J. 2006a.

Phosphorylation and gene expression of p53 are not affected in human cells exposed to 2.1425 GHz band CW or W-CDMA modulated radiation allocated to mobile radio base stations. *Bioelectromagnetics*. 2006 May 19; [Epub]

Hirose H, Sakuma N, Kaji N, Nakayama K, Inoue K, Sekijima M, Nojima T, Miyakoshi J. 2006b. Mobile phone base station-emitted radiation does not induce phosphorylation of Hsp27. *Bioelectromagnetics*. 2006 Sep 26; [Epub]

Huss A, Egger M, Hug K, Huwiler-Muntener K, Roosli M. 2007. Source of Funding and Results of Studies of Health Effects of Mobile Phone Use: Systematic Review of Experimental Studies. *Environ Health Perspect* 115:1-4.

Ivancsits S, Pilger A, Diem E, Jahn O, Rudiger H. 2005. Cell type-specific genotoxic effects of intermittent extremely low-frequency electromagnetic fields. *Mutation Res* 583: 184-188.

Jin M, Lin H, Han L, Opler M, Maurer S, Blank M, Goodman R. 1997. Biological and technical variables in MYC expression in HL60 cells exposed to 60Hz electromagnetic fields. *Bioelectrochem Bioenerg* 44: 111-120.

Kennedy D. 2006. Breakthrough of the year. *Science* 314:1841.

Kultz D. 2005. Molecular and Evolutionary Basis of the Cellular Stress Response. *Ann Rev Physiol* 67: 225-257.

Kwee S, Raskmark P, Velizarov S. 2001. Changes in cellular proteins due to environmental non-ionizing radiation. I. Heat-shock proteins. *Electro- and Magnetobiology* 20: 141-152.

Lacy-Hulbert A, Wilkins R, Hesketh TR, Metcalfe JC. 1995. No effect of 60Hz electromagnetic fields on MYC or  $\beta$ -actin expression in human leukemic cells. Radiation Res 144: 9-17.

Lai H, Singh NP. 1997a. Acute Exposure to a 60Hz Magnetic field Increases DNA Strand Breaks in Rat Brain Cells. Bioelectromagnetics 18:156-165.

Lai, H, Singh, NP. 1997b. Melatonin and a spin-trap compound block radiofrequencyelectromagnetic radiation-induced DNA strand breaks in rat brain cells. Bioelectromagnetics 18:446-454.

Lai H, Singh NP. 2005. Interaction of Microwaves and a Temporally Incoherent Magnetic Field on Single and Double DNA Strand Breaks in Rat Brain Cells. Electromag Biol Med 24:23-29.

Lantow M, Schuderer J, Hartwig C, Simko M. 2006a. Free Radical Release and HSP70Expression in Two Human Immune-Relevant Cell Lines after Exposure to 1800 MhzRadiofrequency Radiation. Radiat Res. 165:88-94.

Lantow M, Lupke M, Frahm J, Mattsson MO, Kuster N, Simko M. 2006b. ROS release and Hsp70 expression after exposure to 1,800 MHz radiofrequency electromagnetic fields in primary human monocytes and lymphocytes. Radiat Environ Biophys. 2006 Mar 22.

Lantow M, Viergutz T, Weiss DG, Simko M. 2006c. Comparative study of cell cycle kinetics and induction of apoptosis or necrosis after exposure of human mono mac 6 cells to radiofrequency radiation. Radiat Res. 166:539-543.

Laszlo A, Moros EG, Davidson T, Bradbury M, Straube W, Roti Roti J. 2005. The Heat-Shock Factor is not Activated in Mammalian Cells Exposed to Cellular Phone FrequencyMicrowaves. Radiat. Res. 164: 163-172.

Laubitz D, Jankowska A, Sikora A, Wolinski J, Zabielski R, Grzesiuk E. 2006. Gutmyoelectrical activity induces heat shock response in E coli and Caco-2 cells.Experimental Physiol 91: 867-875.

Lee JS, Huang TQ, Lee JJ, Pack JK, Jang JJ, Seo JS. 2005. Subchronic exposure of hsp70.1-deficient mice to radiofrequency radiation. Int J Radiat Biol. 81:781-792.

Lee S, Johnson D, Dunbar K, Dong H, Ge X, Kim YC, Wing C, Jayathilaka N, Emmanuel N, Zhou CQ, Gerber HL, Tseng CC, Wang SM. 2005. 2.45GHz radiofrequency fields alter gene expression in cultured human cells. FEBS Lett. 579:4829-4836.

Leszczynski D, Joenvaara S, Reivinen J, Kuokka R. 2002. Non-thermal activation of the hsp27/ p38MAPK stress pathway by mobile phone radiation in human endothelial cells:Molecular mechanism for cancer-and blood-brain barrier-related effects.

Differentiation 70: 120-129

Leszczinski D, Nylund R, Joevaara S, Reivinen J. 2004. Applicability of discovery science approach to determine biological effects of mobile phone radiation. Proteomics 4:426-431.

Liburdy RP, Sloma TR, Sokolic R, Yaswen P. 1993. ELF magnetic fields, breast cancer, and melatonin: 60Hz fields block melatonin's oncostatic action on ER+ breast cancer cell proliferation. J Pineal Res 14:89-97.

Liburdy R. 2003. Electromagnetic Fields and Control of Cell Growth. Drugs, Hormones, and Human Tumor Cells: A Summary of Replication Studies at Five Laboratories. In McLean MJ, Engstrom S, Holcomb RR (eds) Magnetotherapy: Potential Therapeutic Benefits and Adverse Effects. New York, TGF Press. pp.57-88.

Lim HB, Cook GG, Barker AT, Coulton LA. 2005. Effect of 900 MHz Electromagnetic Fields on Nonthermal Induction of Heat-Shock Proteins in Human Leukocytes. Radiat Res 163:45-52.

Lin H, Blank M, Jin M, Lam H, Goodman R. 1996. Electromagnetic field stimulation of biosynthesis: changes in c-myc transcript levels during continuous and intermittent exposures. Bioelectrochem Bioenerg 39:215-220.

Lin H, Blank M, Goodman R. 1999. A magnetic field responsive domain in the human HSP70 promoter. J Cell Biochem 75:170-176.

Lin H, Blank M, Rossol-Haseroth K, Goodman R. 2001. Regulating genes with electromagnetic response elements. J Cell Biochem 81:143-148.

Lin H, Head M, Blank M, Jin M, Goodman R. 1998. Myc-mediated transactivation of HSP70 expression following exposure to magnetic fields J Cell Biochem 69: 181-188.

Lin H, Goodman R, Henderson A. 1994. Specific region of the c-myc promoter is responsive to electric and magnetic fields. J Cell Biochem 55: 1-8.

Lin H, Opler M, Head M, Blank M, Goodman R. 1997. Electromagnetic field exposure induces rapid transitory heat shock factor activation in human cells. J Cell Biochem 66: 482-488.

Jokela K, Puranen L, Sihvonen AP 2004. Assessment of the magnetic field exposure due to the battery current of digital mobile phones. Health Phys. 86(1):56-66.

Litovitz TA, Kraus D, Mullins JM. 1991. Effect of Coherence Time of the Applied Magnetic Field on Ornithine Decarboxylase Activity. Biochem Biophys Res Comm 178: 862-865.

Litovitz TA, Kraus D, Penafiel M, Elson EC, Mullins JM. 1993. The Role of Coherence Time in the Effect of Microwaves on Ornithine Decarboxylase Activity. *Bioelectromagnetics* 14: 395-403.

Litovitz TA, Penafiel LM, Farrel JM, Krause D, Meister R, Mullins JM. 1997. Bioeffects induced by exposure to microwaves are mitigated by superposition of ELF noise. *Bioelectromagnetics* 18:422-430.

Lixia S, Yao K, Kaijun W, Deqiang L, Huajun H, Xiangwei G, Baohong W, Wei Z, Jianling L, Wei W. 2006. Effects of 1.8GHz radiofrequency field on DNA damage and expression of heat shock protein 70 in human lens epithelial cells. *Mutat Res.* 2006 Sep 29; [Epub]

Linde T, Mild KH. 1997. Measurement of low frequency magnetic fields from digital cellular telephones. *Bioelectromagnetics* 18: 184-186.

Loberg L, Gauger JR, Buthod JI, Engdahl WR, McCormick DI. 1999. Gene expression in human breast epithelial cells exposed to 60Hz magnetic fields. *Carcinogenesis* 20:1633-1636.

Malagoli D, Lusvardi M, Gobba F, Ottaviani E. 2004. 50Hz electromagnetic fields activate mussel immunocyte p38 MAP kinase and induce hsp70 and 90. *Comp Biochem Physiol A Toxicol Pharmacol* 137:75-79.

Maes A, Van Gorp U, Verschaeve L. 2006. Cytogenetic investigation of subjects professionally exposed to radiofrequency radiation. *Mutagenesis*. 2006 Feb 15; [Epub]

Mashevich M, Folkman D, Kesar A, Barbul A, Korenstein R, Jerby E, Avivi L. 2003.

Exposure of Human Peripheral Blood Lymphocytes to Electromagnetic Fields Associated with Cellular Phones Leads to Chromosomal Instability. *Bioelectromagnetics* 24: 82-90.

McNamee JP, Bellier PV, Gajda GB, Miller SM, Lemay EP, Lavallee BF, Marro L, Thansandote A. 2002. DNA Damage and Micronucleus Induction in Human Leukocytes after Acute In Vitro Exposure to a 1.9 GHz Continuous-Wave Radiofrequency Field. *Radiat Res* 158:523-533.

Miyakawa T, Yamada S, Harada S, Ishimori T, Yamamoto H, Hosono R. 2001. Exposure of *C elegans* to extremely low frequency high magnetic fields induces stress responses. *Bioelectromagnetics* 22:333-339.

Mullins JM, Litovitz TA, Penafiel M, Desta A, Krause A. 1998. Intermittent noise affects EMF-induced ODC activity. *Bioelectrochem Bioenerg* 44: 237-242.

Mullins JM, Penafiel LM, Juutilainen J, Litovitz TA. 1999. Dose-response of electromagnetic field-induced ornithine decarboxylase activity. *Bioelectrochem Bioenerg* 48: 193-199.

Nylund R, Leszczynski D. 2004. Proteomics analysis of human endothelial cell line EA.hy926 after exposure to GSM 900 radiation. *Proteomics* 4:1359-1365.

Nylund R, Leszczynski D. 2006. Mobile phone radiation causes changes in gene and protein expression in human endothelial cell lines and the response seems to be genome and proteome-dependent. *Proteomics*. 2006 Jul 28; [Epub]

Oktem F, Ozguner F, Mollaoglu H, Koyu A, Uz E. 2005. Oxidative Damage in the Kidney Induced by 900-MHz-Emitted Mobile Phone: Protection by Melatonin. *Arch Med Res*. 36:350-355.

Ozguner F, Altinbas A, Ozaydin M, Dogan A, Vural H, Kisioglu AN, Cesur G, Yildirim NG. 2005. Mobile phone-induced myocardial oxidative stress: protection by a novel antioxidant agent caffeic acid phenethyl ester. *Toxicol Ind Health*. 21:223-230

Penafiel LM, Litovitz T, Krause D, Desta A, Mullins JM. 1997. Role of modulation on the effect of microwaves on ornithine decarboxylase activity in L929 cells. *Bioelectromagnetics* 18:132-141.

Pette D, Vrbova G. 1992. Adaptation of Mammalian Skeletal Muscle Fibers to Chronic Electrical Stimulation. *Rev Physiol Biochem Physiol* 120: 115-202.

Phillips JL, Haggren W, Thomas W, Ishida-Jones T, Adey WR. 1993. *Biochim Biophys Acta* 1132:140-144.

Phillips JL, Ivaschuk O, Ishida-Jones T, Jones RA, Campbell-Beachler M, Haggren W. 1998. DNA damage in Molt-4 T-lymphoblastoid cells exposed to cellular telephoneradiofrequency fields in vitro. *Bioelectrochem Bioenerg* 45:103-110.

Popper K. 1959. *The Logic of Scientific Discovery*. Basic Books, New York  
Porath D, Bezryadin A, deVries S, Dekker C. 2000. Direct measurement of electrical transport through DNA molecules. *Nature* 403: 635-638.

Rao S, Henderson AS. 1996. Regulation of c-fos is affected by electromagnetic fields. *J Cell Biochem* 63: 358-365.

Ratner M. 1999. Electronic motion in DNA. *Nature* 397: 480-481. REFLEX Project Report. 2004. A summary of the final report can be found at [http://www.verumfoundation.de/www2004/html/pdf/euprojekte01/REFLEX\\_ProgressSummary\\_231104.pdf](http://www.verumfoundation.de/www2004/html/pdf/euprojekte01/REFLEX_ProgressSummary_231104.pdf)

Repacholi M, Basten A, Gebski V, Noonan D, Finnie J, Harris AW. 1997. Lymphomas in E $\mu$ -Pim 1 Transgenic Mice Exposed to Pulsed 900 MHz Electromagnetic Fields. *Radiation Res* 147:6318-640.

Ritossa FM. 1962. A new puffing pattern induced by a temperature shock and DNP

inDrosophila. Experientia Basel 18:571-573.

Saffer JD, Thurston SJ. 1995. Short exposures to 60Hz magnetic fields do not alter MYCexpression in HL60 cells or Daudi cells. Radiation Res 144:18-25.

Sage C Johansson O Sage SA. 2007. Personal digital assistant (PDA) cell phone units produce elevated extremely-low frequency electromagnetic field emissions. Bioelectromagnetics 28: 386-392.

Sanchez S, Milochau A, Ruffie G, Pouletier de Gannes F, Lagroye I, Haro E, Sur leve-Bazeille JE, Billaudel B, Lassegues M, Veyret B. 2006. Human skin cell stress response to GSM-900 mobile phone signals. FEBS J. 2006 Nov 9; [Epub]Sarimov R, Malmgran LOG, Markova E, Persson BRR, Belyaev IY. 2004. Nonthermal GSM Microwaves affect chromatin conformation in human lymphocytes similar to heat shock. IEEE Trans on Plasma Science 32: 1600-1607.

Shallom JM, DiCarlo AL, Ko D, Penafiel LM, Nakai A. 2002. Microwave exposure induces hsp70 and confers protection against hypoxia in chick embryos. J Cell Biochem 86:490-496.

Shao F, Augustyn K, Barton JK. 2005. Sequence dependence of charge transport through DNA domains. J Am Chem Soc. 127: 17445-52.

Shi B, Farboud B, Nuccitelli R, Isseroff RR. 2003. Power line frequency electromagnetic fields do not induce changes in phosphorylation, localization or expressionof the 27-kilodalton heat shock protein in human keratinocytes. Environ health Perspect 111:281-288.

Simko M, Hartwig C, Lantow M, Lupke M, Mattsson MO, Rahman Q, Rollwitz J. 2006. Hsp70 expression and free radical release after exposure to non-thermal radio-frequency electromagnetic fields and ultrafine particles in human Mono Mac 6 cells. Toxicol Lett. 161:73-82.

Sontag W. 2006. Low Frequency Electromagnetic Fields and the Belousov-ZhabotinskyReaction. Bioelectromagnetics 27:314-319.

Utteridge TD, Gebski V, Finnie JW, Vernon-Roberts B, Kuchel TR. 2002. Long-Term Exposure of E $\mu$ -Pim1 Transgenic Mice to 898.4 MHz Microwaves does not Increase Lymphoma Incidence. Radiat Res 158:357-364, 2002.

Vanderwaal RP, Cha B, Moros EG, Roti Roti JL. 2006. HSP27 phosphorylation increases after 45 degrees C or 41 degrees C heat shocks but not after non-thermal TDMA or GSMexposures. Int J Hyperthermia. 22:507-519.

Velizarov S, Raskmark P, Kwee S. 1999. The effects of radiofrequency fields on cellproliferation are non-thermal. Bioelectrochem Bioenerg 48:177-180.

Wan C, Fiebig T, Kelley SO, Treadway CR, Barton JK. 1999. Femtosecond dynamics of DNA-mediated electron transfer. *Proc Nat Acad Sci USA* 96:6014-6019.

Wan C, Fiebig

T, Schiemann O, Barton JK, Zewail AH. 2000. Femtosecond direct observation of charge transfer between bases in DNA. *Proc Natl Acad Sci USA* 97: 14052-14055.

Wang J, Koyama S, Komatsubara Y, Suzuki Y, Taki M, Miyakoshi J. Effects of a 2450 MHz high-frequency electromagnetic field with a wide range of SARs on the induction of heat-shock proteins in A172 cells. *Bioelectromagnetics*. 2006 Apr 18; [Epub]

Weisbrot D, Lin H, Ye L, Blank M, Goodman R. 2003. Effects of mobile phone radiation on growth and development in *Drosophila melanogaster*. *J Cell Biochem* 89:48-55.

Winker R, Ivancits S, Pilger A, Adlkofer F, Roediger HW. 2005.

Chromosomal damage

in human diploid fibroblasts by intermittent exposure to extremely low-frequency electromagnetic fields. *Mutation Res* 585: 43-49.

Xing H, Wilkerson DC, Mayhew CN, Lubert EJ, Skaggs HS, Goodson ML, Hong Y, Park-Sarge OK, Sarge KD. 2005. Mechanism of hsp70i Gene Bookmarking. *Science* 307: 421-423.

Anane R, Geffard M, Taxile M, Bodet D, Billaudel B, Dulou PE, Veyret B. 2003. Effects of GSM-900 microwaves on the experimental allergic encephalomyelitis (EAE) rat model of multiple sclerosis. *Bioelectromagnetics* 24(3):211-213.

Bergqvist U Vogel E, editors. 1997. Possible health implications of subjective symptoms and electromagnetic fields. A report by a European group of experts for the European Commission, DG V. Solna (Sweden): National Institute for Working Life (Arbete och Halsa 1997:19).

Boscol P, Di Sciascio MB, D'Ostilio S, Del Signore A, Reale M, Conti P, Bavazzano P, Paganelli R, Di Gioacchino M. 2001. Effects of electromagnetic fields produced by radiotelevision broadcasting stations on the immune system of women. *Sci Total Environ* 273(1-3):1-10.

Chagnaud JL, Veyret B 1999. In vivo exposure of rats to GSM-modulated microwaves: flow cytometry analysis of lymphocyte subpopulations and of mitogen stimulation. *Int J Radiat Biol* 75(1):111-113.

Cleary SF, Liu LM, Merchant RE 1990. In vitro lymphocyte proliferation induced by radio-frequency electromagnetic radiation under isothermal conditions. *Bioelectromagnetics* 11(1):47-56.

Cleary, SF, Du, Z, Cao, G, Liu, LM, McCrady, C 1996. Effect of isothermal radiofrequency radiation on cytolytic T lymphocytes. *FASEB J* 10(8):913-919  
Cox R. 2004.

Electrical Hypersensitivity – Human Studies in the UK. Conference  
Presentation WHO International Workshop on Electrical Hypersensitivity, October  
25-26, Prague, Czech Republic.

Czerska EM, Elson EC, Davis CC 1992. Swicord ML, Czerski P, Effects of continuous and pulsed 2450-MHz radiation on spontaneous lymphoblastoid transformation of human lymphocytes in vitro. *Bioelectromagnetics* 13(4):247-259.

Dabrowski MP, Stankiewicz W, Kubacki R, Sobczewska E, Szmigielski S. 2003. Immunotropic effects in cultured human blood mononuclear cells pre-exposed to low-level 1300 MHz pulse-modulated microwave field, *Electromag. Biol. Med.* 22:1-13.

Del Signore A, Boscolo P, Kouri S, Di Martino G, Giuliano G. 2000. Combined effects of traffic and electromagnetic fields on the immune system of fertile atopic women. *Ind Health* 38(3):294-300.

Dmoch A, Moszczynski P 1998. [Levels of immunoglobulin and subpopulations of T lymphocytes and NK cells in men occupationally exposed to microwave radiation in frequencies of 6-12 GHz] [Article in Polish]. *Med Pr* 49(1):45-49.

Stankiewicz W, Dąbrowski MP, Kubacki R, Sobczewska E, Szmigielski S 2006.

Immunotropic Influence of 900 MHz Microwave GSM Signal on Human Blood Immune Cells Activated in Vitro. *Electromagnetic Biology and Medicine* 25(1) 45-51.

Dabrowski MP, Stankiewicz W, Sobczewska E, Szmigielski S. 2001. [Immunotropic effects of electromagnetic fields in the range of radio- and microwave frequencies] *Pol Merkur Lekarski* Nov; 11(65): 447-51.

Elekes, E, Thuroczy, G, Szabo, LD 1996. Effect on the immune system of mice exposed chronically to 50 Hz amplitude-modulated 2.45 GHz microwaves. *Bioelectromagnetics* 17(3):246-248.

Fesenko EE, Novoselova EG, Semiletova NV, Agafonova TA, Sadovnikov VB 1999a. [Stimulation of murine natural killer cells by weak electromagnetic waves in the centimeter range] [Article in Russian]. *Biofizika* 44(4):737-741.

Fesenko, EE, Makar, VR, Novoselova, EG, Sadovnikov, VB 1999b . Microwaves and cellular immunity. I. Effect of whole body microwave irradiation on tumor necrosis factor production in mouse cells. *Bioelectrochem Bioenerg* 49(1):29-35.

Fox E. 2004. Electrosensitivity symptoms associated with electromagnetic field exposure. Conference Presentation WHO International Workshop on Electrical Hypersensitivity, October 25-27, 2004, Prague, Czech Republic.

Gapeev AB, Safranova VG, Chemeris NK, Fesenko EE 1996. [Modification of the activity of murine peritoneal neutrophils upon exposure to millimeter waves at close

and far distances from the emitter] [Article in Russian]. *Biofizika* 41(1): 205-219.

Fews, A.P., Henshaw, D.L., Keitch, P.A., Close, J.J., Wilding, R.J. 1999a. Increased exposure to pollutant aerosols under high voltage power lines. *Int J Radiat Biol* 75: 1505-1521.

Fews, A.P., Henshaw, D.L., Wilding, R.J., Keitch, P.A. 1999b. Corona ions from powerlines and increased exposure to pollutant aerosols. *Int J Radiat Biol* 75: 1523-1531.

Gangi, S., Johansson, O. 1997. Skin changes in "screen dermatitis" versus classical UV- and ionizing irradiation-related damage--similarities and differences. Two neuroscientists' speculative review. *Exp Dermatol* 6: 283-291.

Gangi, S., Johansson, O. 2000. A theoretical model based upon mast cells and histamine to explain the recently proclaimed sensitivity to electric and/or magnetic fields in humans. *Med Hypotheses* 54: 663-671.

Gatta L, Pinto R, Ubaldi V, Pace L, Galloni P, Lovisolo GA, Marino C, Pioli C. 2003. Effects of in vivo exposure to GSM-modulated 900 MHz radiation on mouse peripheral lymphocytes. *Radiat Res.* 160(5):600-605.

Hallberg, Ö., Johansson, O. 2002. Melanoma incidence and frequency modulation (FM) broadcasting. *Arch Environ Health* 57: 32-40

Hallberg, Ö., Johansson, O. 2004. Malignant melanoma of the skin - not a sunshine story! *Med Sci Monit* 10: CR336-340.

Hallberg, Ö., Johansson, O. 2005. FM broadcasting exposure time and malignant melanoma incidence. *Electromag Biol Med* 24: 1-8.

Hardell, L., Näsman, Å., Pahlson, A., Hallquist, A., Hansson Mild, K. 1999. Use of cellular telephones and the risk for brain tumours: A case-control study. *Int J Oncol* 15: 113-116.

Hardell, L., Mild, K.H., Carlberg, M., Hallquist, A. 2004. Cellular and cordless telephone use and the association with brain tumors in different age groups. *Arch Environ Health* 59: 132-137.

Hardell, L., Carlberg, M., Mild, K.H. 2005. Case-control study on cellular and cordless telephones and the risk for acoustic neuroma or meningioma in patients diagnosed 2000-2003. *Neuroepidemiology* 25: 120-128.

Hillert L. 2004. Cognitive therapy for patients who report electromagnetic hypersensitivity. Conference Presentation WHO International Workshop on Electrical Hypersensitivity, October 25-27, 2004, Prague, Czech Republic.

Hilliges, M., Wang, L., Johansson, O. 1995. Ultrastructural evidence for nerve fibers within all vital layers of the human epidermis. *J Invest Dermatol* 104: 134-137.

Holmboe, G., Johansson, O. 2005. Symptombeskrivning samt förekomst av IgE och positiv Phadiatop Combi hos personer med funktionsnedsättningen elöverkänslighet, (=Description of symptoms as well as occurrence of IgE and positive Phadiatop Combi in persons with the physical impairment electrohypersensitivity, in Swedish). Medicinsk Access 1: 58-63.

IDEA, The Irish Doctors' Environmental Association 2004. IDEA position on electromagnetic radiation. <http://www.ideaireland.org/emr.htm>.

Johansson, O., Liu, P.-Y. 1995. "Electrosensitivity", "electrosupersensitivity" and "screen dermatitis": preliminary observations from on-going studies in the human skin. In Simunic, D., ed. Proceedings of the COST 244: Biomedical Effects of Electromagnetic Fields - Workshop on Electromagnetic Hypersensitivity. Brussels/Graz: EU/EC (DG XIII), pp 52-57.

Johansson, O., Hilliges, M., Björnhagen, V., Hall, K. 1994. Skin changes in patients claiming to suffer from "screen dermatitis": a two-case open-field provocation study. Exp Dermatol 3: 234-238.

Johansson, O., Hilliges, M., Han, S.W. 1996. A screening of skin changes, with special emphasis on neurochemical marker antibody evaluation, in patients claiming to suffer from screen dermatitis as compared to normal healthy controls. Exp Dermatol 5: 279-285.

Johansson, O., Wang, L., Hilliges, M., Liang, Y. 1999. Intraepidermal nerves in human skin: PGP 9.5 immunohistochemistry with special reference to the nerve density in skin from different body regions. J Peripher Nerv Syst 4: 43-52.

Johansson, O., Gangi, S., Liang, Y., Yoshimura, K., Jing, C., Liu, P.-Y. 2001.

Cutaneous mast cells are altered in normal healthy volunteers sitting in front of ordinary TVs/PCs - results from open-field provocation experiments. J Cutan Pathol 28: 513-519.

Jokela K, Puranen L, Sihvonen AP 2004. Assessment of the magnetic field exposure due to the battery current of digital mobile phones. Health Phys. 86(1): 56-66.

Kolomytseva MP, Gapeev AB, Sadovnikov VB, Chemeris NK 2002. [Suppression of nonspecific resistance of the body under the effect of extremely high frequency electromagnetic radiation of low intensity] [Article in Russian]. Biofizika. 47(1):71-7.

Lonn, S., Ahlbom, A., Hall, P., Feychtig, M. 2004. Mobile phone use and the risk of acoustic neuroma. Epidemiology 15: 653-659.

Lushnikov KV, Gapeev AB, Sadovnikov VB, Cheremis NK. 2001. [Effect of extremely high frequency electromagnetic radiation of low intensity on parameters of humoral immunity in healthy mice.] [Article in Russian]. Biofizika 46(4):753-760.

Magras IN, Xenos TD, 1997. RF radiation-induced changes in the prenatal

development of mice, *Bioelectromagnetics* 18:455-461.

Moszczynski P, Lisiewicz J, Dmoch A, Zabinski Z, Bergier L, Rucinska M, Sasiadek U 1999. [The effect of various occupational exposures to microwave radiation on the concentrations of immunoglobulins and T lymphocyte subsets] [Article in Polish]. *Wiad Lek* 52(1-2):30-34.

Nageswari KS, Sarma KR, Rajvanshi VS, Sharan R, Sharma M, Barathwal V, Singh V 1991. Effect of chronic microwave radiation on T cell-mediated immunity in the rabbit. *Int J Biometeorol* 35(2):92-97.

Nakamura, H, Seto, T, Nagase, H, Yoshida, M, Dan, S, Ogino, K, 1997. Effects of exposure to microwaves on cellular immunity and placental steroids in pregnant rats. *Occup Environ Med* 54(9):676-80.

Nakamura, H, Seto, T, Hatta, K, Matsuzaki, I, Nagase, H, Yoshida, M, Ogino, K 1998. Natural killer cell activity reduced by microwave exposure during pregnancy is mediated by opioid systems. *Environ Res* 79(2):106-13.

Nakamura H, Nagase H, Ogino K, Hatta K, Matsuzaki I, 2000. Uteroplacental circulatory disturbance mediated by prostaglandin F(2alpha) in rats exposed to microwaves. *Reprod Toxicol* 14(3):235-240.

Nasta F, Prisco MG, Pinto R, Lovisolo GA, Marino C, Pioli C. 2006. Effects of GSMmodulated radiofrequency electromagnetic fields on B-cell peripheral differentiation and antibody production. *Radiat Res.* 165(6):664-670.

Nordström, G. 2004. The Invisible Disease - The Dangers of Environmental Illnesses caused by Electromagnetic Fields and Chemical Emissions. Hants and New York: O Books. ISBN 1-903816-71-8.

Novoselova ET, Fesenko EE, 1998. Stimulation of production of tumor necrosis factor by murine macrophages when exposed in vivo and in vitro to weak electromagnetic waves in the centimeter range. [Article in Russian]. *Biofizika* 43(6):1132-1333.

Novoselova, EG, Fesenko, EE, Makar, VR, Sadovnikov, VB 1999. Microwaves and cellular immunity. II. Immunostimulating effects of microwaves and naturally occurring antioxidant nutrients. *Bioelectrochem Bioenerg* 49(1):37-41.

Obukhan KI, 1998. The effect of ultrahigh-frequency radiation on adaptation thresholds and the damages to blood system cells. [Article in Ukrainian]. *Lik Sprava* (7):71-73.

Persson BRR, Salford LG, Brun A 1997. "Blood-brain barrier permeability in rats exposed to electromagnetic fields used in wireless communication", *Wireless Networks* 3: 455-461.

Rajkovic, V., Matavulj, M., Johansson, O. 2005a. Histological characteristics of

cutaneous and thyroid mast cell populations in male rats exposed to power-frequency electromagnetic fields. *Int J Radiat Biol* 81: 491-499.

Rajkovic, V., Matavulj, M., Johansson, O. 2005b. The effect of extremely lowfrequency electromagnetic fields on skin and thyroid amine- and peptide-containing cells in rats: An immunohistochemical and morphometrical study. *Environ Res* 99: 369-377.

Rajkovic, V., Matavulj, M., Johansson, O. (2006). Light and electron microscopic study of the thyroid gland in rats exposed to power-frequency electromagnetic fields. *J Exp Biol* 209: 3322-3328

Roosli M, Moser M, Baldinini Y, Meier M, Braun-Fahrlander C. 2004a. Symptoms of ill health ascribed to electromagnetic field exposure – a questionnaire survey. *Int J Hyg Environ Health*. 207:141-50.

Roosli M. 2004b. Conference Poster, WHO Workshop on Electrical Hypersensitivity, Prague, Czech Republic, October 25-27, 2004 as reported in Rapporteur's Report by KH Mild.

Sage C Johansson O Sage SA. 2007. Personal Digital Assistant (PDA) Cell Phone Units Produce Elevated Extra-Low Frequency Electromagnetic Field Emissions. *Bioelectromagnetics* 28:5, 386-392.

Salford LG, Brun AE, Eberhardt JL, Malmgren L, Persson BR 2003. Nerve cell damage in mammalian brain after exposure to microwaves from GSM mobile phones. *Environ Health Perspect*; 111: 881-883.

Seishima M, Oyama Z, Oda M. Cellular phone dermatitis with chromate allergy. *Dermatology*. 207(1):48-50, 2003.

Stenberg B Eriksson N Hansson Mild K Hoog J Sandstrom M Sundell J Wall S. 1995. Facial skin symptoms in visual display terminal (VDT) workers. A casereferent study of personal, psychosocial, building- and VDT-related risk indicators. *Int J Epidemiol*, 24:796-803.

Stronati L, Testa A, Moquet J, Edwards A, Cordelli E, Villani P, Marino C 2006.

Fresegna AM, Appolloni M, Lloyd D, 935 MHz cellular phone radiation. An in vitro study of genotoxicity in human lymphocytes, *Int J Radiat Biol*. 82(5): 339-46

Tuschl, H, Neubauer, G, Garn, H, Duftschmid, K, Winkler, N, Brusl, H 1999.

Occupational exposure to high frequency electromagnetic fields and its effect on human immune parameters. *Int J Occup Med Environ Health*;12(3):239-251.

Tuschl H, Novak W, Molla-Djafari H. 2006. In vitro effects of GSM modulated radiofrequency fields on human immune cells. *Bioelectromagnetics* 27(3):188-96.

Veyret B, Bouthet C, Deschaux P, de Seze R, Geffard M, Joussot-Dubien J, le Diraison M, Moreau JM, Caristan A 1991. Antibody responses of mice exposed to low-power microwaves under combined, pulse-and-amplitude modulation. *Bioelectromagnetics* 12(1):47-56.

Wang, L., Hilliges, M., Jernberg, T., Wieglob-Edstrom, D., Johansson, O. 1990. Protein gene product 9.5-immunoreactive nerve fibres and cells in human skin. *Cell Tissue Res* 261: 25-33.

Wertheimer, N., Leeper, E. 1979. Electrical wiring configurations and childhood cancer. *Am J Epidemiol* 109: 273-284.

Yoshimura, K., Liang, Y., Kobayashi, K., Johansson, O. 2006. Alteration of the Merkel cell number in the facial skin of electrohypersensitive persons - a morphological study. To be submitted.

Von Klitzing et al. [1995] were the first to report that cell phone radiation affected EEG alpha activity during and after exposure to cell phone radiation.

Mann and Roschke [1996] reported that cell phone radiation modified REM sleep EEG and shortened sleep onset latency.

Rosche et al. [1997] found no significant change in spectral power of EEG in subjected exposure to cell phone radiation for 3.5 minutes.

Eulitz et al. [1998] reported that cell phone radiation affected brain activity when subjects were processing task-relevant target stimuli and not for irrelevant standard stimuli.

Freude et al. [1998] found that preparatory slow brain potential was significantly affected by cellular phone radiation in certain regions of the brain when the subjects were performing a cognitive complex visual task. The same effects were not observed when subjects were performing a simple task.

Urban et al. [1998] reported no significant change in visual evoked potentials after 5 minutes of exposure to cell phone radiation.

Wagner et al. [1998, 2000] reported that cell phone radiation had no significant effect on sleep EEG.

Borbely et al. [1999] reported that the exposure induced sleep and also modified sleep EEG during the non-rapid eye movement (NREM) stage.

Hladky et al. [1999] reported that cell phone use did not affect visual evoked potential.

Freude et al. [2000] confirmed their previous report that cellular phone radiation affected slow brain potentials when subjects are performing a complex task. However, they also reported

that the exposure did not significantly affect the subjects in performing the behavioral task.

Huber et al. [2000] reported that exposure for 30 minutes to a 900-MHz field at 1 W/kg peak SAR during waking modified EEG during subsequent sleep.

Hietanen et al. [2000] found no abnormal EEG effect, except at the delta band, in subjects exposed for 30 minutes to 900- and 1800-MHz fields under awake, closed-eye condition.

Krause et al. [2000a] reported that cell phone radiation did not affect resting EEG but modified brain activity in subjects performing an auditory memory task.

Krause et al. [2000b] reported that cell phone radiation affected EEG oscillatory activity during a cognitive test. The visual memory task had three different working memory load conditions. The effect was found to be dependent on memory load.

Lebedeva et al. [2000] reported that cell phone radiation affected EEG.

Jech et al. [2001] reported that exposure to cell phone radiation affected visual event-related potentials in narcolepsy patient performing a visual task.

Lebedeva et al. [2001] reported that cell phone radiation affected sleep EEG.

Huber et al [2002] reported that exposure to pulsed modulated RFR prior to sleep affected EEG during sleep. However, effect was not seen with unmodulated field. They also found that the pulsed field altered regional blood flow in the brain of awake subjects.

Croft et al. [2002] reported that radiation from cellular phone altered resting EEG and induced changes differentially at different spectral frequencies as a function of exposure duration.

D'Costa et al. [2003] found EEG effect affected by the radiation within the alpha and beta bands of EEG spectrum.

Huber et al. [2003] reported EEG effect during NREM sleep and the effect was not dependent on the side of the head irradiated. They concluded that the effect involves subcortical areas of the brain that project to both sides of the brain. Dosimetry study shows that the SAR in those area during cell phone use is relatively very low, e.g., 0.1 W/kg at the thalamus

Aalta et al. [2006], using PET scan imaging, reported a local decrease in regional cerebral blood flow under the antenna in the inferior temporal cortex, but an increase was found in the prefrontal cortex.

Kramarenko et al. [2003] reported abnormal EEG slow waves in awake subjects exposed to cell phone radiation.

Marino et al. [2003] reported an increased randomness of EEG in rabbits.

Hamblin et al. [2004] reported changes in event-related auditory evoked potential in subjects

exposed to cellular phone radiation when performing an auditory task. They also found an increase in reaction time in the subjects, but no change in accuracy in the performance.

Hinrich and Heinze [2004] reported a change in early task-specific component of event-related magnetic field in the brain of exposed subjects during a verbal memory encoding task.

Krause et al. [2004] repeated the experiment with auditory memory task [Krause et al., 2000b] and found different effects.

Papageorgiou et al. [2004] reported that cell phone radiation affected male and female EEG differently.

Vorobyov et al. [2004] reported that repeated exposure to modulated microwaves affected baseline and scopolamine-modified EEG in freely moving rats.

Curcio et al. [2005] reported that EEG spectral power affected in the alpha band and the effect was greater when the field was on during EEG recording than when applied before recording.

Hamblin et al. [2005] stated that they could not replicate their previous results on auditory evoked potentials.

Huber et al. [2005] found altered cerebral blood flow in humans exposed to pulsed modulated cell phone radiation. They concluded that, "This finding supports our previous observation that pulse modulation of RF EMF is necessary to induce changes in the waking and sleep EEG, and substantiates the notion that pulse modulation is crucial for RF EMF-induced alterations in brain physiology.

Loughran et al. [2005] reported that exposure to cell phone radiation prior to sleep promoted REM sleep and modified sleep in the first NREM sleep period.

Ferreri et al. [2006] tested excitability of each brain hemisphere by transcranial magnetic stimulation and found that, after 45 minutes of exposure to cellular phone radiation, intracortical excitability was significantly modified with a reduction of inhibition and enhancement in facilitation.

Krause et al. [2006] reported that cell phone radiation affected brain oscillatory activity in children doing an auditory memory task.

Papageorgiou et al. [2006] reported that the radiation emitted by cell phone affects pre-attentive working memory information processing as reflected by changes in P50 evoked potential.

Yuasa et al. [2006] reported no significant effect of cell phone radiation on human somatosensory evoked potentials after 30 minutes of exposure.

Krause et al. [2007] reported effects on brain oscillatory responses during memory task performance. But, they concluded that "The effects on the EEG were, however, varying,

unsystematic and inconsistent with previous reports. We conclude that the effects of EMF on brain oscillatory responses may be subtle, variable and difficult to replicate for unknown reasons.

Vecchio et al. [2007] reported that exposure to GSM signal for 45 min modified interhemispheric EEG coherence in cerebral cortical areas.

Hung et al. [2007] reported that after 30 min of exposure to talk-mode mobile phone radiation, sleep latency was markedly and significantly delayed beyond listen and sham modes in healthy human subjects. This condition effect over time was also quite evident in 1-4Hz EEG. Preece et al. [1999] were the first to report an increase in responsiveness, strongly in the analogue and less in the digital cell phone signal, in choice reaction time.

Cao et al. [2000] showed that the average reaction time in cell phone users was significantly longer than that in control group in psychological tests. The time of use was negatively associated with corrected reaction number.

Koivisto et al. [2000a, b] reported a facilitation of reaction in reaction time tasks during cell phone radiation exposure. In a working memory test, exposure speeded up response times when the memory load was three items but no significant effect was observed with lower loads.

Jech et al. [2001] reported that cell phone radiation may suppress the excessive sleepiness and improve performance while solving a monotonous cognitive task requiring sustained attention and vigilance in narcolepsy patients.

Lee et al. [2001] reported a facilitation effect of cell phone radiation in attention functions.

Edelstyn and Oldershaw [2002] found in subjects given 6 psychological tests a significant difference in three tests after 5 min of exposure. In all cases, performance was facilitated following cell phone radiation exposure.

Haarala et al. [2003] found no significant effect of cell phone radiation on the reaction time and response accuracy of subjects performed in 9 cognitive tasks.

Lee et al. [2003] reported that the facilitation effect of cell phone radiation on attention functions is dose (exposure duration)-dependent.

Smythe and Costall [2003] using a word learning task, found that male subjects made significantly less error than unexposed subject. However, the effect was not found in female subjects. (Papageorgiou et al. [2004] also reported that cell phone radiation affected male and female EEG differently.)

Curcio et al. [2004] found in subjects tested on four performance tasks, an improvement of both simple- and choice-reaction times. Performance needed a minimum of 25 min of EMF exposure to show significant changes.

Haarala et al. [2004] reported that they could not replicate their previous results [Koivisto et al., 2000a] on the effect of cell phone radiation on short-term memory.

Maier et al. [2004] found that subjects exposed to GSM signal showed worse results in their auditory discrimination performance as compared with control conditions.

Basset et al. [2005] reported no significant effect of daily cell phone use on a battery of neuropsychological tests screening: information processing, attention capacity, memory function, and executive function. The authors concluded that "...our results indicate that daily MP use has no effect on cognitive function after a 13-h rest period."

Haarala et al [2005] reported that 10-14 year old children's cognitive functions were not affected by cell phone radiation exposure.

Preece et al. [2005] concluded that, "this study on 18 children did not replicate our earlier finding in adults that exposure to microwave radiation was associated with a reduction in reaction time." They speculated that the reason for the failure to replicate was because a less powerful signal was used in this study.

Schmid et al. [2005] reported no significant effect of cell phone radiation on visual perception.

Eliyaku et al. [2006] reported in subjects given 4 cognitive tasks that exposure of the left side of the brain slowed down the left-hand response time in three of the four tasks.

Keetley et al. [2006] tested 120 subjects on 8 neuropsychological tests and concluded that cell phone emissions "improve the speed of processing of information held in working memory."

Russo et al. [2006] reported that GSM or CW signal did not significantly affect a series of cognitive tasks including a simple reaction task, a vigilance task, and a subtraction task.

Terao et al. [2006] found no significant effect of cell phone use on the performance of visuomotor reaction time task in subjects after 30 minutes of exposure.

Haarala et al. [2007] concluded that 'the current results indicate that normal mobile phones have no discernible effect on human cognitive function as measured by behavioral tests.'

Terao et al. [2007] reported no significant effect of a 30-min exposure to mobile phone radiation on the performance of various saccade tasks (visually-guided, gap, and memory-guide), suggesting that the cortical processing for saccades and attention is not affected by the exposure.

Cinel et al. [2007] reported that acute exposure to mobile phone RF EMF did not affect performance in the order threshold task.

Abdel-Rassoul G, El-Fateh OA, Salem MA, Michael A, Farahat F, El-Batanouny M, Salem E. Neurobehavioral effects among inhabitants around mobile phone base stations. Neurotoxicology. 28:434-440, 2007.

Al-Khlaiwi T, Meo SA. Association of mobile phone radiation with fatigue, headache, dizziness, tension and sleep disturbance in Saudi population. *Saudi Med J*. 25(6):732-736, 2004.

Balik HH, Turgut-Balik D, Balikci K, Ozcan IC. Some ocular symptoms and sensations experienced by long term users of mobile phones. *Pathol Biol (Paris)*. 53(2):88-91, 2005.

Balikci K, Cem Ozcan I, Turgut-Balik D, Balik HH. A survey study on some neurological symptoms and sensations experienced by long term users of mobile phones. *Pathol Biol (Paris)*. 53(1):30-34, 2005.

Bergamaschi A, Magrini A, Ales G, Coppetta L, Somma G. Are thyroid dysfunctions related to stress or microwave exposure (900 MHz)? *Int J Immunopathol Pharmacol*. 17(2 Suppl):31-36, 2004.

Chia SE, Chia HP, Tan JS, Prevalence of headache among handheld cellular telephone users in singapore: A community study. *Environ Health Perspect* 108(11):1059-1062, 2000.

Koivisto M, Haarala C, Krause CM, Revonsuo A, Laine M, Hamalainen H, GSM phone signal does not produce subjective symptoms. *Bioelectromagnetics* 22(3):212-215, 2001.

Meo SA, Al-Drees AM. Mobile phone related-hazards and subjective hearing and vision symptoms in the Saudi population. *Int J Occup Med Environ Health*. 18(1):53-57, 2005.

Oftedal G, Wilen J, Sandstrom M, Mild KH, Symptoms experienced in connection with mobile phone use. *Occup Med (Lond)* 50(4):237-245, 2000.

Oftedal G, Straume A, Johnsson A, Stovner L. Mobile phone headache: a double blind, shamcontrolled provocation study. *Cephalgia*. 27:447-455, 2007.

Regel SJ, Negovetic S, Roosli M, Berdinis V, Schuderer J, Huss A, Lott U, Kuster N, Achermann P. UMTS Base Station-like Exposure, Well-Being, and Cognitive Performance. *Environ Health Perspect*. 114(8):1270-1275, 2006.

Sandstrom M, Wilen J, Oftedal G, Hansson Mild K, Mobile phone use and subjective symptoms. Comparison of symptoms experienced by users of analogue and digital mobile phones. *Occup Med (Lond)* 51(1):25-35, 2001.

Santini R, Seigne M, Bonhomme-Faivre L, Bouffet S, Defrasne E, Sage M. Symptoms experienced by users of digital cellular phones: a pilot study in a French engineering school. *Pathol Biol (Paris)* 49(3):222-226, 2001.

Santini R, Santini P, Danze JM, Le Ruz P, Seigne M. Study of the health of people living in the vicinity of mobile phone base stations: I. Influence of distance and sex. *Pathol Biol (Paris)* 50(6):369-373, 2002.

Wilén J, Sandström M, Hansson Mild K. Subjective symptoms among mobile phone users-A consequence of absorption of radiofrequency fields? *Bioelectromagnetics* 24(3):152-159, 2003.

Wilén J, Johansson A, Kalezic N, Lyskov E, Sandström M. Psychophysiological tests and provocation of subjects with mobile phone related symptoms. *Bioelectromagnetics* 27:204-214, 2006.

Aalto S, Haarala C, Bruck A, Sipila H, Hamalainen H, Rinne JO. Mobile phone affects cerebral blood flow in humans. *J Cereb Blood Flow Metab.* 26(7):885-890, 2006.

Abdel-Rassoul G, El-Fateh OA, Salem MA, Michael A, Farahat F, El-Batanouny M, Salem E. Neurobehavioral effects among inhabitants around mobile phone base stations. *Neurotoxicology.* 28:434-440, 2007.

Al-Khlaiwi T, Meo SA. Association of mobile phone radiation with fatigue, headache, dizziness, tension and sleep disturbance in Saudi population. *Saudi Med J.* 25(6):732-736, 2004.

Arai N, Enomoto H, Okabe S, Yuasa K, Kamimura Y, Ugawa Y. Thirty minutes mobile phone use has no short-term adverse effects on central auditory pathways. *Clin Neurophysiol.* 114(8):1390-394, 2003.

Aran JM, Carrere N, Chalan Y, Dulou PE, Larrieu S, Letenneur L, Veyret B, Dulon D. Effects of exposure of the ear to GSM microwaves: in vivo and in vitro experimental studies. *Int J Audiol.* 43(9):545-554, 2004.

Balik HH, Turgut-Balik D, Balikci K, Ozcan IC. Some ocular symptoms and sensations experienced by long term users of mobile phones. *Pathol Biol (Paris).* 53(2):88-91, 2005.

Balikci K, Cem Ozcan I, Turgut-Balik D, Balik HH. A survey study on some neurological symptoms and sensations experienced by long term users of mobile phones. *Pathol Biol (Paris).* 53(1):30-34, 2005.

Barteri M, Pala A, Rotella S. Structural and kinetic effects of mobile phone microwaves on acetylcholinesterase activity. *Biophys Chem.* 113(3):245-253, 2005.

Beason RC, Semm P. Responses of neurons to an amplitude modulated microwave stimulus. *Neurosci Lett* 333(3):175-178, 2002.

Bergamaschi A, Magrini A, Ales G, Coppetta L, Somma G. Are thyroid dysfunctions related to stress or microwave exposure (900 MHz)? *Int J Immunopathol Pharmacol.* 17(2 Suppl):31-36, 2004.

Basset A, Espa F, Dauvilliers Y, Billiard M, de Seze R. No effect on cognitive function from daily mobile phone use. *Bioelectromagnetics.* 26(2):102-108, 2005.

Borbely, AA, Huber, R, Graf, T, Fuchs, B, Gallmann, E, Achermann, P, Pulsed high-frequency electromagnetic field affects human sleep and sleep electroencephalogram. *Neurosci Lett* 275(3):207-210, 1999.

Bornhausen M, Scheingraber H, Prenatal exposure to 900 MHz, cell-phone electromagnetic fields had no effect on operant-behavior performances of adult rats. *Bioelectromagnetics* 21(8):566-574, 2000.

Cao Z, Liu J, Li S, Zhao X. [Effects of electromagnetic radiation from handsets of cellular telephone on neurobehavioral function] *Wei Sheng Yan Jiu* 29(2):102-103, 2000.

Chia SE, Chia HP, Tan JS, Prevalence of headache among handheld cellular telephone users in Singapore: A community study. *Environ Health Perspect* 108(11):1059-1062, 2000.

Chou CK, Guy AW, McDougall J, Lai H, 1985, Specific absorption rate in rats exposed to 2450-MHz microwaves under seven exposure conditions, *Bioelectromagnetics* 6:73-88.

Cinel C, Boldini A, Russo R, Fox E. Effects of mobile phone electromagnetic fields on an auditory order threshold task. *Bioelectromagnetics*. 2007 May 10; [Epub ahead of print]

Cox R. Electrical Hypersensitivity – Human Studies in the UK. Conference Presentation WHO International Workshop on Electrical Hypersensitivity, October 25-27, 2004, Prague, Czech Republic.

Croft R, Chandler J, Burgess A, Barry R, Williams J, Clarke A. Acute mobile phone operation affects neural function in humans. *Clin Neurophysiol* 113(10):1623, 2002.

Crouzier D, Debouzy JC, Bourbon F, Collin A, Perrin A, Testylier G. Neurophysiologic effects at low level 1.8 GHz radiofrequency field exposure: a multiparametric approach on freely moving rats. *Pathol Biol (Paris)*. 55:134-142, 2007.

Curcio G, Ferrara M, De Gennaro L, Cristiani R, D'Inzeo G, Bertini M. Time-course of electromagnetic field effects on human performance and tympanic temperature. *Neuroreport*. 15(1):161-164, 2004.

Curcio G, Ferrara M, Moroni F, D'Inzeo G, Bertini M, De Gennaro L. Is the brain influenced by a phone call? An EEG study of resting wakefulness. *Neurosci Res*. 53:265-270, 2005.

Davidson HC, Lutman ME. Survey of mobile phone use and their chronic effects on the hearing of a student population. *Int J Audiol*. 46(3):113-118, 2007.

D'Costa H, Trueman G, Tang L, Abdel-rahman U, Abdel-rahman W, Ong K, Cosic I. Human brain wave activity during exposure to radiofrequency field emissions from mobile phones. *Australas Phys Eng Sci Med*. 26(4):162-167, 2003.

Dubreuil D, Jay T, Edeline JM. Does head-only exposure to GSM-900 electromagnetic fields affect the performance of rats in spatial learning tasks? *Behav Brain Res* 129(1-2):203-210, 2002.

Dubreuil D, Jay T, Edeline JM. Head-only exposure to GSM 900-MHz electromagnetic fields does not alter rat's memory in spatial and non-spatial tasks. *Behav Brain Res.* 145(1-2):51-61, 2003.

Edelstyn N, Oldershaw A. The acute effects of exposure to the electromagnetic field emitted by mobile phones on human attention. *Neuroreport* 13(1):119-121, 2002.

Eliyahu I, Luria R, Hareveny R, Margaliot M, Meiran N, Shani G. Effects of radiofrequency radiation emitted by cellular telephones on the cognitive functions of humans. *Bioelectromagnetics*. 27:119-126, 2006.

Eulitz, C, Ullsperger, P, Freude, G, Elbert ,T, Mobile phones modulate response patterns of human brain activity. *Neuroreport* 9(14):3229-3232, 1998.

Ferreri F, Curcio G, Pasqualetti P, De Gennaro L, Fini R, Rossini PM. Mobile phone emissions and human brain excitability. *Ann Neurol.* 60:188-196, 2006.

Fox E. Electrosensitivity symptoms associated with electromagnetic field exposure. Conference Presentation WHO International Workshop on Electrical Hypersensitivity, October 25-27, 2004, Prague, Czech Republic.

Freude, G, Ullsperger, P, Eggert, S, Ruppe, I, Effects of microwaves emitted by cellular phones on human slow brain potentials. *Bioelectromagnetics* 19(6):384-387, 1998

Freude, G, Ullsperger, P, Eggert, S, Ruppe, I, Microwaves emitted by cellular telephones affect human slow brain potentials. *Eur J Appl Physiol* 81(1-2):18-27, 2000.

Galloni P, Lovisolo GA, Mancini S, Parazzini M, Pinto R, Piscitelli M, Ravazzani P, Marino C. Effects of 900 MHz electromagnetic fields exposure on cochlear cells' functionality in rats: Evaluation of distortion product otoacoustic emissions. *Bioelectromagnetics*. 26:536-547, 2005a.

Galloni P, Parazzini M, Piscitelli M, Pinto R, Lovisolo GA, Tognola G, Marino C, Ravazzani P. Electromagnetic Fields from Mobile Phones do not Affect the Inner Auditory System of Sprague-Dawley Rats. *Radiat Res.* 164(6):798-804, 2005b.

Garcia Callejo FJ, Garcia Callejo F, Pena Santamaria J, Alonso Castaneira I, Sebastian Gil E, Marco Algarra J. [Hearing level and intensive use of mobile phones] *Acta Otorrinolaringol Esp.* 56(5):187-191, 2005.

Grisanti G, Parlapiano C, Tamburello CC, Tine G, Zanforlin L. Cellular phone effects on otoacoustic emissions. *IEEE MTT-S Digest* 2: 771-774, 1998.

Haarala C, Bjornberg L, Ek M, Laine M, Revonsuo A, Koivisto M, Hamalainen H. Effect of a 902 MHz electromagnetic field emitted by mobile phones on human cognitive function: A replication study. *Bioelectromagnetics* 24(4):283-288, 2003.

Haarala C, Ek M, Bjornberg L, Laine M, Revonsuo A, Koivisto M, Hamalainen H. 902 MHz mobile phone does not affect short term memory in humans. *Bioelectromagnetics*. 25(6):452-456, 2004.

Haarala C, Bergman M, Laine M, Revonsuo A, Koivisto M, Hamalainen H. Electromagnetic field emitted by 902 MHz mobile phones shows no effects on children's cognitive function. *Bioelectromagnetics. Suppl 7:S144-150*, 2005.

Haarala C, Takio F, Rintee T, Laine M, Koivisto M, Revonsuo A, Hamalainen H. Pulsed and continuous wave mobile phone exposure over left versus right hemisphere: Effects on human cognitive function. *Bioelectromagnetics*. 28:289-295, 2007.

Hamblin DL, Wood AW, Croft RJ, Stough C. Examining the effects of electromagnetic fields emitted by GSM mobile phones on human event-related potentials and performance during an auditory task. *Clin Neurophysiol*. 115(1):171-178, 2004.

Hamblin DL, Croft RJ, Wood AW, Stough C, Spong J. The sensitivity of human event-related potentials and reaction time to mobile phone emitted electromagnetic fields. *Bioelectromagnetics*. 27:265-273, 2006.

Hietanen M, Kovala T, Hamalainen AM, Human brain activity during exposure to radiofrequency fields emitted by cellular phones. *Scand J Work Environ Health* 26(2):87-92, 2000.

Hietanen M, Hääläinen A-M, Husman T. Hypersensitivity symptoms associated with exposure to cellular telephones: No causal link. *Bioelectromagnetics* 23:264-270, 2002.

Hinrichs H, Heinze HJ. Effects of GSM electromagnetic field on the MEG during an encoding/retrieval task. *Neuroreport*. 15(7):1191-1194, 2004.

Hladky, A, Musil, J, Roth, Z, Urban, P, Blazkova, V, Acute effects of using a mobile phone on CNS functions. *Cent Eur J Public Health* 7(4):165-167. 1999.

Hocking, B, Preliminary report: symptoms associated with mobile phone use. *Occup Med (Lond)*;48(6):357-360, 1998.

Holmboe, G., Johansson, O, Symptombeskrivning samt förekomst av IgE och positiv Phadiatop Combi hos personer med funktionsnedsättningen elöverkänslighet. (Description of symptoms as well as occurrence of IgE and positive Phadiatop Combi in persons with the physical impairment electrohypersensitivity, in Swedish). *Medicinsk Access* 1:58–63, 2005.

Huber R, Graf T, Cote KA, Wittmann L, Gallmann E, Matter D, Schuderer J, Kuster N, Borbely AA, Achermann P, Exposure to pulsed high-frequency electromagnetic field during waking affects human sleep EEG. *Neuroreport* 11(15):3321-3325, 2000.

Huber R, Treyer V, Borbely AA, Schuderer J, Gottselig JM, Landolt H-P, Werth E, Berthold T, Kuster N, Buck A, Achermann P, Electromagnetic fields, such as those from mobile phones, alter regional cerebral blood flow and sleep and waking EEG. *J Sleep Res* 11: 289-295, 2002.

Huber R, Schuderer J, Graf T, Jutz K, Borbely AA, Kuster N, Achermann P. Radio frequency electromagnetic field exposure in humans: Estimation of SAR distribution in the brain, effects on sleep and heart rate. *Bioelectromagnetics* 24(4):262-276, 2003.

Huber R, Treyer V, Schuderer J, Berthold T, Buck A, Kuster N, Landolt HP, Achermann P. Exposure to pulse-modulated radio frequency electromagnetic fields affects regional cerebral blood flow. *Eur J Neurosci*. 21(4):1000-1006, 2005.

Hung CS, Anderson C, Horne JA, McEvoy P. Mobile phone 'talk-mode' signal delays EEGdetermined sleep onset. *Neurosci Lett*. 2007 May 24; [Epub ahead of print]

Janssen T, Boege P, von Mikusch-Buchberg J, Raczek J. Investigation of potential effects of cellular phones on human auditory function by means of distortion product otoacoustic emissions. *J Acoust Soc Am*. 117(3 Pt 1):1241-1247, 2005.

Jech R, Sonka K, Ruzicka E, Nebuzelsky A, Bohm J, Juklickova M, Nevsimalova S. Electromagnetic field of mobile phones affects visual event related potential in patients with narcolepsy. *Bioelectromagnetics* 22(7):519-528, 2001.

Joubert V, Leveque P, Rametti A, Collin A, Bourthoumieu S, Yardin C. Microwave exposure of neuronal cells in vitro: Study of apoptosis. *Int J Radiat Biol*. 82(4):267-275, 2006.

Joubert V, Leveque P, Cueille M, Bourthoumieu S, Yardin C. No apoptosis is induced in rat cortical neurons exposed to GSM phone fields. *Bioelectromagnetics*. 28:115-121, 2007.

Keetley V, Wood AW, Spong J, Stough C. Neuropsychological sequelae of digital mobile phone exposure in humans. *Neuropsychologia*. 44:1843-1848, 2006.

Kellenyi, L, Thuroczy, G, Faludy, B, Lenard, L, Effects of mobile GSM radiotelephone exposure on the auditory brainstem response (ABR). *Neurobiology* 7:79-81, 1999.

Kerekhanjanarong V, Supiyaphun P, Naratricoon J, Laungpitackchumpon P. The effect of mobile phone to audiologic system. *J Med Assoc Thai*. 88 Suppl 4:S231-234, 2005.

Kizilay A, Ozturan O, Erdem T, Tayyar Kalcioglu M, Cem Mimam M. Effects of chronic

exposure of electromagnetic fields from mobile phones on hearing in rats. *Auris Nasus Larynx.* 30(3):239-245, 2003.

Koivisto, M, Revonsuo, A, Krause, C, Haarala, C, Sillanmaki, L, Laine, M, Hamalainen, H, Effects of 902 MHz electromagnetic field emitted by cellular telephones on response times in humans. *Neuroreport* 11(2):413-415, 2000a.

Koivisto M, Krause CM, Revonsuo A, Laine M, Hamalainen H, The effects of electromagnetic field emitted by GSM phones on working memory. *Neuroreport* 11(8):1641-1643, 2000b.

Koivisto M, Haarala C, Krause CM, Revonsuo A, Laine M, Hamalainen H, GSM phone signal does not produce subjective symptoms. *Bioelectromagnetics* 22(3):212-215, 2001.

Kramarenko AV, Tan U. Effects of high-frequency electromagnetic fields on human EEG: a brain mapping study. *Int J Neurosci.* 113(7):1007-1019, 2003.

Krause CM, Sillanmaki L, Koivisto M, Haggqvist A, Saarela C, Revonsuo A, Laine M, Hamalainen H, Effects of electromagnetic field emitted by cellular phones on the EEG during a memory task. *Neuroreport* 11(4):761-764, 2000.

Krause CM, Sillanmaki L, Koivisto M, Haggqvist A, Saarela C, Revonsuo A, Laine M, Hamalainen H, Effects of electromagnetic fields emitted by cellular phones on the electroencephalogram during a visual working memory task. *Int J Radiat Biol* 76(12):1659-1667, 2000.

Krause CM, Haarala C, Sillanmaki L, Koivisto M, Alanko K, Revonsuo A, Laine M, Hamalainen H. Effects of electromagnetic field emitted by cellular phones on the EEG during an auditory memory task: a double blind replication study. *Bioelectromagnetics.* 25(1): 33-40, 2004.

Krause CM, Bjornberg CH, Pesonen M, Hulten A, Liesivuori T, Koivisto M, Revonsuo A, Laine M, Hamalainen H. Mobile phone effects on children's event-related oscillatory EEG during an auditory memory task. *Int J Radiat Biol.* 82(6):443-450, 2006.

Krause CM, Pesonen M, Haarala Bjornberg C, Hamalainen H. Effects of pulsed and continuous wave 902 MHz mobile phone exposure on brain oscillatory activity during cognitive processing. *Bioelectromagnetics.* 28:296-308, 2007.

Lebedeva NN, Sulimov AV, Sulimova OP, Kotrovskaya TI, Gailus T, Cellular phone electromagnetic field effects on bioelectric activity of human brain. *Crit Rev Biomed Eng* 28(1-2):323-337, 2000.

Lebedeva NN, Sulimov AV, Sulimova OP, Korotkovskaya TI, Gailus T, Investigation of brain potentials in sleeping humans exposed to the electromagnetic field of mobile phones. *Crit Rev Biomed Eng* 29(1):125-133, 2001.

Lee TMC, Ho SMY, Tsang LYH, Yang SYC, LiLSW, Chan CCH, Effect on human attention of exposure to the electromagnetic field emitted by mobile phones. *Neuroreport* 12:729-731, 2001.

Lee TM, Lam PK, Yee LT, Chan CC. The effect of the duration of exposure to the electromagnetic field emitted by mobile phones on human attention. *Neuroreport*. 14(10):1361-1364, 2003.

Lopez-Martin E, Relova-Quinteiro JL, Gallego-Gomez R, Peleteiro-Fernandez M, Jorge-Barreiro FJ, Ares-Pena FJ. GSM radiation triggers seizures and increases cerebral c-Fos positivity in rats pretreated with subconvulsive doses of picrotoxin. *Neurosci Lett*. 398:139-144, 2006.

Loughran SP, Wood AW, Barton JM, Croft RJ, Thompson B, Stough C. The effect of electromagnetic fields emitted by mobile phones on human sleep. *Neuroreport*. 16(17):1973-1976, 2005.

Maby E, Le Bouquin Jeannes R, Liegeois-Chauvel C, Gourevitch B, Faucon G. Analysis of auditory evoked potential parameters in the presence of radiofrequency fields using a support vector machines method. *Med Biol Eng Comput*. 42(4):562-568, 2004.

Maby E, Jeannes RL, Faucon G, Liegeois-Chauvel C, De Seze R. Effects of GSM signals on auditory evoked responses. *Bioelectromagnetics*. 26:341-350, 2005.

Maby E, Jeannes Rle B, Faucon G. Scalp localization of human auditory cortical activity modified by GSM electromagnetic fields. *Int J Radiat Biol*. 82(7):465-472, 2006.

Maier R, Greter SE, Maier N. Effects of pulsed electromagnetic fields on cognitive processes - a pilot study on pulsed field interference with cognitive regeneration. *Acta Neurol Scand*. 110(1):46-52, 2004.

Mann, K, Roschke, J, Effects of pulsed high-frequency electromagnetic fields on human sleep. *Neuropsychobiology* 33(1):41-47, 1996.

Mann, K, Roschke, J, Connemann, B, Beta, H, No effects of pulsed high-frequency electromagnetic fields on heart rate variability during human sleep. *Neuropsychobiology* 38(4):251-256, 1998.

Marino AA, Nilsen E, Frilot C. Nonlinear changes in brain electrical activity due to cell phone radiation. *Bioelectromagnetics* 24(5):339-346, 2003.

Marino C, Cristalli G, Galloni P, Pasqualetti P, Piscitelli M, Lovisolo GA , Effects of microwaves (900 MHz) on the cochlear receptor: exposure systems and preliminary results. *Radiat Environ Biophys* 39(2):131-136, 2000.

Mausset A, de Seze R, Montpeyroux F, Privat A. Effects of radiofrequency exposure on the GABAergic system in the rat cerebellum: clues from semi-quantitative immunohistochemistry. *Brain Res* 912(1):33-46, 2001.

Mausset-Bonnefont AL, Hirbec H, Bonnefont X, Privat A, Vignon J, de Seze R. Acute exposure to GSM 900-MHz electromagnetic fields induces glial reactivity and biochemical modifications in the rat brain. *Neurobiol Dis.* 17(3):445-454, 2004.

Meo SA, Al-Drees AM. Mobile phone related-hazards and subjective hearing and vision symptoms in the Saudi population. *Int J Occup Med Environ Health.* 18(1):53-57, 2005. Monnery PM, Srouji EI, Bartlett J. Is cochlear outer hair cell function affected by mobile telephone radiation? *Clin Otolaryngol* 29(6):747-749, 2004.

Mora R, Crippa B, Mora F, Dellepiane M. A study of the effects of cellular telephone microwave radiation on the auditory system in healthy men. *Ear Nose Throat J.* 85(3):160, 162-163, 2006.

Oftedal G, Wilen J, Sandstrom M, Mild KH, Symptoms experienced in connection with mobile phone use. *Occup Med (Lond)* 50(4):237-245, 2000.

Oftedal G, Straume A, Johnsson A, Stovner L. Mobile phone headache: a double blind, shamcontrolled provocation study. *Cephalgia.* 27:447-455, 2007.

Oktay MF, Dasdag S. Effects of intensive and moderate cellular phone use on hearing function. *Electromagn Biol Med.* 25(1):13-21, 2006.

Ozturan O, Erdem T, Miman MC, Kalcioglu MT, Oncel S. Effects of the electromagnetic field of mobile telephones on hearing. *Acta Otolaryngol.* 122(3):289-293, 2002.

Papageorgiou CC, Nanou ED, Tsiafakis VG, Capsalis CN, Rabavilas AD. Gender related differences on the EEG during a simulated mobile phone signal. *Neuroreport.* 15(16):2557-2560, 2004.

Papageorgiou CC, Nanou ED, Tsiafakis VG, Kapareliotis E, Kontoangelos KA, Capsalis CN, Rabavilas AD, Soldatos CR. Acute mobile phone effects on pre-attentive operation. *Neurosci Lett.* 397:99-103, 2006.

Parazzini M, Bell S, Thuroczy G, Molnar F, Tognola G, Lutman ME, Ravazzani P. Influence on the mechanisms of generation of distortion product otoacoustic emissions of mobile phone exposure. *Hear Res.* 208:68-78, 2005.

Pau HW, Sievert U, Eggert S, Wild W. Can electromagnetic fields emitted by mobile phones stimulate the vestibular organ? *Otolaryngol Head Neck Surg.* 132(1):43-49, 2005.

Preece AW, Iwi, G, Davies-Smith, A, Wesnes, K, Butler, S, Lim, E, Varey, A, Effect of a 915-MHz simulated mobile phone signal on cognitive function in man. *Int J Radiat Biol* 75(4):447-456, 1999.

Preece AW, Goodfellow S, Wright MG, Butler SR, Dunn EJ, Johnson Y, Manktelow TC, Wesnes K. Effect of 902 MHz mobile phone transmission on cognitive function in

children. *Bioelectromagnetics*. Suppl 7:s138-143, 2005.

Regel SJ, Negovetic S, Roosli M, Berdinis V, Schuderer J, Huss A, Lott U, Kuster N, Achermann P. UMTS Base Station-like Exposure, Well-Being, and Cognitive Performance. *Environ Health Perspect*. 114(8):1270-1275, 2006.

Roschke, J, Mann, K, No short-term effects of digital mobile radio telephone on the awake human electroencephalogram. *Bioelectromagnetics* 18(2):172-176, 1997.

Russo R, Fox E, Cinel C, Boldini A, Defeyter MA, Mirshekar-Syahkal D, Mehta A. Does acute exposure to mobile phones affect human attention? *Bioelectromagnetics*. 27:215-220, 2006.

Salford LG, Brun AR, Eberhardt JL, Malmgren L, Persson BRR, Nerve cell damage in mammalian brain after exposure to microwaves from GSM mobile phones. *Environ Health Persp* 111:881-883, 2003.

Sandstrom M, Wilen J, Oftedal G, Hansson Mild K, Mobile phone use and subjective symptoms. Comparison of symptoms experienced by users of analogue and digital mobile phones. *Occup Med (Lond)* 51(1):25-35, 2001.

Santini R, Seigne M, Bonhomme-Faivre L, Bouffet S, Defrasne E, Sage M. Symptoms experienced by users of digital cellular phones: a pilot study in a French engineering school. *Pathol Biol (Paris)* 49(3):222-226, 2001.

Santini R, Santini P, Danze JM, Le Ruz P, Seigne M. Study of the health of people living in the vicinity of mobile phone base stations: I. Influence of distance and sex. *Pathol Biol (Paris)* 50(6):369-373, 2002.

Schmid G, Sauter C, Stepansky R, Lobentanz IS, Zeitlhofer J. No influence on selected parameters of human visual perception of 1970 MHz UMTS-like exposure. *Bioelectromagnetics*. 26(4):243-250, 2005.

Sienkiewicz ZJ, Blackwell RP, Haylock RG, Saunders RD, Cobb BL, Low-level exposure to pulsed 900 MHz microwave radiation does not cause deficits in the performance of a spatial learning task in mice. *Bioelectromagnetics* 21(3):151-158, 2000.

Sievert U, Eggert S, Pau HW. Can mobile phone emissions affect auditory functions of cochlea or brain stem? *Otolaryngol Head Neck Surg*. 132(3):451-455, 2005.

Smythe JW, Costall B. Mobile phone use facilitates memory in male, but not female, subjects. *Neuroreport* 14(2):243-246, 2003.

Terao Y, Okano T, Furubayashi T, Ugawa Y. Effects of thirty-minute mobile phone use on visuo-motor reaction time. *Clin Neurophysiol*. 117:2504-2511, 2006.

Terao Y, Okano T, Furubayashi T, Yugeta A, Inomata-Terada S, Ugawa Y. Effects of thirtyminute mobile phone exposure on saccades. *Clin Neurophysiol.* 118:1545-1556, 2007.

Testylier G , Tonduli L, Malabiau R, Debouzy JC. Effects of exposure to low level radiofrequency fields on acetylcholine release in hippocampus of freely moving rats. *Bioelectromagnetics* 23:249-255, 2002.

Tsurita G, Nagawa H, Ueno S, Watanabe S, Taki M, Biological and morphological effects on the brain after exposure of rats to a 1439 MHz TDMA field. *Bioelectromagnetics* 21(5):364-371, 2000.

Uloziene I, Uloza V, Gradauskiene E, Saferis V. Assessment of potential effects of the electromagnetic fields of mobile phones on hearing. *BMC Public Health.* 5(1):39, 2005.

Urban, P, Lukas, E, Roth, Z, Does acute exposure to the electromagnetic field emitted by a mobile phone influence visual evoked potentials? A pilot study. *Cent Eur J Public Health* 6(4):288-290, 1998.

Vecchio F, Babiloni C, Ferreri F, Curcio G, Fini R, Del Percio C, Rossini PM. Mobile phone emission modulates interhemispheric functional coupling of EEG alpha rhythms. *Eur J Neurosci.* 25(6):1908-1913, 2007.

Von Klitzing, L, Low-frequency pulsed electromagnetic fields influence EEG of man. *Phys. Medica* 11:77-80, 1995.

Vorobyov V, Pesic V, Janac B, Prolic Z. Repeated exposure to low-level extremely low frequency-modulated microwaves affects baseline and scopolamine-modified electroencephalograms in freely moving rats. *Int J Radiat Biol.* 80(9):691-698, 2004.

Wagner, P, Roschke, J, Mann, K, Hiller, W, Frank, C, Human sleep under the influence of pulsed radiofrequency electromagnetic fields: a polysomnographic study using standardized conditions. *Bioelectromagnetics* 19(3):199-202, 1998.

Wagner P, Roschke J, Mann K, Fell J, Hiller W, Frank C, Grozinger M, Human sleep EEG under the influence of pulsed radio frequency electromagnetic fields. results from polysomnographies using submaximal high power flux densities. *Neuropsychobiology* 42(4):207-212, 2000.

Wang B, Lai H. Acute exposure to pulsed 2450-MHz microwaves affects water-maze performance of rats. *Bioelectromagnetics.* 21(1):52-56, 2000.

Wang Q, Cao ZJ, Bai XT. [Effect of 900 MHz electromagnetic fields on the expression of GABA receptor of cerebral cortical neurons in postnatal rats] Wei Sheng Yan Jiu. 34(5):546-548, 2005.

Wilen J, Sandstrom M, Hansson Mild K. Subjective symptoms among mobile phone users-A

consequence of absorption of radiofrequency fields? *Bioelectromagnetics* 24(3):152-159, 2003.

Wilen J, Johansson A, Kalezic N, Lyskov E, Sandstrom M. Psychophysiological tests and provocation of subjects with mobile phone related symptoms. *Bioelectromagnetics*. 27:204-214, 2006.

Xu S, Ning W, Xu Z, Zhou S, Chiang H, Luo J. Chronic exposure to GSM 1800-MHz microwaves reduces excitatory synaptic activity in cultured hippocampal neurons. *Neurosci Lett.* 398:253-257, 2006.

Yamaguchi H, Tsurita G, Ueno S, Watanabe S, Wake K, Taki M, Nagawa H. 1439 MHz pulsed TDMA fields affect performance of rats in a T-maze task only when body temperature is elevated. *Bioelectromagnetics* 24(4):223-230, 2003.

Yuasa K, Arai N, Okabe S, Tarusawa Y, Nojima T, Hanajima R, Terao Y, Ugawa Y. Effects of thirty minutes mobile phone use on the human sensory cortex. *Clin Neurophysiol.* 117:900-905, 2006.

Adair, E.R., 1983, "Microwaves and Thermoregulation," Academic Press, New York, NY.  
Adey, W.R., 1988,

The cellular microenvironment and signalling through cell membrane, *in:* "Electromagnetic fields and Neurobehavioral Functions," M.E. O'Connor and R.H. Lovely, eds., *Prog Clin Biol Res* 257:265-288.

Adey, W.R., Bawin, S.M. and Lawrence, A.F., 1982, Effects of weak amplitude-modulated microwave fields on calcium efflux from awake cat cerebral cortex, *Bioelectromagnetics* 3:295-307.

Neurological and Behavioral Evidence Dr. Lai  
67

Akyel, Y., Hunt, E.L., Gambrill, C., Varga, Jr. C., 1991, Immediate postexposure effects of high-peak-power microwave pulses on operant behavior of Wistar rats, *Bioelectromagnetics* 12:183-195.

Albert, E.N., 1977, Light and electron microscopic observations on the blood-brain barrier after microwave irradiation, *in:* "Symposium on Biological Effects and Measurement of Radio Frequency Microwaves," D.G. Hazzard, ed., HEW Publication (FDA) 77-8026, Rockville, MD.

Albert, E.N., 1979a, Reversibility of microwave induced blood-brain barrier permeability, *Radio Sci* 14:323-327.

Albert, E.N., 1979b, Current status of microwave effects on the blood-brain barrier, *J Microwave Power* 14:281-285.

Albert, E.N., and DeSantis, M., 1975, Do microwaves alter nervous system structure? *Ann NY Acad Sci* 247:87-108.

Albert, E.N., and DeSantis, M., 1976, Histological observations on central nervous system, in: "Biological Effects of Electromagnetic Waves," vol. 1, C.C. Johnson and M.C. Shore, eds., HEW Publication (FDA) 77-8010, Rockville, MD.

Albert, E.N., and Kerns, J.M., 1981, Reversible microwave effects on the blood-brain barrier, *Brain Res* 230:153-164.

Albert, E.N., and Sherif, M., 1988, Morphological changes in cerebellum of neonatal rats exposed to 2.45 GHz microwaves, in: "Electromagnetic Fields and Neurobehavioral Functions," M.E. O'Connor and R.H. Lovely, eds., *Prog Clin Biol Res* 257: 135-151.

Albert, E.N., Sherif, M.F., and Papadopoulos, N.J., 1981a, Effects of non-ionizing radiation on the Purkinje cells of the uvula in squirrel monkey cerebellum, *Bioelectromagnetics* 2:241-246.

Albert, E.N., Sherif, M.F., Papadopoulos, N.J., Slaby, F.J., and Monahan, J., 1981b, Effect of nonionizing radiation on the Purkinje cells of the rat cerebellum, *Bioelectromagnetics* 2:247-257.

Altman, J., 1975, Effects of interference with cerebellar maturation on the development of locomotion: an experimental model of neurobehavioral retardation, in: "Brain Mechanisms in Mental Retardation,"

N.A. Buchwald and M.A.B. Brazier, eds., Academic Press, New York, NY.  
Amir, S., Brown, Z.W., and Amit, Z., 1980, The role of endorphins in stress: evidence and speculations, *Neurosci Biobehav Rev* 4:77-86.

Arber, S.L., and Lin, J.C., 1985, Microwave-induced changes in nerve cells: effects of modulation and temperature, *Bioelectromagnetics* 6:257-270.

Ashani, Y., Henry, F.H., and Catravas, G.N., 1980, Combined effects of anticholinesterase drugs and low-level

microwave radiation, *Radiat Res* 84:469-503.

Atweh, S., Simon, J.R., and Kuhar, M.J., 1975, Utilization of the sodium-dependent high-affinity choline uptake in vitro as a measure of activity of cholinergic neurons in vivo, *Life Sci* 17:1534-1544.

Baranski, S., 1972, Histological and histochemical effects of microwave irradiation on the central nervous system of rabbits and guinea pigs, *Am J Physiol Med* 51:182-190.

Baranski, S., and Edelwejn, Z., 1968, Studies on the combined effects of microwaves and some drugs on bioelectric activity of the rabbit central nervous system, *Acta Physiol Polon*, 19:37-50.

Baranski, S., and Edelwejn, Z., 1974, Pharmacological analysis of microwave effects on the central nervous system in experimental animals, in: "Biological Effects and Health Hazards of Microwave Radiation: Proceedings of an International Symposium,"

P. Czerski, et al., eds., Polish Medical Publishers, Warsaw.

Bawin, S.M., Gavalas-Medici, R.J., and Adey, W.R., 1973, Effects of modulated very high frequency fields on specific brain rhythms in cats, *Brain Res* 58:365-384.

Bawin, S.M., Kaczmarek, L.K., and Adey, W.R., 1975, Effects of modulated VHF fields on the central nervous system, *Annals NY Acad Sci* 247:74-81.

Bawin, S.M., Adey, W.R., and Sabbot, I.M., 1978, Ionic factors in release of  $^{45}\text{Ca}^{2+}$  from chicken cerebral tissue by electromagnetic fields, *Proc Nat'l Acad Sci USA* 75:6314-6318.

Benson, E.B., Lange, D.G., Fujimoto, J.M., and Ishi, T.K., 1983, Effects of acute microwave irradiation on phenobarbital sleep and disposition to brain in mice, *J Toxicol Environ Health* 11:261-274.

Bermant, R.I., Reeves, D.L., Levinson, D.M., and Justesen, D.R., 1979, Classical conditioning of microwaveinduced hyperthermia in rat, *Radio Sci* 14(6):201-207.

Blackman, C.F., Elder, J.A., Weil, C.M., Benane, S.G., Eichinger, D.C., and House, D.E., 1979, Induction of calcium-ion efflux from brain tissue by radio-frequency radiation: effects of modulation frequency and field strength, *Radio Sci* 14:93-98.

Blackman, C.F., Benane, S.G., Elder, J.A., House, D.E., Lampe, J.A., and Faulk, J.M., 1980a, Induction of calcium ion efflux from brain tissue by radiofrequency radiation: effect of sample number and modulation frequency on the power-density window, *Bioelectromagnetics* 1:35-43.

Blackman, C.F., Benane, S.G., Joines, W.T., Hollis, M.A., and House, D. E., 1980b, Calcium ion efflux from brain tissue: power density versus internal field-intensity dependencies at 50-MHz RF radiation, *Bioelectromagnetics* 1:277-283.

Blackman, C.F., Benane, S.G., House, D.E., and Joines, W.T., 1985, Effects of ELF (1-120 Hz) and modulated (50 Hz) RF field on the efflux of calcium ions from brain tissue, *in vitro*, *Bioelectromagnetics* 6:1-11.

Blackman, C.F., Benane, S.G., Elliot, D.J., House, D.E., and Pollock, M.M., 1988, Influence of electromagnetic fields on the efflux of calcium ions from brain tissue, *in vivo*: a three-model analysis consistent with the frequency response up to 510 Hz, *Bioelectromagnetics* 9:215-227.

Blackman, C.F., Kinney, L.S., House, D.E., and Joines, W.T., 1989, Multiple power density windows and their possible origin, *Bioelectromagnetics* 10:115-128.

Blackman, C.F., Benane, S.G., and House, D.E., 1991, The influence of temperature during electric and magneticfield induced alteration of calcium-ion release from in vitro brain tissue, *Bioelectromagnetics* 12:173-182.

Blackwell, R.P., 1980, Effects of microwave exposure on anesthesia in the mouse, *in:* "Proceeding on the International Symposium on the Biological Effects of Electromagnetic Waves," UNSI, CNFRS, Jouy en Josas, France.

Blasberg, R.G., 1979, Problems of quantifying effects of microwave irradiation on the blood-brain barrier, *Radio Sci* 14(6):335-344.

Bolwig, T.G., 1988, Blood-brain barrier studies with special reference to epileptic seizure, *Acta Psychiatr Scand* 78(345):15-20.

Braestrup, C., and Squires, R.F. , 1978, Pharmacological characterization of benzodiazepine receptors in the brain,  
*Eur J Pharmac* 48:263-270.

Braestrup, C., Neilsen, M., Neilsen, E.B., and Lyon, M., 1979, Benzodiazepine receptors in the brain as affected by different experimental stresses: the changes are small and not unidirectional, *Psychopharmacology* 65:273-277.

Bruce-Wolfe, V., and Justesen, D.R., 1985, Microwaves retard the anesthetic action of pentobarbital, *Abstr Ann Meeting Bioelectromagnetics Soc* 7:47.

Carroll, D.R., Levinson, D.M., Justesen, D.R., and Clarke, R.L., 1980, Failure of rats to escape from a potentially lethal microwave field, *Bioelectromagnetics* 1:101:115.  
Catravas, C.N., Katz, J.B., Takenaga, J., and Abbott, J.R., 1976, Biochemical changes in the brain of rats exposed to microwaves of low power density (symposium summary), *J Microwave Power* 11:147-148.

Chamness, A.F., Scholes, H.R., Sexauer, S.W., and Frazer, J.W., 1976, Metal ion content of specific areas of the rat brain after 1600-MHz radiofrequency irradiation, *J Microwave power* 11:333-337.

Chang, B.K., Huang, A.T., Joines, W.T., and Kramer, R.S., 1982, The effect of microwave radiation (1.0 GHz) on the blood-brain barrier, *Radio Sci* 17:165-168.

Chizhenkova, R.A., 1988, Slow potentials and spike unit activity of the cerebral cortex of rabbits exposed to microwaves, *Bioelectromagnetics* 9:337-345.

Chou, C.K. and Galambos, S.R., 1979, Middle ear structures contribute little to auditory perception of microwaves, *J Microwave Power* 14:321-326.

Chou, C.K. and Guy, A.W., 1978, Effects of electromagnetic fields on isolated nerve and muscle preparation, *IEEE Trans Microwave Th Tech MTT-26:141-147.*

Chou, C.K., and Guy, A.W., 1979a, Carbon-loaded Teflon electrodes for chronic EEG recordings in microwave research, *J Microwave Power* 14:399-404.

Chou, C.K. and Guy, A.W., 1979b, Microwave-induced auditory responses in guinea pigs: relationship of threshold

and microwave-pulse duration, *Radio Sci* 14(6):193-197.

Chou, C.K., Galambos, R., Guy, A.W., and Lovely, R.H., 1975, Cochlear microphonics generated by microwave pulses, *J Microwave Power* 10:361-367.

Chou, C.K., Guy, A.W., and Galambos, R., 1982a, Auditory perception of radiofrequency electromagnetic fields, *J Acoust Soc Am* 71:1321-1334.

Chou, C.K., Guy, A.W., McDougall, J.B., and Han, L.F., 1982b, Effects of continuous and pulsed chronic microwave exposure on rabbits, *Radio Sci* 17:185-193.

Chou, C.K., Guy, A.W., and Johnson, R.B., 1984, SAR in rats exposed in 2450-MHz circularly polarized waveguide, *Bioelectromagnetics* 5:389-398.

Chou, C.K., Guy, A.W., McDougall, J., and Lai, H., 1985a, Specific absorption rate in rats exposed to 2450-MHz microwaves under seven exposure conditions, *Bioelectromagnetics* 6:73-88.

Chou, C.K., Yee, K.C., and Guy, A.W., 1985b, Auditory response in rats exposed to 2450-MHz electromagnetic fields in a circularly polarized waveguide, *Bioelectromagnetics* 6:323-326.

Cotman, C.W., Brinton, R.E., Jalaburda, A., McEwen, B., and Schneider, D.M., eds., 1987, "The Neuro-Immune-Endocrine Connection," Raven Press, New York, NY.

Cunningham, C.L., Crabbe, J.C., and Rigter, H., 1984, Pavlovian conditioning of drug-induced changes in body temperature, *Pharmac Ther* 23:365-391.

Czerski, P., Ostrowski, K., Shore, M.L., Silverman, C.H., Sues, M.J., and Waldeskog, B., eds., 1974, "Biological Effects and Health Hazard of Microwave Radiation: Proceedings of an International Symposium,"

P. Czerski, et al., eds., Polish Medical Publisher, Warsaw.  
D'Andrea, J.A., Gandhi, O.P., and Kesner, R.P., 1976, Behavioral effects of resonant electromagnetic power absorption in rats, in: "Biological Effects of Electromagnetic Waves," vol 1, C.C. Johnson and M.L. Shore, eds., HEW Publication (FDA) 77-8010, Rockville, MD.

D'Andrea, J.A., Gandhi, O.P., and Lords J.L., 1977, Behavioral and thermal effects of microwave radiation at resonant and nonresonant wavelengths, *Radio Sci* 12:251-256.

D'Andrea, J.A., Gandhi, O.P., Lords, J.L., Durney, C.H., Johnson, C.C., and Astle, L., 1979, Physiological and behavioral effects of chronic exposure to 2450-MHz microwaves, *J Microwave Power* 14:351-362.

D'Andrea, J.A., Gandhi, O.P., Lords. J.L., Durney, C.H., Astle, L., Stensaas, L.J., and Schoenberg, A.A., 1980, Physiological and behavioral effects of prolonged exposure to 915 MHz microwaves, *J Microwave Power* 15(2):123-135.

D'Andrea, J.A., DeWitt, J.R., Gandhi, O. P., Stensaas, S., Lords, J.L., and Nielson, H.C., 1986a, Behavioral and physiological effects of chronic 2450-MHz microwave irradiation of the rat at 0.5 mW/cm<sup>2</sup>, *Bioelectromagnetics* 7:45-56.

D'Andrea, J.A., DeWitt, J.R., Emmerson, R.Y., Bailey, C., Stensaas, S., and Gandhi, O. P., 1986b, Intermittent exposure of rat to 2450-MHz microwaves at 2.5 mW/cm<sup>2</sup>: behavioral and physiological effects, *Bioelectromagnetics* 7:315-328.

D'Andrea, J.A., Emmerson, R.Y., Dewitt, J.R., and Gandhi, O.P., 1987, Absorption of microwave radiation by the anesthetized rat: electromagnetic and thermal hotspots in body and tail, *Bioelectromagnetics* 8:385-396.

D'Andrea, J.A., Cobb, B.L., and de Lorge, J., 1989, Lack of behavioral effects in the rhesus monkey to high peak power microwave pulses at 1.3 GHz, *Bioelectromagnetics* 10:65-76.

da Silva, F.L., 1991, EEG analysis: theory and practice, in: "Electroencephalography: Basic Principles, Clinical Applications, and Related Fields," E. Niedermeyer and F.L. da Silva, eds., Urban and Schwargenberg, Baltimore, MD.

Dekker, A.J.A.M., Conner, D.J., and Thal, L.J., 1991, The role of cholinergic projections from the nucleus basalis in memory, *Neurosci Biobehav Rev* 15:299-317.

de Lorge, J.O., 1976, The effects of microwave radiation on behavior and temperature in rhesus monkeys, in:

"Biological Effects of Electromagnetic Waves," vol. 1, C.C. Johnson and M.L. Shore, eds., HEW Publication  
(FDA) 77-8010, Rockville, MD.

de Lorge, J.O., 1979, Operant behavior and rectal temperature of squirrel monkeys during 2.45-GHz microwave irradiation, *Radio Sci* 14(6):217-225.

de Lorge, J.O., 1985, Effects of microwaves on schedule-controlled behavior, in: "Behavioral Effects of Microwave Radiation Absorption," J.C. Monahan, and J.A. D'Andrea, eds., HHS Publication, FDA 85-8238, U.S. Government Printing Office, Washington, DC.

de Lorge, J., and Ezell, C.S., 1980, Observing responses of rats exposed to 1.28- and 5.62-GHz microwaves, *Bioelectromagnetics* 1:183-198.

D'Inzeo, G., Bernardi, P., Eusebi, F., Grassi, F., Tamburello, C., and Zani, B.M., 1988, Microwave effects on acetylcholine-induced channels in cultured chick myotubes, *Bioelectromagnetics* 9:363-372.

Dumansky, J.D., and Shandala, M.G., 1974, The biologic action and hygienic significance of electromagnetic fields of super high and ultra high frequencies in densely populated areas, in: "Biologic Effects and Health Hazard of Microwave Radiation: Proceedings of an International Symposium," P. Czerski, et al., eds., Polish Medical Publishers, Warsaw.

Dunn, A.J., 1989, Psychoneuroimmunology for the psychoneuroendocrinologist: a review of animal studies of nervous system-immune system interactions, *Psychoneuroendocrinology* 14:251-274.

Dutta, S.K., Subramoniam, A., Ghosh, B., and Parshad, R., 1984, Microwave radiation-induced calcium ion efflux from human neuroblastoma cells in culture, *Bioelectromagnetics* 5:71-78.

Dutta, S.K., Ghosh, B., and Blackman, C.F., 1989, Radiofrequency radiation-induced calcium ion efflux enhancement from human and other neuroblastoma cells in culture, *Bioelectromagnetics* 10:197-202.

Dutta, S.K., Das, K., Ghosh, B., and Blackman, C.F., 1992, Dose dependence of acetylcholinesterase activity in neuroblastoma cells exposed to modulated radio-frequency electromagnetic radiation, *Bioelectromagnetics*

(In press).

Eikelboom, R., and Stewart, J., 1982, Conditioning of drug-induced physiological responses, *Psychol Rev* 89:507-528.

Estevez, E.E., Jernsalinsky, D., Medina, J.H., and DeRobertis, E., 1984, Cholinergic muscarinic receptors in rat cerebral cortex, basal ganglia, and cerebellum undergo rapid and reversible changes after acute stress, *Neurosci* 13:1353-1357.

Finkelstein, Y., Koffler, B., Rabey, J.M., and Gilad, G.M., 1985, Dynamics of cholinergic synaptic mechanisms in rat hippocampus after stress, *Brain Res* 343:314-319.

Fisher, L.A., 1989, Corticotropin-releasing factor: endocrine and automatic integration of responses to stress, *Trends Pharmac Sci* 10:189-193.

Frei, M.R., Jauchem, J.R., Padilla, J.M., and Merritt, J.H., 1989a, Thermal and physiological responses of rats exposed to 2.45-GHz radiofrequency radiation: a comparison of E and H orientations, *Radiat Environ Biophys* 28:235-246.

Frei, M.R., Jauchem, J.R., and Padilla, J.M., 1989b, Thermal and physiological changes in rats exposed to CW and pulsed 2.8 GHz radiofrequency radiation in E and H orientations, *Int J Radiat Biol* 56:1033-1044.

Frey, A.H., 1961, Auditory system response to radio frequency energy, *Aerospace Med* 32:1140-1142.

Frey, A.H., 1977, Behavioral effects of electromagnetic energy, in: "Symposium on Biological Effects and Measurement of Radio Frequency Microwaves," D.J. Hazzard, ed., HEW Publication (FDA), 77-8026, Rockville, MD.

Frey, A.H., and Feld, S.R., 1975, Avoidance by rats of illumination with low power nonionizing electromagnetic energy, *J Comp Physiol Psychol* 89:183-188.

Frey, A.H., and Wesler, L.S., 1983, Dopamine receptors and microwave energy exposure, *J Bioelectr* 2:145-157.

Frey, A.H., Feld, S.R., and Frey, B., 1975, Neural function and behavior: defining the relationship. *Ann N Y Acad Sci* 247:433-439.

Gage, M.I., 1979a, Microwave irradiation and ambient temperature interact to alter rat behavior following overnight exposure, *J Microwave Power* 14:389-398.

Gage, M.I., 1979b, Behavior in rats after exposure to various power densities of 2450 MHz microwaves, *Neurobehav Toxicol* 1:137-143.

Galloway, W.D., 1975, Microwave dose-response relationship on two behavioral tasks, *Ann N Y Acad Sci* 247:410-416.

Galloway, W.D., and Waxler, M., 1977, Interaction between microwaves and neuroactive compounds, in: "Symposium on Biological Effects and Measurement of Radio Frequency Microwaves," D.J. Hazzard, ed., HEW Publication (FDA) 77-8026, Rockville, MD.

Galvin, M.J., Parks, D.L., and McRee, D.L., 1981, Influence of 2.45 GHz microwave radiation on enzyme activity, *Radiat Environ Biophys* 19:149-156.

Galvin, M.J., Tilson, H.A., Mitchell, C.L., Peterson, J., and McRee, D.I., 1986, Influence of pre- and postnatalexposure of rats to 2.45-GHz microwave radiation on neurobehavioral functions, *Bioelectromagnetics* 7:57-71.

Gandhi, C.R., and Ross, D.H., 1989, Microwave induced stimulation of 32 Pi- incorporation into phosphoinositides of rat brain synaptosomes, *Radiat Environ Biophys* 28:223-234.

Gandhi, V.C., and Ross, D.H., 1987, Alteration in a-adrenergic and muscarinic cholinergic receptor binding in rat brain following nonionizing radiation, *Radiat Res* 109:90-99.

Garcia, J., and Koelling, R., 1966, Relation of cue to consequence in avoidance learning, *Psychonom Sci* 4:123-124.

Garcia, J., Ervin, F., and Koelling, R., 1966, Learning with prolonged delay of reinforcement, *Psychonom Sci* 5:121-122.

Goldman, H., Lin, J.C., Murphy, S., and Lin, M.F., 1984, Cerebrovascular permeability to Rb-86 in the rat after exposure to pulsed microwaves, *Bioelectromagnetics* 5:323-330.

Goldstein, L., and Sisko, Z., 1974, A quantitative electro-encephalographic study of the acute effect of X-band microwaves in rabbits, in: "Biological Effects and Health Hazards of Microwave Radiation: Proceedings of an International Symposium," P. Czerski, et al., eds., Polish Medical Publishers, Warsaw.

Gordon, Z.V., 1970, Biological effects of microwaves in occupational hygiene, Israel Program for Scientific Translations, Jerusalem, Israel, NASA77F-633, TT70-50087:NTIS N71-14632.

Gregory, J.E., Iggo, A., McIntyre, A.K. and Proske, U., 1989a, Responses of electroreceptors in the platypus bill to steady and alternating potentials, *J Physiol* 408:391-404.

Gregory, J.E., Iggo, A., McIntyre, A.K. and Proske, U., 1989b, Response of electro-receptors in the snout of the echidna, *J Physiol* 414:521-538.

Grin, A.N., 1974, Effects of microwaves on catecholamine metabolism in brain, *US Joint Pub Research Device Rep* JPRS 72606.

Gruenau, S.P., Oscar, K.J., Folker, M.T., and Rapoport, S.I., 1982, Absence of microwave effect on blood-brain barrier permeability to <sup>14</sup>C-sucrose in the conscious rat, *Exp Neurobiol* 75:299-307.

Guy, A.W., 1979, Miniature anechoic chamber for chronic exposure of small animals to plane wave microwave field, *J Microwave Power* 14:327-338.

Guy, A.W., Chou, C.K., Lin, J.C., and Christensen, D., 1975, Microwave-induced acoustic effects in mammalian auditory systems and physical materials, *Ann NY Acad Sci* 247:194-215.

Guy, A.W., Wallace, J., and McDougall, J.A., 1979, Circularly polarized 2450-MHz waveguide system for chronic exposure of small animals to microwaves, *Radio Sci* 14(6):63-74.

Hecht, S., Schlaer, S., and Pirene, M.H., 1942, Energy, quanta, and vision, *J Gen Physiol* 25:819-840.

Hjeresen, D.L., Doctor, S.R., and Sheldon, R.L., 1979, Shuttlebox-side preference as mediated by pulsed microwaves and conventional auditory cue, in: "Electromagnetic Fields in Biological System," S.S.Stuchly, ed., Ottawa, Canada.

Hjeresen, D.L., Umbarger, K.O., and McElroy, J.F., 1987, Benzodiazepine receptor antagonist RO 15-1788 blocks the 2.45 GHz microwave attenuation of ethanol-induced hypothermia, *Abst Ann Meeting Bioelectromagnetics Soc* 9:25.

Hjeresen, D.L., Francendese, A., and O'Donnell, J.M., 1988, Microwave attenuation of ethanol-induced hypothermia: ethanol tolerance, time course, exposure duration and dose response studies, *Bioelectromagnetics* 9:63-78.

Hjeresen, D.L., Francendese, A., and O'Donnell, J.M., 1989, Microwave attenuation of ethanol-induced interactions with noradrenergic neurotransmitter systems, *Health Phys* 56:767-776.

Hruska, R.E., 1988, Effect of ethanol administration on striatal D1 and D2 dopamine receptors, *J Neurochem* 50:1929-1933.

Hunt, E.L., King, N.W., and Phillips, R.D., 1975, Behavioral effects of pulsed microwave radiation, *Ann NY Acad Sci* 247:440-453.

Iggo, A., Gregory, J.E., and Proske, U., 1992, The central projection of electrosensory information in the platypus, *J Physiol* 447:449-465.

Jauchem, J.R., 1985, Effects of drugs on thermal responses to microwaves, *Gen Pharmacol* 16:307-310.

Jauchem, J.R., Frei, M.R., and Heinmets, F., 1983, Thermal bradycardia during radiofrequency radiation, *Physiol Chem Phys* 15:429-434.

Jauchem, J.R., Frei, M.R., and Heinmets, F., 1984, Increased susceptibility to radiofrequency radiation due to pharmacological agents, *Aviat Space Environ Med* 55:1036-1040.

Jauchem, J.R., Frei, M.R., and Heinmets, F., 1985, Effects of psychotropic drugs on thermal responses to

radiofrequency radiation, *Aviat Space Environ Med* 56:1183-1188.

Jenkins, H.M., 1970, Sequential organization on schedules of reinforcement, in: "The Theory of Reinforcement Schedules," W.N. Schoenfeld, ed., Appleton-Century-Crofts, New York, NY.

Johnson, C.C., and Guy, A.W., 1972, Nonionizing electromagnetic wave effect in biological materials and systems, *Proc IEEE* 60:692-718.

Johnson, R.B., Meyers, D.E., Guy, A.W., Lovely, R.H., and Galambos, R., 1976, Discriminative control of appetitive behavior by pulsed microwave radiation in rats, in: "Biological Effects of Electromagnetic Waves,"

C.C. Johnson and M.L. Shore, eds., HEW Publication (FDA) 77-88010, Rockville, MD.  
Johnson, R.B., Hamilton, J., Chou, C.K., and Guy, A.W., 1980, Pulsed microwave reduction of diazepam-induced sleeping in the rat, *Abst Ann Meeting Bioelectromagnetics Soc* 2:4.

Johnson, R.B., Spackman, D., Crowley, J., Thompson, D., Chou, C.K., Kunz, L.L., and Guy, A.W., 1983, Effects of long-term low-level radiofrequency radiation exposure on rats, vol. 4, Open field behavior and corticosterone, USAF SAM-TR83-42, Report of USAF School of Aerospace Medicine, Brooks AFB, San Antonio, TX.

Justesen, D.R., 1980, Microwave irradiation and blood-brain barrier, *Proc IEEE* 68:60-67.

Justesen, D.R., Levinson, D.M., and Justesen, L.R., 1973, Psychogenic stressors are potent mediators of the thermal response to microwave irradiation, in: "Biological Effects and Health Hazards of Microwave Radiation: Proceedings of an International Symposium," P. Czerski, et al., eds., Polish Medical Publishers, Warsaw.

Kaplan, J., Polson, R., Rebert, C., Lunan, K., and Gage, M., 1982, Biological and behavioral effect of pre- and postnatal exposure to 2450 MHz electromagnetic radiation in the squirrel monkey, *Radio Sci* 171(5):135-144.

Katoh, A., Nabeshima, T., and Kameyama, T., 1990, Behavioral changes induced by stressful situation: effects of enkephalins, dynorphin, and their interaction, *J. Pharmac Exp Ther* 253:600-607.

Keane, B., and Leonard, B.E., 1989, Rodent models of alcoholism: a review, *Alcohol Alcoholism* 24:299-309.

King, N.W., Justesen, D.R., and Clarke, R.L., 1971, Behavioral sensitivity to microwave irradiation, *Science* 172:398-401.

Kues, H.A., and Monahan, J.C., 1992, Microwave-induced changes to the primate eye, *Johns Hopkins APL Tech Digest* 13:244-254.

Kues, H.A., McLeod, D.S., Monahan, J.C., D'Anna, S.A., and Lutty, G.S., 1990, Retinal changes in the primate following pulsed 2.45-GHz exposures, *Abst Ann Meeting Bioelectromagnetics Soc* 12:22.

Kues, H.A., Monahan, J.C., D'Anna, S.A., McLeod, D.S., Lutty, G.A., and Koslov, S., 1992, Increased sensitivity of the non-human primate eye to microwave radiation following ophthalmic drug pretreatment, *Bioelectromagnetics* (In press).

Kuriyama, K., and Ohkuma, S., 1990, Alteration in the function of cerebral neurotransmitter receptors during the establishment of alcohol dependence: neurochemical aspects, *Alcohol Alcoholism* 25:239-249.

Lai, H., 1987, Acute exposure to noise affects sodium-dependent high-affinity choline uptake in the central nervous system of the rat, *Pharmac Biochem Behav* 28:147-151.

Lai, H., 1992, Research on the neurological effects of nonionizing radiation at the University of Washington, *Bioelectromagnetics* 13:513-526.

Lai, H., and Carino, M.A., 1990a, Effects of noise on high-affinity choline uptake in the frontal cortex and hippocampus of the rat are blocked by intracerebroventricular injection of corticotropin-releasing factor antagonist, *Brain Res* 527:354-358.

Lai, H., and Carino, M.A., 1990b, Acute white noise exposure affects the concentration of benzodiazepine receptors in the brain of the rat, *Pharmacol Biochem Behav* 36:985-987.

Lai, H., Carino, M.A., and Horita, A., 1980, Effects of ethanol on central dopamine functions, *Life Sci* 27:299-304.

Lai, H., Horita, A., Chou, C.K., and Guy, A.W., 1983, Psychoactive drug response is affected by acute low-level microwave irradiation, *Bioelectromagnetics* 4:205-214.

Lai, H., Horita, A., Chou, C.K., and Guy, A.W., 1984a, Acute low-level microwave irradiation and the actions of pentobarbital: effects of exposure orientation, *Bioelectromagnetics* 5:203-212.

Lai, H., Horita, A., Chou, C.K., and Guy, A.W., 1984b, Low-level microwave irradiation affects ethanol-induced hypothermia and ethanol consumption, *Bioelectromagnetics* 5:213-220.

Lai, H., Horita, A., Chou, C.K., and Guy, A.W., 1984c, Microwave-induced postexposure hyperthermia: involvement of endogenous opioids and serotonin, *IEEE Trans Microwave Th Tech MTT*-32:882-886.

Lai, H., Horita, A., Chou, C.K., and Guy, A.W., 1986a., Low-level microwave irradiation attenuates naloxoneinduced withdrawal syndrome in morphine-dependent rats, *Pharmac Biochem Behav* 24:151-153.

Lai, H., Horita, A., Chou, C.K., and Guy, A.W., 1986b, Effects of low-level microwave irradiation on amphetamine hyperthermia are blockable by naloxone and classically conditionable, *Psychopharmacology* 88:354-361.

Lai, H., Zabawska, J., and Horita, A., 1986c, Sodium-dependent, high-affinity choline uptake in hippocampus and frontal cortex of the rat affected by acute restraint stress, *Brain Res* 372:366-369.

Lai, H., Horita, A., Chou, C.K., and Guy, A.W., 1987a, A review of microwave irradiation and actions of psychoactive drugs, *IEEE Eng Med Biol* 6(1):31-36.

Lai, H., Horita, A., Chou, C.K., and Guy, A.W., 1987b, Low-level microwave irradiation affects central cholinergic activity in the rat, *J Neurochem* 48:40-45.

Lai, H., Horita, A., Chou, C.K., and Guy, A.W., 1987c, Effects of low-level microwave irradiation on hippocampal and frontal cortical choline uptake are classically conditionable, *Pharmac Biochem Behav* 27:635-639.

Lai, H., Horita, A., and Guy, A.W., 1988, Acute low-level microwave exposure and central cholinergic activity: studies on irradiation parameters, *Bioelectromagnetics*, 9:355-362.

Lai, H., Carino, M.A., Horita, A., and Guy, A.W., 1989a, Acute low-level microwave exposure and central cholinergic activity: a dose-response study, *Bioelectromagnetics*, 10:203-209.

Lai, H., Carino, M.A., and Guy, A.W., 1989b, Low-level microwave irradiation and central cholinergic systems, *Pharmac Biochem Behav* 33:131-138.

Lai, H., Carino, M.A., Horita, A., and Guy, A.W., 1990, Corticotropin-releasing factor antagonist blocks microwave-induced changes in central cholinergic activity in the rat, *Brain Res Bull* 25:609-612.

Lai, H., Carino, M.A., Wen, Y.F., Horita, A., and Guy, A.W., 1991, Naltrexone pretreatment blocks microwaveinduced changes in central cholinergic receptors, *Bioelectromagnetics* 12:27-33.

Lai, H., Carino, M.A., Horita, A., and Guy, A.W., 1992a, Single vs repeated microwave exposure: effects on benzodiazepine receptors in the brain of the rat, *Bioelectromagnetics* 13:57-66.

Lai, H., Carino, M.A., Horita, A., and Guy, A.W., 1992b, Opioid receptor subtypes mediating the microwaveinduced decreases in central cholinergic activity in the rat, *Bioelectromagnetics* 13:237-247.

Lai, H., Horita, A., and Guy, A.W., 1993, Microwave irradiation affects radial-arm maze performance in the rat, *Bioelectromagnetics* (In press).

Lange, D.G., and Sedmak, J., 1991, Japanese encephalitis virus (JEV): potentiation of lethality in mice by microwave radiation, *Bioelectromagnetics* 12:335-348.

Le, A.D., Poulos, C.K., and Cappell, H., 1979, Conditioned tolerance to the hypothermic effect of ethyl alcohol, *Science* 206:1109-1110.

Lebovitz, R.M., 1980, Behavioral changes during long-term microwave irradiation, in: "Proceeding of the International Symposium on the Biological Effects of Electromagnetic waves," UNSI, CNFRS, Jouy-en-Josas, France.

Lebovitz, R.M., and Seaman, R.L., 1977a, Microwave hearing: the responses of single auditory neurons in the cat to pulsed microwave radiation, *Radio Sci* 12(6):229-236.

Lebovitz, R.M., and Seaman, R.L., 1977b, Single auditory unit responses to weak, pulsed microwave radiation,  
*Brain Res* 126:370-375.

Levin, E.D., 1988, Psychopharmacological effects in the radial-arm maze, *Neurosci Biobehav Rev* 12:169-175.

Levinson, D.M., Grove, A.M., Clarke, L.R., and Justesen, D.R., 1982, Photic cuing of escape by rats from an intense microwave field, *Bioelectromagnetics* 3:105-116.

Liebman, P.A., Parker, K.R., and Dratz, E.A., 1987, The molecular mechanism of visual excitation and its relation to the structure and function of the rod outer segment, *Ann Rev Physiol* 49:765-791.

Lin, J.C., 1978, "Microwave Auditory Effects and Applications," Charles C. Thomas, Springfield, IL.

Lin, J.C. and Lin, M.F., 1980, Studies on microwaves and blood-brain barrier interaction, *Bioelectromagnetics* 1:313-323.

Lin, J.C. and Lin, M.F., 1982, Microwave hyperthermia-induced blood-brain barrier alterations, *Radiat Res* 89:77-87.

Lin-Liu, S., and Adey, W.R., 1982, Low frequency amplitude modulated microwave fields change calcium efflux rate from synaptosomes, *Bioelectromagnetics* 3:309-322.

Lippa, A.S., Klepner, C.A., Yunger, L., Sano, M.C., Smith, W.V., and Beer, B., 1978, Relationship between benzodiazepine receptors and experimental anxiety in rats, *Pharmac Biochem Behav* 9:853-856.

Lobanova, Ye. A., 1974a, Investigation on the susceptibility of animal to microwave irradiation following treatment with pharmacologic agents, *in:* "Biological Effects of Radiofrequency Electromagnetic Fields,"

Lobanova, Ye. A., 1974b, The dependence of the temperature response to microwave irradiation and the initial functional state of the CNS, *in:* "Biological Effects of Radiofrequency Electromagnetic Fields," Z.V. Gordon, ed., NTIS:JPRS 63321.

Lovely, R.H., and Guy, A.W., 1975, Conditioned taste aversion in the rat induced by a single exposure to

microwave, paper presented at the IMPI Microwave Power Symposium, University of Waterloo, Waterloo, Ontario, Canada.

Lovely, R.H., Myers, D.E., and Guy, A.W., 1977, Irradiation of rats by 918-MHz microwaves at 2.5 mW/cm<sup>2</sup>: delineating the dose-response relationship, *Radio Sci* 12(6):139-146.

Lu, S.T., Lotz, W.G., and Michaelson, S.M., 1980, Advances in microwave-induced neuroendocrine effects: the concept of stress, *Proc IEEE* 68:73-77.

Lucchi, L., Moresco, R.M., Govoni, S., and Trabucchi, M., 1988, Effect of chronic ethanol treatment on dopamine receptor subtypes in rat striatum, *Brain Res* 449:347-351.  
Mansour, A., Khachaturian, H., Lewis, M.E., Akil, H., and Watson, S.J., 1987, Autoradiographic differentiation of mu, delta, and kappa opioid receptors in the rat forebrain, *J Neurosci* 7:2445-2464.

Mackintosh, N.J., 1974, "The Psychology of Animal Learning," Academic Press, New York, NY.

Marr, M.J., de Lorge, J.O., Olsen, R.G., and Stanford, M., 1988, Microwaves as reinforcing events in a cold environment, in: "Electromagnetic Fields and Neurobehavioral Functions," M.E. O'Connor and R.H. Lovely, eds., *Prog Clin Biol Res* 257:219-234.

McAfee, R.D., 1961, Neurological effect of 3 cm microwave radiation, *Am J Physiol* 200: 192-199.  
McAfee, R.D., 1963, Physiological effects of thermode and microwave stimulation of peripheral nerves, *Am J Physiol* 203: 374-380.

McKee., A., Dorsey, C.H., Eisenbrandt, D.L., and Woden, 1980, Ultrastructural observations of microwave-induced morphologic changes in the central nervous system of hamster, *Bioelectromagnetics* 1:206.

McRee, D.J., and Davis, H.G., 1984, Whole-body and local dosimetry on rats exposed to 2.45-GHz microwave radiation, *Health Phys* 46:315-320.

Medina, J.H., Novas, M.L., and DeRobertis, E., 1983a, Changes in benzodiazepine receptors by acute stress: different effects of chronic diazepam on R015-1788 treatment, *Eur J Pharmacol* 96:181-185.

Medina, J.H., Novas, M.L., Wolfman, C.N.V., Levi DeStein, M., and DeRobertis, E., 1983b, Benzodiazepine

receptors in rat cerebral cortex and hippocampus undergo rapid and reversible changes after acute stress,

*Neurosci* 9:331-335.

Merritt, J.H., Hartzell, R.H., and Frazer, J.W., 1976, The effect of 1.6 GHz radiation on neurotransmitters in discrete areas of the rat brain, *in: "Biological Effects of Electromagnetic Waves,"* vol. 1, C.C. Johnson and M.C.

Shore, eds., HEW Publication (FDA) 77-8010, Rockville, MD.

Merritt, J.H., Chamness, A.F., Hartzell, R.H., and Allan, S.J., 1977, Orientation effect on microwave-induced

hyperthermia and neurochemical correlates, *J Microwave Power* 12:167-172.

Merritt, J.H., Chamness, A.F., and Allens, S.J., 1978, Studies on blood-brain barrier permeability after microwave radiation, *Radiat Environ Biophys* 15:367-377.

Merritt, J.H., Shelton, W.W., and Chamness, A.F., 1982, Attempts to alter  $^{45}\text{Ca}^{2+}$  binding to brain tissue with pulse-modulated microwave energy, *Bioelectromagnetics* 3:475-478.

Michaelson, S.M. and Lin, J.C., 1987, "Biological Effects and Health Implications of Radiofrequency Radiation," Plenum Press, New York, NY.

Michaelson, S.M., Thomson, R.A.E., and Howland, J.W., 1961, Physiological aspects of microwave irradiation of mammals, *Am J Physiol* 201:351-356.

Miller, D.B., Christopher, J.P., Hunter, J., and Yeandle, S.S., 1984, The effect of exposure of acetylcholinesterase to 2450 MHz microwave radiation, *Bioelectromagnetics* 5:165-172.

Mitchell, C.L., McRee, D.J., Peterson, N.J., and Tilson, H.A., 1988, Some behavioral effects of short-term exposure of rats to 2.45-GHz microwave radiation, *Bioelectromagnetics* 9:259-268.

Mitchell, D.S., Switzer, W.G., and Bronaugh, E.L., 1977, Hyperactivity and disruption of operant behavior in rats after multiple exposure to microwave radiation, *Radio Sci* 12(6):263-271.

Mizukawa, K., Takayama, H., Sato, H., Ota, J., Haba, K., and Ogawa, N., 1989, Alterations of muscarinic

cholinergic receptors in the hippocampal formation of stressed rat: in vitro quantitative autoradiographic analysis, *Brain Res* 478:187-192.

Modak, A.T., Stavinoha, W.B., and Dean, U.P., 1981, Effect of short electromagnetic pulses on brain acetylcholine content and spontaneous motor activity in mice, *Bioelectromagnetics* 2:89-92.

Moe, K.E., Lovely, R.H., Meyers D.E., and Guy, A.W., 1976, Physiological and behavioral effects of chronic lowlevel microwave radiation in rats, *in:* "Biological Effects of Electromagnetic Waves," vol. 1, C.C. Johnson and M.L. Shore, eds., HEW Publication (FDA) 77-8010, Rockville, MD.

Mohler, H., and Okada, T., 1977, Benzodiazepine receptor: demonstration in the central nervous system, *Science* 198:849-851.

Monahan, J.C., 1988, Microwave-drug interactions in the cholinergic nervous system of the mouse, *in:* "Electromagnetic Fields and Neurobehavioral Function," M.E. O'Connor and D.H. Lovely, eds., *Prog Clin Biol Res* 257:309-326.

Monahan, J.C., and Henton, W., 1977a, Microwave absorption and taste aversion as a function of 915 MHz radiation, *in:* "Symposium on Biological Effects and Measurement of Radio Frequency Microwaves," D.J. Hazzard, ed., HEW Publication (FDA) 77-8026, Rockville, MD.

Monahan, J.C., and Henton, W., 1977b, Free-operant avoidance and escape from microwave radiation, *in:* "Symposium on Biological Effects and Measurement of Radio Frequency Microwaves," D.J. Hazzard, ed., HEW Publication (FDA) 77-8026, Rockville, MD.

Monahan, J.C., and Henton, W., 1979, The effect of psychoactive drugs on operant behavior induced by microwave radiation, *Radio Sci* 14(6):233-238.

Monahan, J.C., and Ho, H., 1976, Microwave-induced avoidance behavior in the mouse, *in:* "Biological Effects of Electromagnetic Waves, Selected Papers of the USNC/URSI Annual Meeting," vol . 1, C.C. Johnson and

M.L. Shore , eds., HEW Publication (FDA) 77-8010, Rockville, MD.

Mowrer, W.H., 1939, A stimulus-response analysis of anxiety and its role as a reinforcing agent, *Psychol Rev* 46:553-565.

Muller, P., Britton, R.S., and Seeman, P., 1980, The effect of long-term ethanol on brain receptors for dopamine, acetylcholine, serotonin and noradrenaline, *Eur J Pharmacol* 65:31-37.

Neilly, J.P. and Lin, J.C., 1986, Interaction of ethanol and microwaves on the blood-brain barrier of rats, *Bioelectromagnetics* 7:405-414.

Neubauer, C., Phelan, A.M., Kues, H., and Lange, D.G., 1990, Microwave irradiation of rats at 2.45 GHz activates pinocytotic-like uptake of tracer by capillary endothelial cells of cerebral cortex, *Bioelectromagnetics* 11:261-268.

Nichols, M.L., Hubbell, C.L., Kalsher, M.J., and Reid, L.D., 1991, Morphine increases intake of beer among rats, *Alcohol* 8:237-240.

O'Connor, M.E., 1988, Prenatal microwave exposure and behavior, in: "Electromagnetic Fields and Neurobehavioral Function," M.E. O'Connor and R.H. Lovely, eds., *Prog Clin Biol Res* 257:265-288.

Oscar, K.J. and Hawkins, T.D., 1977, Microwave alteration of the blood-brain barrier system of rats, *Brain Res* 126:281-293.

Oscar, K.J., Gruenace, S.P., Folker, M.T., and Rapoport S.L., 1981, Local cerebral blood flow after microwave exposure, *Brain Res* 204:220-225.

Overstreet, D.H., and Yamamura, H., 1979, Receptor alteration and drug tolerance, *Life Sci* 25:1865-1878.

Panksepp, J., Zolovick, A.J., Jalowiec, J.E., Stern, W.C., and Morgane, P.J., 1973, Fenfluramine: effects on aggression, *Biol Psychiat* 6:181-186.

Pappas, B.A., Anisman, H., Ings, R., and Hill, D.A., 1983, Acute exposure to pulsed microwaves affects neither pentylenetetrazole seizures in the rat nor chlordiazepoxide protection against such seizures, *Radiat Res* 96:486-496.

Pickard, W.F., and Barsoum, Y.M., 1981, Radiofrequency bioeffects at the membrane level: separation of thermal and athermal contributions in the Characeae, *J Membrane Biol* 61:39-54.

Plotnikoff, N., Murgo, A., Faith, R., and Wybran, J., eds., 1991, "Stress and Immunity," CRC Press, Boca Raton, FL.

Polc, P., 1988, Electrophysiology of benzodiazepine receptor ligands: multiple mechanisms and sites of action, *Prog Neurobiol* 31:349-424.

Preston, E., and Prefontaine, G., 1980, Cerebrovascular permeability to sucrose in the rat exposed to 2450-MHz microwaves, *J Appl Physiol* 49:218-223.

Preston, E., Vavasour, E.J., and Assenheim, H.M., 1979, Permeability of the blood-brain barrier to mannitol in the

rat following 2450 MHz microwave irradiation, *Brain Res* 174:109-117.

Price, D.L., Cork, L.C., Struble, R.G., Whitehouse, P.J., Kitt, C.A., and Walker, L.C., 1985, The functional organization of the basal forebrain cholinergic systems in primates and the role of the system in Alzheimer's disease, *Ann N Y Acad Sci* 444:287-295.

Quock, R.M., Fujimoto, J.M., Ishii, T.K., and Lange, D.G., 1986a, Microwave facilitation of methylatropine antagonism of central cholinomimetic drug effects, *Radiat Res* 105:328-340.

Quock, R.M., Konchich, F.J., Ishii, T.K. and Lange, D.G., 1986b, Microwave facilitation of methylatropine antagonism of morphine-induced analgesic in mice, *J Bioelectricity* 5:35-46.

Quock, R.M., Konchich, F.J., Ishii, T.K., and Lange, D.G., 1987, Microwave facilitation of domperidone antagonism of apomorphine-induced stereotypic climbing in mice, *Bioelectromagnetics* 8:45-55.

Quock, R.M., Bixby, R.R., Klauenberg, B.J., and Merritt, J.H., 1990, Influence of microwave exposure on chlordiazepoxide effects in the mouse staircase test, *Abst Ann Meeting Bioelectromagnetics Soc* 12:92.

Reid, L.D., Delconte, J.D., Nichols, M.L., Bilsky, E.J., and Hubbell, C.L., 1991, Tests of opioid deficiency hypothesis of alcoholism, *Alcohol* 8:247-257.

Reynolds, G.S., 1968, "Primer of Operant Conditioning," Scott & Foreman, Glenview, IL.

Roberti, B., Heebels, G.H., Hendricx, J.C.M., deGreef, A.H.A.M., and Wolthuis, O.L., 1975, Preliminary investigation of the effect of low-level microwave radiation on spontaneous motor activity in rats, *Ann NY Acad Sci* 247:417-424.

Rudnev, M., Bokina, A., Eksler, N., and Navakatikyan, M., 1978, The use of evoked potential and behavioral measures in the assessment of environmental insult *in: "Multidisciplinary Perspectives in Event-Related Brain Potential Research,"* D.A. Otto, ed., EPA-600/9-77-043, U.S. Environmental Protection Agency, Research Triangle Park, NC.

Sagan, P.M., and Medici, R.G., 1979, Behavior of chicks exposed to low-power 450-MHz fields sinusoidally modulated at EEG frequencies, *Radio Sci* 14(6):239-245.  
Sanders, A.P., and Joines, W.T., 1984, The effects of hyperthermia and hyperthermia plus microwaves on rat brain energy metabolism, *Bioelectromagnetics* 5:63-70.

Sanders, A.P., Schaefer, D.J., and Joines, W.T., 1980, Microwave effects on energy metabolism of rat brain, *Bioelectromagnetics* 1:171-182.

Sanders, A.P., Joines, W.T., and Allis, J.W., 1984, The differential effect of 200, 591, and 2450 MHz radiation on rat brain energy metabolism, *Bioelectromagnetics* 5:419-433.

Sanders, A.P., Joines, W.T., and Allis, J.W., 1985, Effect of continuous-wave, pulsed, and sinusoidal-amplitudemodulated microwaves on brain energy metabolism, *Bioelectromagnetics* 6:89-97.

Sanza, J.N., and de Lorge, J., 1977, Fixed interval behavior and rats exposed to microwaves at low power densities, *Radio Sci* 12(6):273-277.

Scheich, H., Langner, G., Tidemann, C., Coles, R.B., and Guppy, A., 1986, Electro-reception and electrolocation in platypus, *Nature* 319:401-402.

Scholl, D.M., and Allen, S.J., 1979, Skilled visual-motor performance by monkeys in a 1.2-GHz microwave field, *Radio Sci* 14(6): 247-252.

Schrot, J., Thomas, J.R., and Banvard, R.A., 1980, Modification of the repeated acquisition of response sequences in rats by low-level microwave exposure, *Bioelectromagnetics* 1:89-99.

Schwan, H.P., 1971, Interaction of microwave and radiofrequency radiation with biological systems, *IEEE Microwave Th Tech MTT-19*:146-150.

Schwan, H.P., 1977, Electrical membrane potentials, tissue excitation, and various relevant interpretations, *in:* "Biologic Effects of Electric and Magnetic Fields Associated with Proposed Project Seafarer," National Academy of Sciences, Washington, DC.

Seaman, R.L., and Lebovitz, R.M., 1987, Auditory unit responses to single pulse and twin-pulse microwave stimuli, *Hearing Res* 26:105-116.

Seaman, R.L., and Lebovitz, R.M., 1989, Thresholds of cat cochlea nucleus neurons to microwave pulses, *Bioelectromagnetics* 10:147-160.

Seaman, R.L., and Wachtel, H., 1978, Slow and rapid responses to CW and pulsed microwave radiation by individual Aplysia pacemakers, *J Microwave Power* 13:77-86.

Servantie, B., Batharion, G., Joly, R., Servantie, A.M., Etienne, J., Dreyfus, P., and Escoubet, P., 1974, Pharmacologic effects of a pulsed microwave field, *in:* "Biological Effects and Health Hazards of Microwave Radiation: Proceedings of an International Symposium," P. Czerski, et al., eds., Polish Medical Publishers, Warsaw.

Servantie, B., Servantie, A.M., and Etienne, J., 1975, Synchronization of cortical neurons by a pulsed microwave field as evidenced by spectral analysis of electrocorticograms from the white rat, *Ann N Y Acad Sci* 247:82-86.

Shandala, M.G., Dumanski, U.D., Rudnev, M.I., Ershova, L.K., and Los, I.P., 1979, Study of nonionizing microwave radiation effects upon the central nervous system and behavior reaction, *Environ Health Perspect* 30:115-121.

Shelton, W.W., Jr., and Merritt, J.H., 1981, In vitro study of microwave effects on calcium efflux in rat brain tissue,

*Bioelectromagnetics* 2:161-167.

Sheppard, A.R., Bawin, S.M., and Adey, W.R., 1979, Models of long-range order in cerebral macro-molecules:

effect of sub-ELF and of modulated VHF and UHF fields, *Radio Sci* 14:141-145.

Siegel, S., 1977, Morphine tolerance acquisition as an associative process, *J Comp Physiol Psychol* 3:1-13.

Siegel, S., Hinson, R.E., Krank, M.D., and McCully, J., 1982, Heroin "overdose" death: contribution of drugassociated environmental cues, *Science* 216:436-437.

Snyder, S.H., 1971, The effect of microwave irradiation on the turnover rate of serotonin and norepinephrine and the effect of microwave metabolizing enzymes, Final Report, Contract No. DADA 17-69-C-9144, U.S. Army

Medical Research and Development Command, Washington, DC (NTLT AD-729 161).

Solomon, R.L., and Wynne, L.C., 1954, Traumatic avoidance learning: the principles of anxiety conservation and partial irreversibility, *Psychol Rev* 61:353-385.

Soubrie, P., Thiebot, M.H., Jobert, A., Montastruc, J.L., Hery, F., and Hamon, M., 1980, Decreased convulsant potency of picotoxin and pentetrazol and enhanced [<sup>3</sup>H] flunitrazepam cortical binding following stressful manipulations in rat, *Brain Res* 189:505-519.

Stavinoha, W.B., Medina, M.A., Frazer, J., Weintraub, S.T., Ross, D.H., Modak, A.T., and Jones, D.J., 1976, The effects of 19 megacycle irradiation on mice and rats, in: "Biological Effects of Electromagnetic Waves," vol. 1, C.C. Johnson and M.L. Shore, eds., HEW Publication (FDA) 77-8010, Rockville, MD.

Steriade, M., and Biesold, D. eds., 1990, "Brain Cholinergic Systems," Oxford University Press, Oxford.

Stern, S., 1980, Behavioral effects of microwaves, *Neurobehav Toxicol* 2:49-58.

Stverak, I., Martha, K., and Pafkova, G., 1974, Some effects of various pulsed field on animals with audiogenic epilepsy, in: "Biological Effects and Health Hazards of Microwave Radiation: Proceedings of an International Symposium," P. Czerski, et al., eds., Polish Medical Publishers, Warsaw.

Stryer, L., 1987, The molecules of visual excitation, *Scientific American* 257(1):32-40.

Sutton, C.H., and Carroll, F.B., 1979, Effects of microwave-induced hyperthermia on the blood-brain barrier of the rat, *Radio Sci* 14:329-334.

Switzer, W.G., and Mitchell, D.S., 1977, Long-term effects of 2.45 GHz radiation on the ultrastructure of the cerebral cortex and hematologic profiles of rats, *Radio Sci* 12:287-293.

Syvalahti, E.K.G., Hietala, J., Roytta, M., and Gronroos, J., 1988, Decrease in the number of rat brain dopamine and muscarinic receptors after chronic alcohol intake, *Pharmacol Toxicol* 62:210-212.

Tabakoff, B., and Hoffman, P.L., 1979, Development of functional dependence on ethanol in dopaminergic systems, *J Pharmacol Exp Ther* 208:216-222.

Takashima, S., Onaral, B., and Schwan, H.P., 1979, Effects of modulated RF energy on the EEG of mammalian brain, *Rad Environ Biophys* 16:15-27.

Taylor, E.M., and Ashleman, B.T., 1974, Analysis of central nervous system involvement in the microwave auditory effect, *Brain Res* 74:201-208.

Taylor, E.M., and Ashleman, B.T., 1975, Some effects of electromagnetic radiation on the brain and spinal cord of cats, *Ann NY Acad Sci* 247:63-73.

Thomas, J.R., and Maitland, G., 1979, Microwave radiation and dextroamphetamine: evidence of combined effects on behavior of rats, *Radio Sci* 14(6):253-258.

Thomas, J.R., Finch, E.D., Fulk, D.W., and Burch, L.S., 1975, Effects of low level microwave radiation on behavioral baselines, *Ann NY Acad Sci* 247:425-432.

Thomas, J.R., Yeandle, S.S., and Burch, L.S., 1976, Modification of internal discriminative stimulus control of behavior by low levels of pulsed microwave radiation, in: "Biological Effects of Electromagnetic Waves," vol. 1, C.C. Johnson and M.L. Shore, eds., HEW Publication (FDA) 77-8010, Rockville, MD.

Thomas, J.R., Burch, L.S., and Yeandle, S.C., 1979, Microwave radiation and chlordiazepoxide: synergistic effects on fixed interval behavior, *Science* 203:1357-1358.

Thomas, J.R., Schrot, J., and Banvard, R.A., 1980, Behavioral effects of chlorpromazine and diazepam combined with low level microwaves, *Neurobiol* 2:131-135.

Tolgskaya, M.S., and Gordon, Z.V., 1973, Pathological effects of radiowaves, (Translated from Russian by B. Haigh), Consultants Bureau, New York, NY.

Wachtel, H., Seaman, R., and Joines, W., 1975, Effects of low-intensity microwaves on isolated neurons, *Ann NY Acad Sci* 247:46-62.

Wangemann, R.T., and Cleary, S.F., 1976, The in vivo effects of 2.45-GHz microwave radiation on rabbit serum components and sleeping times, *Radiat Environ Biophys* 13:89-103.

Ward, T.R., Elder, J.A., Long, M.D., and Svendsgaard, D., 1982, Measurement of blood-brain barrier permeation in rats during exposure to 2450-MHz microwaves, *Bioelectromagnetics* 3:371-383.

Ward, T.R., and Ali, J.S., 1985, Blood-brain barrier permeation in the rat during exposure to low-power 1.7-GHz microwave radiation, *Bioelectromagnetics* 2:131-143.

Ward, T.R., Svensgaard, D.J., Spiegel, R.J., Puckett, E.T., Long, M.D., and Kinn, J.B., 1986, Brain temperature measurements in rats: a comparison of microwave and ambient temperature exposures, *Bioelectromagnetics* 7:243-258.

Weizman, R., Weizman, A., Kook, K.A., Vocci, F., Deutsch, S.I., and Paul, S.M., 1989, Repeated swim stress alters brain benzodiazepine receptors measured in vivo, *J Pharmacol Exp Ther* 249:701-707.

Wild, K.D., and Reid, L.D., 1990, Modulation of ethanol-intake by morphine: evidence for a central site of action, *Life Sci* 47:PL-49-PL-54.

Williams, W.M., Hoss, W., Formaniak, M., and Michaelson, S.M., 1984a, Effect of 2450 MHz microwave energy on the blood-brain barrier to hydrophilic molecules, A. Effect on the permeability to sodium fluorescein, *Brain Res Rev* 7:165-170.

Williams, W.M., del Cerro, M., and Michaelson, S.M., 1984b, Effect of 2450 MHz microwave energy on the bloodbrain

barrier to hydrophilic molecules, B. Effect on the permeability to HRP, *Brain Res Rev* 7: 171-181.

Williams, W.M., Platner, J., and Michaelson, S.M., 1984c, Effect of 2450 MHz microwave energy on the bloodbrain barrier to hydrophilic molecules, C. Effect on the permeability to <sup>14</sup>C-sucrose, *Brain Res Rev* 7:183-190.

Williams, W.M., Lu, S.-T., del Cerro, M., and Michaelson, S.M., 1984d, Effect of 2450 MHz microwave energy on the blood-brain barrier to hydrophilic molecules, D. Brain temperature and blood-brain barrier permeability to hydrophilic tracers, *Brain Res Rev* 7:191-212.

Wikler, A., 1973a, Dynamics of drug dependence: Implications of a conditioning theory for research and treatment, *Arch Gen Psychiat* 28:611-616.

Wikler, A., 1973b, Conditioning of successive adaptive responses to the initial effects of drugs, *Conditioned Reflex* 8:193-210.

Wilson, B.A., Zook, J.M., Joines, W.T., and Casseday, J.H., 1980, Alterations in activity at auditory nuclei of the rat induced by exposure to microwave radiation: autoradiographic evidence using [14C]-2-deoxy-D-glucose, *Brain Res* 187:291-306.

Woods, S.C., Makous, W., and Hutton, R.A., 1969, Temporal parameters of conditioned hypoglycemia, *J Comp Physiol Psychol* 69:301-307.

Young, W., 1980, The effect of microwaves (9.7 GHz) on membrane bound acetylcholinesterase in the vagal heart system, *Fed Proc* 39:410.

Zeman, G.H., Chaput, R.L., Glazer, Z.R., and Gershman, L.L., 1973, Gamma-aminobutyric acid metabolism in rats following microwave exposure. *J Microwave Power* 8:213-216.

Akyel, Y., Hunt, E.L., Gambrill, C., and Varga, C. Jr., 1991, Immediate postexposure effects of high-peak-power microwave pulses on operant behavior of Wistar rats, *Bioelectromagnetics* 12:183-195.

Barenski, S., 1972, Histological and histochemical effects of microwave radiation on the central nervous system of rabbits and guinea pigs, *Am J Physiol Med* 51:182-190.

Bawin, S.M., Gavalas-Medici, R.J., and Adey, W.R., 1973, Effects of modulated very high frequency fields on specific brain rhythms in cats, *Brain Res* 58:365-384.

Carroll, D.R., Levinson, D.M., Justesen, D.R., and Clarke, R.L., 1980, Failure of rats to escape from a potentially lethal microwave field, *Bioelectromagnetics* 1:101-115.

Chizhenkova, R.A., 1988, Slow potentials and spike unit activity of the cerebral cortex of rabbits exposed to microwaves, *Bioelectromagnetics* 9:337-345.

Chou, C.K., Guy, A.W., and Galambos, R., 1982a, Auditory perception of radiofrequency electromagnetic fields, *J Acoust Soc Am* 71:1321-1334.

Chou, C.K., Guy, A.W., McDougall, J.B., and Han, L.F., 1982b, Effects of continuous and pulsed chronic microwave exposure on rabbits, *Radio Sci* 17:185-193.

Czerski, P., Ostrowski, K., Shore, M.L., Silverman, C.H., Sues, M.J., and Waldeskog, B., eds., 1974, "Biological Effects and Health Hazard of Microwave Radiation: Proceedings of an International Symposium," Polish Medical Publisher, Warsaw.

D'Andrea, J.A., Gandhi, O.P., and Kesner, R.P., 1976, Behavioral effects of resonant electromagnetic power absorption in rats. In: "Biological Effects of Electromagnetic Waves," vol 1, C.C. Johnson and M.L. Shore, eds., HEW Publication (FDA) 77-8010, Rockville, MD.

D'Andrea, J.A., Gandhi, O.P., and Lords J.L., 1977, Behavioral and thermal effects of microwave radiation at resonant and nonresonant wavelengths, *Radio Sci* 12:251-256.

D'Andrea, J.A., Gandhi, O.P., Lords, J.L., Durney, C.H., Johnson, C.C., and Astle, L., 1979, Physiological and behavioral effects of chronic exposure to 2450-MHz microwaves, *J Microwave Power* 14:351-362.

D'Andrea, J.A., Gandhi, O.P., Lords. J.L., Durney, C.H., Astle, L., Stensaas, L.J., and Schoenberg, A.A., 1980, Physiological and behavioral effects of prolonged exposure to 915 MHz microwaves, *J Microwave Power* 15(2):123-135.

D'Andrea, J.A., DeWitt, J.R., Emmerson, R.Y., Bailey, C., Stensaas, S., and Gandhi, O. P., 1986a, Intermittent exposure of rat to 2450-MHz microwaves at 2.5 mW/cm<sup>2</sup>: behavioral and physiological effects, *Bioelectromagnetics* 7:315-328.

D'Andrea, J.A., DeWitt, J.R., Gandhi, O. P., Stensaas, S., Lords, J.L., and Nielson, H.C., 1986b, Behavioral and physiological effects of chronic 2450-MHz microwave irradiation of the rat at 0.5 mW/cm<sup>2</sup>, *Bioelectromagnetics* 7:45-56.

D'Andrea, J.A., Cobb, B.L., and de Lorge, J., 1989, Lack of behavioral effects in the rhesus monkey to high peak power microwave pulses at 1.3 GHz, *Bioelectromagnetics* 10:65-76.

de Lorge, J.O. , 1984, Operant behavior and colonic temperature of *Macaca mulatta* exposed to

radiofrequency fields at and above resonant frequencies. Bioelectromagnetics 5:233-246.

de Lorge, J., and Ezell, C.S., 1980, Observing-responses of rats exposed to 1.28- and 5.62-GHz microwaves, Bioelectromagnetics 1:183-198.

DeWitt, J.R., D'Andrea, J.A., Emmerson, R.Y., and Gandhi, O.P., 1987, Behavioral effects of chronic exposure to 0.5 mW/cm<sup>2</sup> of 2450-MHz microwaves. Bioelectromagnetics 8:149-157.

Dumansky, J.D., and Shandala, M.G., 1974, The biologic action and hygienic significance of electromagnetic fields of super high and ultra high frequencies in densely populated areas. In: "Biologic Effects and Health Hazard of Microwave Radiation: Proceedings of an International Symposium," P. Czerski, et al., eds., Polish Medical Publishers, Warsaw.

Frey, A.H., 1977, Behavioral effects of electromagnetic energy. In: "Symposium on Biological Effects and Measurement of Radio Frequency Microwaves," D.J. Hazzard, ed., HEW Publication (FDA), 77-8026, Rockville, MD.

Frey, A.H., and Feld, S.R., 1975, Avoidance by rats of illumination with low power nonionizing electromagnetic energy, J Comp Physiol Psychol 89:183-188.

Frey, A.H., Feld, S.R., and Frey, B., 1975, Neural function and behavior: defining the relationship. Ann N Y Acad Sci 247:433-439.

Gage, M.I., 1979, Behavior in rats after exposure to various power densities of 2450 MHz microwaves, Neurobehav Toxicol 1:137-143.

Goldstein, L., and Sisko, Z., 1974, A quantitative electroencephalographic study of the acute effect of X-band microwaves in rabbits. In: "Biological Effects and Health Hazards of Microwave Radiation: Proceedings of an International Symposium," P. Czerski, et al., eds., Polish Medical Publishers, Warsaw.

Hjeresen, D.L., Doctor, S.R., and Sheldon, R.L., 1979, Shuttlebox-side preference as mediated by pulsed microwaves and conventional auditory cue. In: "Electromagnetic Fields in Biological System," S.S.Stuchly, ed., Ottawa,Canada.

Hunt, E.L., King, N.W., and Phillips, R.D., 1975, Behavioral effects of pulsed microwave radiation, Ann NY Acad Sci 247:440-453.

Johnson, R.B., Spackman, D., Crowley, J., Thompson, D., Chou, C.K., Kunz, L.L., and Guy, A.W., 1983, Effects of long-term low-level radiofrequency radiation exposure on rats, vol. 4, Open field behavior and corticosterone, USAF SAM-TR83-42, Report of USAF School of Aerospace Medicine, Brooks AFB, San Antonio, TX.

King, N.W., Justesen, D.R., and Clarke, R.L., 1971, Behavioral sensitivity to microwave irradiation, *Science* 172:398-401.

Krylova, I.N., Dukhanin, A.S., Il'in, A.B., Kuznetsova, E.Iu., Balaeva, N.V., Shimanovskii, N.L.,

Pal'tsev, Iu.P., and Iasnetsov, V.V., 1992, The effect of ultrahigh frequency electromagnetic radiation on learning and memory processes (article in Russian), *Biull Eksp Biol Med* 114:483-484.

Krylov, I.N., Iasnetsov, V.V., Dukhanin, A.S., and Pal'tsev, Iu.P., 1993, Pharmacologic correction of learning and memory disorders induced by exposure to high-frequency electromagnetic radiation (article in Russian), *Biull Eksp Biol Med* 115:260-262.

Kunjilwar, K.K., and Behari, J., 1993, Effect of amplitude-modulated radio frequency radiation on cholinergic system of developing rats, *Brain Res* 601:321-324.

Lai, H., Horita, A., Chou, C.K., and Guy, A.W., 1987, Low-level microwave irradiation affects central cholinergic activity in the rat, *J Neurochem* 48:40-45.

Lai, H., Carino, M.A., and Guy, A.W., 1989, Low-level microwave irradiation and central cholinergic systems, *Pharmac Biochem Behav* 33:131-138

Lai, H., Carino, M.A., Horita, A. and Guy, A.W., 1990, Corticotropin-releasing factor antagonist blocks microwave-induced changes in central cholinergic activity in the rat, *Brain Res Bull* 25:609-612.

Lai, H., Carino, M.A., Horita, A. and Guy, A.W., 1992, Opioid receptor subtypes that mediate a microwave-induced decrease in central cholinergic activity in the rat. *Bioelectromagnetics* 13:237-246.

Lai, H., Horita, A., and Guy, A.W., 1994, Microwave irradiation affects radial-arm maze performance in the rat, *Bioelectromagnetics* 15:95-104.

Lebovitz, R.M., 1980, Behavioral changes during long-term microwave irradiation. In: "Proceeding of the International Symposium on the Biological Effects of Electromagnetic waves," UNSI, CNFRS, Jouy-en-Josas, France.

Levinson, D.M., Grove, A.M., Clarke, L.R., and Justesen, D.R., 1982, Photic cueing of escape by rats from an intense microwave field, *Bioelectromagnetics* 3:105-116.

Lin, J.C., 1978, "Microwave Auditory Effects and Applications", Charles C Thomas, Springfield, IL.

Lovely, R.H., Myers, D.E., and Guy, A.W., 1977, Irradiation of rats by 918-MHz microwaves at 2.5 mW/cm<sup>2</sup>: delineating the dose-response relationship, *Radio Sci* 12(6):139-146.

Mickley, G.A. and Cobb, B.L., 1998, Thermal tolerance reduces hyperthermia-induced

disruption of working memory: a role for endogenous opiates? *Physiol Beh* 63:855-865.

Mitchell, C.L., McRee, D.J., Peterson, N.J., and Tilson, H.A., 1988, Some behavioral effects of shortterm exposure of rats to 2.45-GHz microwave radiation, *Bioelectromagnetics* 9:259-268.

Mitchell, D.S., Switzer, W.G., and Bronaugh, E.L., 1977, Hyperactivity and disruption of operant behavior in rats after multiple exposure to microwave radiation, *Radio Sci* 12(6):263-271.

Moe, K.E., Lovely, R.H., Meyers D.E., and Guy, A.W., 1976, Physiological and behavioral effects of chronic low-level microwave radiation in rats. In: "Biological Effects of Electromagnetic Waves," vol. 1, C.C. Johnson and M.L. Shore, eds., HEW Publication (FDA) 77-8010, Rockville, MD.

Monahan, J.C., and Henton, W., 1977, Free operant avoidance and escape from microwave radiation. In: "Symposium on Biological Effects and Measurement of Radio Frequency Microwaves", D.J. Hazzard, ed, HEW Publication (FDA) 77-8026, Rockville, MD.  
Navakatikian, M.A., and Tomashevskaya, L.A., 1994, Phasic behavioral and endocrine effects of microwaves of nonthermal intensity. In: "Biological Effects of Electric and Magnetic Fields, vol. 1", D.O. Carpenter, ed., Academic Press, San Diego, CA.

Oscar, K.J., and Hawkins, T.D., 1977, Microwave alteration of the blood-brain barrier system of rats, *Brain Res* 126:281-293.

Ray, S., and Behari, J., 1990, Physiological changes in rats after exposure to low levels of microwaves. *Rad Res* 123:199-202.

Roberti, B., Heebels, G.H., Hendricx, J.C.M., deGreef, A.H.A.M., and Wolthuis, O.L., 1975, Preliminary investigation of the effect of low-level microwave radiation on spontaneous motor activity in rats, *Ann NY Acad Sci* 247:417-424.

Rudnev, M., Bokina, A., Eksler, N., and Navakatikyan, M., 1978, The use of evoked potential and behavioral measures in the assessment of environmental insult. In: "Multidisciplinary Perspectives in Event-Related Brain Potential Research," D.A. Otto, ed., EPA-600/9-77-043, U.S. Environmental Protection Agency, Research Triangle Park, NC.

Schrot, J., Thomas, J.R., and Bannard, R.A., 1980, Modification of the repeated acquisition of response sequences in rats by low-level microwave exposure, *Bioelectromagnetics* 1:89-99.

Schwan, H.P., 1971, Interaction of microwave and radiofrequency radiation with biological systems, *IEEE Microwave Th Tech MTT*-19:146-150.

Sienkiewicz, Z., 1999, Behavioural effects of radiofrequency fields. In "Mobile Telephones and Health: an Update on the Latest Research", Gothenburg, Sweden.

Takashima, S., Onaral, B., and Schwan, H.P., 1979, Effects of modulated RF energy on the EEG

of mammalian brain, *Rad Environ Biophys* 16:15-27.

Thomas, J.R., Finch, E.D., Fulk, D.W., and Burch, L.S., 1975, Effects of low level microwave radiation on behavioral baselines, *Ann NY Acad Sci* 247:425-432.

Wang, B.M. and Lai, H., 2000, Acute exposure to pulsed 2450-MHz microwaves affects watermaze performance of rats, *Bioelectromagnetics* 21:52-56.

Ahlbom A, Green A, Kheifets L, Savitz D, Swerdlow A. 2004. Epidemiology of health effects of radiofrequency exposure. ICNIRP (International Commission for Non-ionizing Radiation Protection)

Standing Committee on Epidemiology. *Environ Health Perspect* 112:1741-1754.

Auvinen A, Hietanen M, Luukonen R, Koskela RS. 2002. Brain tumors and salivary gland cancers

among cellular telephone users. *Epidemiology* 13:356-359.

Christensen HC, Schüz J, Kosteljanetz M, Poulsen HS, Thomsen J, Johansen C. 2004. Cellular telephone use and risk of acoustic neuroma. *Am J Epidemiol* 159:277-283.

Christensen HC, Schüz J, Kosteljanetz M, et al. 2005. Cellular telephones and risk for brain tumors. A

population-based, incident case-control study. *Neurology* 64:1189-1195.

Funch DP, Rothman KJ, Loughlin JE, Dreyer NA. 1996. Utility of telephone company records for epidemiologic studies of cellular telephones. *Epidemiology* 7:299-302.

Hardell L, Näsman Å, Pahlson A, Hallquist A, Hansson Mild K. 1999. Use of cellular telephones and the risk for brain tumours:A case-control study. *Int J Oncol* 15:113-116.

Hardell L, Hansson Mild K, Pahlson A, Hallquist A. 2001. Ionizing radiation, cellular telephones and the

risk for brain tumours. *Eur J Cancer Prev* 10:523-529.

Hardell L, Hansson Mild K, Sandström M. 2003. Vestibular schwannoma, tinnitus and mobile telephones. *Neuroepidemiology* 22:124-129.

Hardell L, Hansson Mild K, Carlberg M, Hallquist A. 2004. Cellular and cordless telephones and the association with brain tumours in different age groups. *Arch Environ Health* 59(3): 132-137.

Hardell L, Carlberg M, Hansson Mild K. Pooled analysis of two case-control studies on the use of cellular

and cordless telephones and the risk of benign tumours diagnosed during 1997-2003. *Int J Oncol* 28:509-518.

Hardell L, Hansson Mild K, Carlberg M. 2006a. Pooled analysis of two case-control studies on use of cellular and cordless telephones and the risk for malignant brain tumours diagnosed in 1997-2003. *Int Arch Occup Environ Health* 2006b, 79:630-639.

Brain Tumors and Acoustic Neuromas Dr. Hardell Dr. Mild Dr. Kundi  
Hardell L, Carlberg M, Söderqvist F, Hansson Mild K, Morgan LL. Long-term use of cellular phones and  
brain tumours: increased risk associated with use for > 10 years. *Occup Environ Med* 2007;64:626-632 doi:10.1136/oem.2006.029751.

Hepworth SJ, Schoemaker MJ, Muir KR, Swerdlow AJ, van Tongeren MJ, McKinney PA. 2006. Mobile phone use and risk of glioma in adults: case-control study. *BMJ* 15;332(7546):883-887. Epub 2006 Jan

Inskip PD, Tarone RE, Hatch EE, et al. Cellular-telephone use and brain tumors. 2001. *New Engl J Med* 344:79-86.

Johansen C, Boice JD Jr, McLaughlin JK, Olsen JH 2001. Cellular telephones and cancer – a nationwide cohort study in Denmark. *J Natl Cancer Inst* 93:203-207.

Klaeboe L, Blaasaas KG, Tynes T. 2007. Use of mobile phones in Norway and risk of intracranial tumours. *Eur J Cancer Prev* 16:158-164.

Lahkola A, Tokola K, Auvinen A. 2006. Meta-analysis of mobile phone use and intracranial tumors. *Scand J Work Environ Health* 32(3):171-177.

Lahkola A, Auvinen A, Raitanen J, et al. 2007. Mobile phone use and risk of glioma in 5 North European countries. *Int J Cancer* 120:1769-1775.

Lönn S, Ahlbom A, Hall P, Feychting M. 2004. Mobile phone use and the risk of acoustic neuroma. *Epidemiology* 15: 653-659.

Lönn S, Ahlbom A, Hall P, Feychting M 2005. Swedish Interphone Study Group. Long-term mobile phone use and brain tumor risk. *Am J Epidemiol* 161:526-535.

Muscat JE, Malkin MG, Thompson S, et al. 2000. Handheld cellular telephone use and risk of brain cancer. *JAMA* 284:3001-3007.

Muscat JE, Malkin MG, Shore RE, et al. 2002. Handheld cellular telephones and risk of acoustic neuroma. *Neurology* 58:1304-1306

Brain Tumors and Acoustic Neuromas Dr. Hardell Dr. Mild Dr. Kundi  
Schoemaker MJ, Swerdlow AJ, Ahlbom A, et al. 2005. Mobile phone use and risk of acoustic neuroma:  
results of the Interphone case-control study in five North European countries. *Br J Cancer* doi: 10.1038/sj.bjc.6602764.  
Schüz J, Böhler E, Berg G, Schlehofer B, et al. 2006. Cellular phones, cordless phones, and the risks of glioma and meningioma (Interphone Study Group, Germany). *Am J Epidemiology* 163(6):512-520. Epub

2006 Jan 27. Comment by Morgan in: *Am J Epidemiol* 2006;164:294-295. Author reply 295.  
Schüz J, Jacobsen R, Olsen JH, et al. 2006. Cellular telephone use and cancer risks: An update of a nationwide Danish cohort. *J Natl Cancer Inst* 98:1707-1713.

Schlehofer B, Schlafer K, Blettner M, et al. 2007. Environmental risk factors for sporadic acoustic neuroma (Interphone Study Group, Germany). *Eur J Cancer* doi:10.1016/j.ejca.2007.05.008.

Takebayashi T, Akiba S, Kikuchi Y, et al. 2006. Mobile phone use and acoustic neuroma risk in Japan.  
*Occup Environ Med* 63:802-807.

Vrijheid M, Cardis E, Armstrong BK, et al. 2006a. Validation of short term recall of mobile phone use for the Interphone study. *Occup Environ Med* 63:237-243.

Vrijheid M, Deltour I, Krewski D, Sanchez M, Cardis E. 2006b. The effects of recall errors and selection bias in epidemiologic studies of mobile phone use and cancer risk. *J Expo Sci Environ Epidemiol* doi:10.1038/sj.jes.7500509.

- Ahlbom A, Green A, Kheifets L, Savitz D, Swerdlow A. 2004. Epidemiology of health effects of radiofrequency exposure. *Environ Health Perspect* 112: 1741–1754.
- Altpeter ES, Krebs TT, Pfluger DH, von Kanel J, Blattmann R. 1995. Study on health effects of the short-wave transmitter station at Schwarzenburg, Berne, Switzerland," BEW Publication Series No. 55, University of Berne, Inst. for Social & Preventive Medicine.
- Armstrong B, Theriault G, Guenel P, Deadman J, Goldberg M, Heroux P. 1994. Association between exposure to pulsed electromagnetic fields and cancer in electric utility workers in Quebec, Canada, and France. *Am J Epidemiol* 140: 805 – 820.
- Berg G, Spallek J, Schütz J, Schlehofer B, Böhler E, Schlaefer K, Hettinger I, Kunna-Grass K, Wahrendorf J, Blettner M. 2006. Occupational exposure to radio frequency/microwave radiation and the risk of brain tumors: Interphone Study Group, Germany. *Am J Epidemiol*.
- Bergqvist U. 1997. Review of epidemiological studies. In: Kuster N, Balzano Q, Lin JC (eds.), *Mobile Communications Safety*, London: Chapman & Hall, pp. 147 – 170
- Bielski J. 1994. Bioelectrical brain activity in workers exposed to electromagnetic fields," *Ann N Y Acad Sci* 724: 435 – 437
- Boscolo P. 2001. Effects of electromagnetic fields produced by radiotelevision broadcasting stations on the immune system of women. *Sci Total Environ* 273: 1 – 10
- Cantor K, Stewart P, Brinton L, Dosemeci M. 1995. Occupational exposure and female breast cancer mortality in the United States. *J Occup Environ Med* 37: 336-348
- Coleman M, Bell J, Skeet R. 1983. Leukaemia incidence in electrical workers. *Lancet* 1:982 – 983
- Coleman M. 1985. Leukaemia mortality in amateur radio operators. *Lancet* 2: 106 – 107
- Cooper DK, Hemmings K, Saunders P 2001. Cancer incidence near radio and television transmitters in Great Britain. I. Sutton Coldfield transmitter; II. All high power transmitters. *Am J Epidemiol* 153: 202 – 204
- Czerski P, Siekierzynski M, Gidynski A. 1974. Health surveillance of personnel occupationally exposed to microwaves. I. Theoretical considerations and practical aspects. *Aerospace Med* 45: 1137 – 1142
- Davis RL, Mostofi FK. 1993. Cluster of testicular cancer in police officers exposed to hand -held radar. *Am J Ind Med* 24: 231-233
- De Roos AJ, Teschke K, Savitz DA, Poole C, Grufferman BH, Pollock BH. 2001. Parental occupational exposures to electromagnetic fields and radiation and the incidence of neuroblastoma in offspring. *Epidemiol* 12: 508 – 517
- Demers PA, Thomas DB, Rosenblatt KA, Jimenez LM, McTiernan A, et al. 1991. Occupational exposure to electromagnetic fields and breast cancer in men. *Am J Epidemiol* 134: 340 – 347
- Dolk H, Shaddick G, Walls P, Grundy C, Thakrar B, Kleinschmidt I, Elliott P. 1997a. Cancer incidence near radio and television transmitters in Great Britain, Part I. Sutton Coldfield Transmitter. *Am J Epidemiol* 145: 1-9.

Dolk H, Elliot P, Shaddick G, Walls P, Thakrar B. 1997b. Cancer incidence near radio television and transmitters in Great Britain, Part II. All high-power transmitters. *Am J Epidemiol* 145: 10-17.

Elwood MJ. 2003. Epidemiological studies of radiofrequency exposures and human cancer. *Bioelectromagnetics Suppl* 6: S63 - S73.

Finkelstein MM. 1998. Cancer incidence among Ontario police officers. *Am J Ind Med* 34: 157-162.

Gallagher RP, Band PR, Spinelli JJ, Threlfall WJ, Tamaro S. 1991. Brain cancer and exposure to electromagnetic fields. *J Occup Med* 33: 944 – 945

Garaj-Vrhovac V. 1999. Micronucleus assay and lymphocyte mitotic activity in risk assessment of occupational exposure to microwave radiation. *Chemosphere* 39: 2301 – 2312

Garson OM, McRobert TL, Campbell LJ, Hocking BA, Gordon I. 1991. A chromosomal study of workers with long-term exposure to radio-frequency radiation. *Med J Australia* 155: 289 – 292.

Grayson JK. 1996. Radiation exposure socioeconomic status and brain tumor risk in the US Air Force: a nested case-control study. *Am J Epidemiol* 143: 480-486.

Groves FD, Page WF, Gridley G, Lisimaque L, Stewart PA, Tarone RE et al. 2002. Cancer in Korean war navy technicians: mortality survey after 40 years. *Am J Epidemiol* 155: 810-818.

Hallberg O, Johansson O. 2002a. Melanoma incidence and frequency modulation (FM) broadcasting. *Arch Environ Health* 57: 32 – 40

Hallberg O, Johansson O. 2002b. Cancer trends during the 20th century. *J Australian College Nutrtr Environ Med*. 21: 3 – 8

Hayes RB, Brown LM, Pottern LM, Gomez M, Kardaun JWPF, Hoover RN, O'Connell KJ, Sutzman RE, Javadpour N. 1990. Occupation and risk of testicular cancer: a case-control study. *Int J Epidemiol* 19: 825-831

Hill DG. 1988. A longitudinal study of a cohort with past exposure to radar: the MIT Radiation Laboratory follow-up study. [Dissertation Manuscript], Johns Hopkins University, Baltimore, MD, UMI Dissertation Services, Ann Arbor, MI

Hocking B, Gordon IR, Grain ML, Hatfield GE. 1996. Cancer incidence and mortality and proximity to TV towers. *Med J Aust* 165: 601-605

Holly EA, Aston DA, Ahn DK, Smith AH. 1996. Intraocular melanoma linked to occupations and chemical exposures. *Epidemiology* 7: 55-61

Kaplan S, Etlin S, Novikov I, Modan B. 1997. Occupational risks for the development of brain tumors. *Am J Ind Med* 31: 15 – 20.

Krewski D, Byus CV, Glickman BW, Lotz WG, Mandeville R, McBride ML, Prato FS, Weaver DF. 2001. Potential health risks of radiofrequency fields from wireless telecommunication devices. *J Tox Env Health Part B* 4: 1-143.

Kundi M, Hansen Mild K, Hardell L, Mattsson MO. 2004. Mobile telephones and cancer - a review of epidemiological evidence. *J Toxicol Envriorn Health Part B* 7: 351-384.

Kundi M. 2006. Causality and the interpretation of epidemiologic evidence. *Environ Health Perspect* 114: 969 – 974

Kurt TL, Milham S. 1988. Re: Increased mortality in amateur radio operators due to lymphatic and hematopoietic malignancies. [Letter and Reply] *Am J. Epidemiol* 128: 1384–1385

Lagorio S, Rossi S, Vecchia P, De Santis M, Bastianini L, Fusilli M, Ferrucci A, Desideri E, Comba P. 1997. Mortality of plastic-ware workers exposed to radiofrequencies. *Bioelectromagnetics* 18: 418-421

Lalic H, Lekic A, Radosevic-Stasic B. 2001. Comparison of chromosome aberrations in peripheral blood lymphocytes from people occupationally exposed to ionizing and radiofrequency radiation. *Acta Medica Okayama* 55: 117 – 127

Lilienfeld AM, Tonascia J, Tonascia S, Libauer CH, Cauthen GM, et al. 1978. Foreign Service Health Status Study: Evaluation of Status of Foreign Service and other Employees From Selected Eastern European Posts. NTIS Document No. PB-28B 163/9GA Dept. of State, Washington DC, Final Report, Dept. of Epidemiology, School of Hygiene Public Health, Johns Hopkins University, Baltimore, MD

Maskarinec G, Cooper J, Swygert L. 1994. Investigation of increased incidence in childhood leukemia near radio towers in Hawaii: preliminary observations. *J Environ Pathol Toxicol Oncol* 13: 33-37

McKenzie DR, Yin Y, Morrell S. 1998. Childhood incidence and acute lymphoblastic leukaemia and exposure to broadcast radiation in Sydney – a second look. *Aust NZ J Public Health* 22: 360-367

Michelozzi P, Capon A, Kirchmayer U, Forastiere F, Biggeri A, Barca A, Perucci CA. 2002. Adult and childhood leukemia near a high-power radio station in Rome, Italy. *Am J Epidemiol* 155: 1096-1103

Milham S. 1982. Mortality from leukemia in workers exposed to electrical and magnetic fields. [Letter] *New England J Med* 307: 249 – 249

Milham S. 1983. Occupational mortality in Washington State: 1950-1979. DHHS (NIOSH) Publication 83-116, October 1983, Contract No. 210-80-0088, U.S. Depart. of Health and Human Services, National Institute for Occupational Safety and Health, Cincinnati, OH

Milham S. 1985. Mortality in workers exposed to electromagnetic fields. *Environ Health Perspect* 62: 297 – 300

Milham S. 1988a. Increased mortality in amateur radio operators due to lymphatic and hematopoietic malignancies. *Am J Epidemiol* 127: 50-54

Milham S. 1988b. Mortality by license class in amateur radio operators. *Am J Epidemiol* 128: 1175 – 1176

Morgan RW, Kelsh MA, Zhao K, Exuzides KA, Heringer S, Negrete W. 2000. Radiofrequency exposure and mortality from cancer of the brain and lymphatic/hematopoietic systems. *Epidemiology* 11: 118-127

Moulder JE, Erdreich LS, Malyapa RS, Merritt JH, Pickard WF, Vijayalaxmi. 1999. Cell phones and cancer: what is the evidence for a connection? *Radiat Res* 151: 513 – 531

Muhm JM. 1992. Mortality investigation of workers in an electromagnetic pulse test program. *J Occup Med* 34: 287-292

Pearce N, Reif J, Fraser J. 1989. Case-control studies of cancer in New Zealand electrical workers. *Int J Epidemiol* 18: 55 – 59

Pearce NE, Sheppard RA, Howard JK, Fraser J, Lilley BM. 1985. Leukaemia in electrical workers in New Zealand. [Letter] *Lancet* 1: 811 – 812

Pearce NE. 1988. Leukemia in electrical workers in new Zealand: a correction. [Letter] *Lancet* 2: 48

Richter ED, Berman T, Ben-Michael E, Lesser R, Westin JB. 2000. Cancer in radar technicians exposed to radiofrequency/microwave radiation: Sentinel episodes. *Int J Occup Environ Health* 6: 187 – 193

Robinette CD, Silverman C, Jablon S. 1980. Effects upon health of occupational exposure to microwave radiation radar. *Am J Epidemiol* 112: 39 – 53

Robinette CD, Silverman C. 1977. Causes of death following occupational exposure to microwave radiation (radar) 1950-1974. In Hazzard (ed), *Symposium on Biological Effects and Measurement of radiofrequency Microwaves*, Dept. of Health, Education, and Welfare, Washington, DC, HEW Publication No. (FDA) 77-8026: 338 – 344

Selvin S, Schulman J, Merrill DW. 1992. Distance and risk measures for the analysis of spatial data: a study of childhood cancers. *Soc Sci Med* 34: 769-777

Siekierzynski M, Czerski P, Milczarek H, Gidynski A, Czarnecki C, Dziuk E, Jedrzejczak W. 1974a. Health surveillance of personnel occupationally exposed to microwaves. II. Functional disturbances. *Aerospace Med* 45: 1143 – 1145

Siekierzynski M, Czerski P, Milczarek H, Gidynski A, Czarnecki C, Dziuk E, Jedrzejczak W. 1974b. Health surveillance of personnel occupationally exposed to microwaves. III. Lens translucency. *Aerospace Med* 45: 1146 – 1148

Speers MA, Dobbins JG, Miller VS. 1988. Occupational exposures and brain cancer mortality: a preliminary study of East Texas residents. *Am J Ind Med* 13: 629 – 638

Spitz MR, Johnson CC. 1985. Neuroblastoma and paternal occupation. A case-control analysis. *Am J Epidemiol* 121: 924 – 929

Stewart, Sir W. 2000. Mobile Phones and Health. Report by the UK Independent Expert Group on Mobile Phones. c/o UK National Radiological Protection Board, Chilton, Didcot, Oxon OX11 0RQ pp. 1 – 160.

Szmigielski S, Kubacki R. 1999. Analysis of cancer morbidity in Polish career military personnel exposed occupationally to RF and MW radiation. In: F. Bersani (ed.), *Electricity and Magnetism in Biology and Medicine*, Kluwer Academic/ Plenum, pp. 809 – 812.

Szmigielski S. 1996. Cancer morbidity in subjects occupationally exposed to high frequency (radiofrequency and microwave) electromagnetic radiation. *Sci Total Environ* 180: 9-17.

Thomas TL, Stolley PD, Stemhagen A, Fontham ETH, Bleeker ML, Stewart PA et al. 1987. Brain

tumour mortality risk among men with electrical and electronic jobs: a case-control study. *J Natl Cancer Inst* 79: 233-238

Tornqvist S, Knave B, Ahlbom A, Persson T. 1991. Incidence of leukaemia and brain tumours in some 'electrical occupations'. *Brit J Indust Med* 48: 597 – 603

Tynes T, Andersen A, Langmark F. 1992. Incidence of cancer in Norwegian workers potentially exposed to electromagnetic fields. *Am J Epidemiol* 136: 81-88

Tynes T, Hannevik M, Andersen A, Vistnes AI, Haldorsen T. 1996. Incidence of breast cancer in Norwegian female radio and telegraph operators. *Cancer Causes Control* 7: 197-204

Wiklund K. 1981. An application of the Swedish cancer-environment registry: leukaemia among Telephone operators at the telecommunications administration in Sweden. *Int J Epidemiol* 10: 373 – 376

Wright WE, Peters JM, Mack TM. 1982. Leukaemia in workers exposed to electrical and magnetic fields. *Lancet* 307: 1160 – 1161

Ahlbom A, Day N, Feychting M, Roman E, Skinner J, Dockerty J, Linet M, McBride M, Michaelis J, Olsen JH, Tynes T, Verkasalo PK. 2000. A pooled analysis of magnetic fields and childhood leukaemia. *Br J Cancer* 83:692– 698.

Bowman JD, Thomas DC, Jiang L, Jiang F, Peters JM. 1999. Residential magnetic fields predicted from wiring configurations: I. Exposure model. *Bioelectromagnetics* 20: 399-413.

Bracken MB, Belanger K, Hellebrand K, Adesso K, Patel S, Trich E, Leaderer B. 1998. Correlates of residential wiring configurations. *Am J Epidemiol* 148: 467–474.

Brix J, Wettemann H, Scheel O, Feiner F, Matthes R. 2001. Measurement of the individual exposure to 50 and 16 2/3 Hz magnetic fields within the Bavarian population. *Bioelectromagnetics* 22: 323– 332.

Coghill RW, Steward J, Philips A. 1996. Extra low frequency electric and magnetic fields in the bedplace of children diagnosed with leukemia: A case-control study. *Europ J Cancer Prev* 5: 153– 158.

Coleman MP, Bell CM, Taylor H-L, et al. 1989. Leukaemia and residence near electricity transmission equipment: a case-control study. *Br J Cancer* 60:793-798.

Decat G, Van den Heuvel I, Mulpas L. 2005. Final Report of the BBEMG Research Contract, June 10, 2005.

Dockerty JD, Elwood JM, Skegg DCG, Herbison GP. 1998. Electromagnetic field exposures and childhood cancers in New Zealand. *Cancer Causes Control* 9: 299–309; Erratum 1999; 10:641.

Draper G, Vincent T, Kroll ME, Swanson J. 2005. Childhood cancer in relation to distance from high voltage power lines in England and Wales: a case-control study. *Brit Med J* 330: 1290-1294.

Eguchi-Ishimae M, Eguchi M, Ishii E, Miyazaki S, Ueda K, Kamada N, Mizutani S. 2001. Breakage and fusion of the TEL (ETV6) gene in immature B lymphocytes induced by apoptogenic signals. *Blood* 97: 737–743.

Fajardo-Gutierrez A, Garduno-Espinosa J, Yamamoto-Kimura L, Hernandez-Hernandez DM, Gomez-

- Delgado A, Meija-Arangure M, Cartagena-Sandoval A, del Carmen Martinez-Garcia M. 1993. Close residence to high electric voltage lines and its association with children with leukemia (in Spain). *Bol Med Hosp Infant Mex* 50: 32-37.
- Feychting M, Ahlbom A. 1993. Magnetic fields and cancer in children residing near Swedish highvoltage power lines. *Am J Epidemiol* 138:467– 481.
- Fulton JP, Cobb S, Preble L, Leone L, Forman E. 1980. Electrical wiring configuration and childhood leukemia in Rhode Island. *Am J Epidemiol* 111: 292-296.
- Greaves M. 1999. Molecular genetics, natural history and the demise of childhood leukaemia. *Eur J Cancer* 35:1941–1953.
- Greaves M. 2002. Childhood leukaemia. *BMJ* 324:283–287.
- Greaves M. 2003. Pre-natal origins of childhood leukemia. *Rev Clin Exp Hematol* 7: 233–245.
- Greaves M. 2006. Infection, immune responses and the aetiology of childhood leukaemia. *Nat Rev Cancer* 6:193–203.
- Green LM, Miller AB, Agnew DA, Greenberg ML, Li J, Villeneuve PJ, Tibshirani R. 1999a. Childhood leukemia and personal monitoring of residential exposures to electric and magnetic fields in Ontario, Canada. *Cancer Causes Control* 10:233-243.
- Green LM, Miller AB, Villeneuve PJ, Agnew DA, Greenberg ML, Li J, Donnelly KE. 1999b. A casecontrol study of childhood leukemia in southern Ontario Canada and exposure to magnetic fields in residences. *Int J Cancer* 82: 161–170.
- Greenland S, Kheifets L. 2006. Leukemia attributable to residential magnetic fields: results from analyses allowing for study biases. *Risk Anal* 26:471– 481.
- Greenland S, Sheppard AR, Kaune WT, Poole C, Kelsh MA. 2000. A pooled analysis of magnetic fields, wire codes, and childhood leukemia. *Childhood Leukemia-EMF Study Group. Epidemiol* 11:624–634.
- Greenland S. 2001. Estimating population attributable fractions from fitted incidence ratios and exposure survey data with an application to electromagnetic fields and childhood leukemia. *Biometrics* 57: 182–188.
- Greenland S. 2003. The impact of prior distributions for uncontrolled confounding and response bias: A case study of the relation of wire codes and magnetic fields to childhood leukemia. *J Am Statist Ass* 98: 47–54.
- Gurney JG, Mueller BA, Davis S, Schwartz SM, Stevens RG, Kopecky KJ. 1996. Childhood brain tumor occurrence in relation to residential power line configurations, electric heating sources, and electric appliance use. *Am J Epidemiol* 143:120-128.
- IARC (International Agency for Research on Cancer) 2002. Monographs on the evaluation of carcinogenic risks to humans: Volume 80. Non-ionizing radiation, Part 1: Static and extremely lowfrequency (ELF) electric and magnetic fields. Lyon, France: IARC Press.
- Kabuto M, Nitta H, YamamotoS, Yamaguchi N, Akiba S, Honda Y, Hagihara J, et al. 2006. Childhood leukemia and magnetic fields in Japan: A case-control study of childhood leukemia and

- residential power-frequency magnetic fields in Japan. *Int J Cancer* 119: 643–650.
- Kheifets L, Afifi AA, Shimkhada R. 2007. Public health impact of extremely low frequency electromagnetic fields. *Environ Health Perspect*.
- Langholz B. 2001. Factors that explain the power line configuration wiring code-childhood leukemia association: what would they look like? *Bioelectromagnetics Suppl*.5:S19 –S31.
- Li C-Y, LeeW-C, Lin RS. 1998. Risk of leukemia in children living near high-voltage transmission lines. *J Occup Environ Med* 40:144-147.
- Linet MS, Hatch EE, Kleinerman RA, Robison LL, Kaune WT, Friedman DR, Severson RK, Haines CM, Hartsock CT, Niwa S, Wacholder S, Tarone RE. 1997. Residential exposure to magnetic fields and acute lymphoblastic leukemia in children. *N Engl J Med* 337:1–7.
- London SJ, Thomas DC, Bowman JD, Sobel E, Cheng T-C, Peters JM. 1991. Exposure to residential electric and magnetic fields and risk of childhood leukemia. *Am J Epidemiol* 134: 923–937.
- McBride ML, Gallagher RP, Theriault HG, Armstrong BG, Tamaro S, Spinelli JJ, et al. 1999. Powerfrequency electric and magnetic fields and risk of childhood cancer. *Am J Epidemiol* 149: 831–842.
- Mejia-Arangure JM, Fajardo-Gutierrez A, Perez-Saldivar M-L, Gorodezky C, Martinez-Avalos A, Romero-Guzman L, Campo-Martinez MA, et al. 2007. Magnetic fields and acute leukemia in children with Down syndrome. *Epidemiology* 18: 158-161.
- Michaelis J, Schüz J, Meinert R, Menger M, Grigat J, Kaatsch P, Kaletsch U, Miesner A, Stamm A, Brinkmann K, et al. 1997a. Childhood leukemia and electromagnetic fields: Results of a populationbased case-control study in Germany. *Cancer Causes Control* 8: 167–174.
- Michaelis J, Schüz J, Meinert R, Semann E, Grigat JP, Kaatsch P, et al. 1997b. Combined risk estimates for two German population-based case-control studies on residential magnetic fields and childhood leukemia. *Epidemiology* 9: 92–94.
- Milham S, Ossiander EM. 2001. Historical evidence that residential electrification caused the emergence of the childhood leukemia peak. *Medical Hypoth* 56: 290–295.
- Mizoue T, Onoe Y, Moritake H, Okamura J, Sokejima S, Nitta H. 2004. Residential proximity to high-voltage power lines and risk of childhood hematological malignancies. *J Epidemiol* 14: 118-123.
- Mori H, Colman SM, Xiao Z, Ford AM, Healy LE, Donaldson C, Hows JM, Navarrete C, Greaves M. 2002. Chromosome translocations and covert leukemic clones are generated during normal fetal development. *Proc Natl Acad Sci USA* 99: 8242–8247.
- Myers A, Clayden A, Cartwright R, Cartwright S. 1990. Childhood cancer and overhead powerlines: A case-control study. *Brit J Cancer* 62: 1008–1014.
- Olsen JH, Nielsen A, Schulgen G. 1993. Residence near high voltage facilities and risk of cancer in children. *Brit Med J* 307: 891–895.
- Parkin DM, Kramarova E, Draper GJ, Masuyer E, Michaelis J, Neglia J, Qureshi S, Stiller CA. 1998. International incidence of childhood cancer, Vol II. Lyon, France: IARC; Scientific Publication No. 144.
- Preston-Martin S, Navidi W, Thomas D, Lee PJ, Bowman J, Pogoda J. 1996. Los Angeles study of residential magnetic fields and childhood brain tumors. *Am J Epidemiol* 143: 105-119.

- Savitz DA, Wachtel H, Barnes FA, John EM, Tvrdek JG. 1988. Case-control study of childhood cancer and exposure to 60-Hz magnetic fields. *Am J Epidemiol* 128: 21–38.
- Schüz J, Grigat JP, Brinkmann K, Michaelis J. 2001a. Residential magnetic fields as a risk factor for acute childhood leukemia: Results from a German population-based case-control study. *Int J Cancer* 91: 728–735.
- Schüz J, Kaletsch U, Kaatsch P, Meinert R, Michaelis J. 2001b. Risk factors for pediatric tumors of the central nervous system: results from a german population-based case-control study. *Med Pediatr Oncol* 36: 274-282.
- Schüz J. 2007. Implications from epidemiologic studies on magnetic fields and the risk of childhood leukemia on protection guidelines. *Health Phys* 92: 642-648.
- Thomas DC, Bowman JD, Jiang L, Jiang F, Peters JM. 1999. Residential magnetic fields predicted from wiring configurations: II. Relationships to childhood leukemia. *Bioelectromagnetics* 20: 414-422.
- Tomenius L. 1986. 50-Hz electromagnetic environment and the incidence of childhood tumors in Stockholm County. *Bioelectromagnetics* 7: 191–207.
- Tynes T, Haldorsen T. 1997. Electromagnetic fields and cancer in children residing near Norwegian high-voltage power lines. *Am J Epidemiol* 145:219-226.
- UKCCS (UK Childhood Cancer Study Investigators). 1999. Exposure to power-frequency magnetic fields and the risk of childhood cancer. *Lancet* 354: 1925–1931.
- UKCCS (UK Childhood Cancer Study Investigators). 2000. Childhood cancer and residential proximity to power lines. *Brit J Cancer* 83: 1573–1580.
- Verkasalo PK, Pukkala E, Hongisto MY, Valjus JE, Järvinen PJ, Heikkilä KK, Koskenvuo M. 1993. Risk of cancer in Finnish children living close to power lines. *Brit Med J* 307: 895–899.
- Wartenberg D, Dietrich F, Goldberg R, Poole C, Savitz D. 1998. Meta-analysis of childhood cancer epidemiology. Final report. Philadelphia: Information Ventures, Inc. Order Number PR-702871.
- Wartenberg D. 2001. Residential EMF exposure and childhood leukemia: meta-analysis and population attributable risk. *Bioelectromagnetics Suppl.5*: S86-S104.
- Wertheimer N, Leeper E. 1979. Electrical wiring configurations and childhood cancer. *Am J Epidemiol* 109:273-284.
- Wertheimer N, Leeper E. 1997. An exchange on the use of wire codes in the NCI study. *Microwave News* 1997 July/August: 12-14.
- WHO (World Health Organization). 2001. Fact Sheet 263.
- Wiemels JL, Cazzaniga G, Daniotti M, Eden OB, Addison GM, Masera G, Saha V, Biondi A, Greaves MF. 1999. Prenatal origin of acute lymphoblastic leukaemia in children. *Lancet* 354: 1499–1503.
- Yang KH, Ju MN, Myung SH. 2004. Sample of Korean's occupational and residential exposures to

ELF magnetic field over a 24-hour period. In Abstracts of 26th Annual Meeting of the Bioelectromagnetics Society (pp. 188–189). Washington, DC.

Zaffanella LE, Kalton GW. 1998. Survey of Personal Magnetic Field Exposure Phase II: 1000-Person Survey. EMFRapid Program Engineering Project No.6 Lee MA: Enertech Consultants. <http://www.emf-data.org/rapid6-report.html>.

Zaffanella LE. 1993. Survey of residential magnetic field sources. Vol 1. Goals, results, and conclusions. (Report no. TR-102759-VI). Palo Alto, CA: Electric Power Research Institute  
Antolin I, Rodriguez C, Sainz RM, Mayo JC, Uria H, Kotler ML, Rodriguez-Colunga MJ, Tolivia D, Menendez-Pelaez A. Neurohormone melatonin prevents cell damage: Effect on gene expression for antioxidant enzymes. FASEB J 1996;10:882-890.

Antolin I, Obst B, Burkhardt S, Hardeland R. Antioxidative protection in a high-melatonin organism: The dinoflagellate *Gonyaulax polydera* is rescued from lethal oxidative stress by strongly elevated, but physiologically possible, concentrations of melatonin. J Pineal Res 1997;23:182-190.

Arnetz BB, Berg M. Melatonin and adrenocorticotropic hormone levels in video display unit workers during work and leisure. J Occup Environ Med 1996;38:1108-1110.

Barlow-Walden LR, Reiter RJ, Abe A, Pablos M, Menendez-Pelaez A, Chen LD, Poeggeler B. Melatonin stimulated brain glutathione peroxidase activity. Neurochem Int 1995;26:497-502.

Bartsch C, Bartsch H, Karenovics A, Franz H, Peiker G, Mecke D. Nocturnal urinary 6-sulphatoxymelatonin excretion is decreased in primary breast cancer patients compared to age matched controls and shows negative correlation with tumor-size. J Pineal Res 1997;23:53-58.

Blask DE, Belletier DB, Hill SM, Lemus-Wilson A, Gross DS, Wilson ST, Wise ME. Pineal melatonin inhibition of tumor promotion in N-nitroso-N-methylurea model of mammary carcinogenesis: Potential involvement of antiestrogenic mechanisms in vivo. J Cancer Research Clinical Oncology 1991;117:526-532

Blickenstaff RT, Brandstadter SM, Reddy S, Witt R. Potential radioprotective agents. 1: Homologues of melatonin. J Pharm Sci 1994;83:216-218.

Brainard GC, Kavet R, Kheifets LI. The relationship between electromagnetic field and light exposures to melatonin and breast cancer risk: A review of the relevant literature. J Pineal Res 1999;26:65-100.

Bromme HJ, Morke W, Peschke D, Ebelt H, Peschke D. Scavenging effect of melatonin on hydroxyl radicals generated by alloxan. J Pineal Res 2000;29:201-208.

Bubenik GA. Localization, physiological significance and possible clinical implication of gastrointestinal melatonin. Biol Signals Recept 2001;10:350-366.

Burch JB, Reif JSA, Pitrat CA, Keefe TJ, Yost MG. Melatonin levels in electric utility workers (Abstract). 18th Bioelectromagnetics Society Meeting, Victoria, Canada, 1996, pp. 95-96.

Burch JB, Reif JSA, Yost MG, Keefe TJ, Pitrat CA. Nocturnal excretion of a urinary melatonin metabolite among electric utility workers. *Scand J Work Environ Health* 1998;24:183-189.

Burch JB, Reif JS, Yost MG, Keefe TJ, Pitrat CA. Reduced excretion of a melatonin metabolite in workers exposed to 60 Hz magnetic fields. *Am J Epidemiol* 1999;150:27-36.

Burch JB, Reif JS, Noonan CW, Yost MG. Melatonin metabolite levels in workers exposed to 60-Hz magnetic fields: Work in substations and with 3-phase conductors. *J Occup Environ Med* 2000;42:136-142.

Burch JB, Reif JS, Noonan CW, Ichinose T, Bachand AM, Koleber TL, Yost MG. Melatonin metabolite excretion among cellular telephone users. *Int J Radiat Biol* 2002;78:1029-1036.

Cantor KP, Dosemeci M, Brinton LA, Stewart PA. RE: Breast cancer mortality among female electrical workers in the United States. (Letter). *J Natl Cancer Inst* 1995;87:227-228.

Cardinali DP, Furio AM, Reyes MP. Clinical perspectives for the use of melatonin as a chronobiotic and cytoprotective agent. *Ann N Y Acad Sci* 2005;1057:327-336.

Cheng X, van Breemen RB. Mass spectrometry-based screening for inhibitors of  $\beta$ -amyloid protein aggregation. *Anal Chem* 2005;77:7012-7015.

Cheng Y, Feng Z, Zhang QZ, Zhang JT. Beneficial effects of melatonin in experimental models of Alzheimer disease. *Acta Pharmacol Sin* 2006;27:129-139.

Clapp-Lilly KL, Smith MA, Perry G, Harris PL, Zhu X, Duffy LK. Melatonin acts as antioxidant and pro-oxidant in an organotypic slice culture model of Alzheimer's disease. *Neuroreport* 2001a;12:1277-1280.

Clapp-Lilly KL, Smith MA, Perry G, Duffy LK. Melatonin reduces interleukin secretion in amyloid-beta stressed mouse brain slices. *Chem Biol Interact* 2001b;134:101-107.

Cohen M, Lippman M, Chabner B. Role of pineal gland in aetiology and treatment of breast cancer. *Lancet* 1978;2:814-816.

Cook MR, Graham C, Kavet R, Stevens RG, Davis S, Kheifets L. Morning urinary assessment of nocturnal melatonin secretion in older women. *J Pineal Res* 2000;28:41-47.

Davanipour Z, Tseng C-C, Lee P-J, Sobel E. A Case-Control Study of Occupational Magnetic Field Exposure and Alzheimer's Disease: Results from the California Alzheimer's Disease Diagnosis and Treatment Centers. *BMC Neurol* 2007;7:13 (URL: <http://www.biomedcentral.com/1471-2377/7/13>).

Davis S, Kaune WT, Mirick DK, Chen C, Stevens RG. Residential magnetic fields, light-atnight, and nocturnal urinary 6-sulfatoxymelatonin concentration in women. *Am J Epidemiol* 2001a;154:591-600.

Davis S, Mirick DK, Stevens RG. Night shift work, light at night, and risk of breast cancer. *J Natl Cancer Inst* 2001b;93:1557-1562.

Davis S, Mirick DK, Stevens RG. Residential magnetic fields and the risk of breast cancer. *Am J Epidemiol* 2002;155:446-454.

Davis S, Mirick DK, Chen C, Stanczyk FZ. Effects of 60-Hz magnetic field exposure on nocturnal 6-sulfatoxymelatonin, estrogens, luteinizing hormone, and follicle-stimulating hormone in healthy reproductive-age women: results of a crossover trial. *Ann Epidemiol* 2006;16:622-631.

Deadman JE, Infante-Rivard C. Individual estimation of exposures to extremely low frequency magnetic fields in jobs commonly held by women. *Am J Epidemiol* 2002;155:368-378.

Del Giudice E, Facchinetto F, Nofrate V, Boccaccio P, Minelli T, Dam M, Leon A, Moschini G. Fifty Hertz electromagnetic field exposure stimulates secretion of beta-amyloid peptide in cultured human neuroglioma. *Neurosci Lett* 2007 Mar 1; [Epub ahead of print]

Eck-Enriquez K, Kiefer TL, Spriggs LL, Hill SM. Pathways through which a regimen of melatonin and retinoic acid induces apoptosis in MCF-7 human breast cancer cells. *Breast Cancer Res Treat* 2000;61:229-239.

Feng Z, Chang Y, Cheng Y, Zhang BL, Qu ZW, Qin C, Zhang JT. Melatonin alleviates behavioral deficits associated with apoptosis and cholinergic system dysfunction in the APP 695 transgenic mouse model of Alzheimer's disease. *J Pineal Res* 2004;37:129-136.

Feng Z, Qin C, Chang Y, Zhang JT. Early melatonin supplementation alleviates oxidative stress in a transgenic mouse model of Alzheimer's disease. *Free Radic Biol Med* 2006;40:101-109.

Feychtung M, Pedersen NL, Svedberg P, Floderus B, Gatz M. Dementia and occupational exposure to magnetic fields. *Scand J Work Environ Health* 1998a;24:46-53.

Feychtung M, Forssén U, Rutqvist LE, Ahlbom A. Magnetic fields and breast cancer in Swedish adults residing near high-voltage power lines. *Epidemiology* 1998b;9:392-397.

Feychtung M, Jonsson F, Pedersen NL, Ahlbom A. Occupational magnetic field exposure and neurodegenerative disease. *Epidemiology* 2003;14:413-419.

Feychtung M, Forssén U. Electromagnetic fields and female breast cancer. *Cancer Causes Control* 2006;17:553-558.

Forssén UM, Feychtung M, Rutqvist LE, Floderus B, Ahlbom A. Occupational and residential magnetic field exposure and breast cancer in females. *Epidemiology* 2000;11:24-29.

Forssén UM, Mezei G, Nise G, Feychting M. Occupational magnetic field exposure among women in Stockholm County, Sweden. *Occup Environ Med* 2004;61:594-602.

Forssén UM, Rutqvist LE, Ahlbom A, Feychting M. Occupational magnetic fields and female breast cancer: a case-control study using Swedish population registers and new exposure data. *Am J Epidemiol* 2005;161:250-259.

Gobba F, Bravo G, Scaringi M, Roccatto L. No association between occupational exposure to ELF magnetic field and urinary 6-sulfatoxymelatonin in workers. *Bioelectromagnetics* 2006;27:667-673.

Graham C, Cook MR, Riffle DW, Gerkovich MM, Cohen. Nocturnal melatonin levels in human volunteers exposed to intermittent 60 Hz magnetic fields. *Bioelectromagnetics* 1996;17:263-273.

Graham C, Cook MR, Riffle DW. Human melatonin during continuous magnetic field exposure. *Bioelectromagnetics* 1997;18:166-171.

Graham C, Cook MR, Kavet R, Sastre A, Smith DK. Prediction of nocturnal plasma melatonin from morning urinary measures. *J Pineal Res* 1998;24:230-238. Erratum in: *J Pineal Res* 1999;26:128.

Graves AB, Rosner D, Echeverria D, Mortimer JA, Larson EB. Occupational exposure to electromagnetic fields and Alzheimer disease. *Alzheimer Dis Assoc Disord* 1999;13:165-170.

Håkansson N, Gustavsson P, Johansen C, Floderus B. Neurodegenerative disease in welders and other workers exposed to high levels of magnetic fields. *Epidemiology* 2003;14:420-426.

Halliwell B, Gutteridge JM. Oxygen free radicals and iron in relation to biology and medicine: Some problems and concepts. *Arch Biochem Biophys* 1986;246:501-514.

Halliwell B. Can oxidative DNA damage be used as a biomarker of cancer risk in humans? Problems, resolutions and preliminary results from nutritional supplementation studies. *Free Rad Res* 1998;29:469-486.

Hansen NH, Sobel E, Davanipour Z, Gillette LM, Wilson BW, Niiranen J. EMF exposure assessment in the Finnish garment industry: Evaluation of proposed EMF exposure metrics. *Bioelectromagnetics* 2000;21:57-67.

Hansen J. Increased breast cancer risk among women who work predominantly at night. *Epidemiology* 2001;12:74-77.

Hardeland R, Blazer I, Poeggeler B, Fuhrberg B, Uria H, Behrmann G, Wolf R, Meyer TJ, Reiter RJ. On the primary functions of melatonin in evolution: Mediation of photoperiodic signals in a unicell, photooxidation and scavenging of free radicals. *J Pineal Res* 1995;18:104-111.

Harmancı H, Emre M, Gurvit H, Bilgic B, Hanagasi H, Gurol E, Sahin H, Tinaz S. Risk Factors for Alzheimer Disease: A Population-Based Case-Control Study in Istanbul, Turkey. *Alzheimer*

Dis Assoc Disord 2003;17:139-145.

Hrushesky WJM, Blask DE. Re: Melatonin and breast cancer: A prospective study. (Letter) J Natl Cancer Inst 2004;96: 888-889.

Jang MH, Jung SB, Lee MH, Kim CJ, Oh YT, Kang I, Kim J, Kim EH. Melatonin attenuates amyloid beta25-35-induced apoptosis in mouse microglial BV2 cells. Neurosci Lett 2005;380:26-31.

Johansen C. Exposure to electromagnetic fields and risk of central nervous system disease in utility workers. Epidemiology 2000;11:539-543.

Juutilainen J, Stevens RG, Anderson LE, Hansen NH, Kilpelainen M, Kumlin T, Laitinen JT, Sobel E, Wilson BW. Nocturnal 6-hydroxymelatonin sulfate excretion in female workers exposed to magnetic fields. J Pineal Res 2000;28:97-104.

Juutilainen J, Kumlin T. Occupational magnetic field exposure and melatonin: Interaction with light-at-night. Bioelectromagnetics 2006;27:423-426.

Karbownik M, Reiter RJ, Qi W, Garcia JJ, Tan DX, Manchester LC, Vijayalaxmi. Protective effects of melatonin against oxidation of guanine bases in DNA and decreased microsomal membrane fluidity in rat liver induced by whole body ionizing radiation. Mol Cell Biochem 2000;211:137-144.

Karbownik M, Reiter RJ, Cabrera J, Garcia JJ. Comparison of the protective effect of melatonin with other antioxidants in the hamster kidney model of estradiol-induced DNA damage. Mutat Res 2001;474:87-92.

Kaune WT, Davis S, Stevens RG. Relation between residential magnetic fields, light at night, and nocturnal urine melatonin levels in women. Vol. 1: Background and purpose, methods, results, discussion. Report TR-107242-V1. Electric Power Research Institute, Palo Alto, 1997a.

Kaune WT, Davis S, Stevens RG. Relation between residential magnetic fields, light at night, and nocturnal urine melatonin levels in women. Vol. 2: Magnetic Field Exposure Analysis. Final Report TR-107242-V2. Electric Power Research Institute, Palo Alto, 1997b.

Kelsh MA, Bracken TD, Sahl JD, Shum M, Ebi KL. Occupational magnetic field exposures of garment workers: results of personal and survey measurements. Bioelectromagnetics 2003;24:316-326.

Kliukiene J, Tynes T, Martinsen JI, Blaasaas KG, Andersen A. Incidence of breast cancer in a Norwegian cohort of women with potential workplace exposure to 50 Hz magnetic fields. Am J

Ind Med 1999;36:147-154.

Kliukiene J, Tynes T, Andersen A. Follow-up of radio and telegraph operators with exposure to electromagnetic fields and risk of breast cancer. Eur J Cancer Prev 2003;12:301-307.

Kliukiene J, Tynes T, Andersen A. Residential and occupational exposures to 50-Hz magnetic fields and breast cancer in women: a population-based study. Am J Epidemiol 2004;159:852-861.

Klunk WE, Engler H, Nordberg A, Wang Y, Blomqvist G, Holt DP, Bergstrom M, Savitcheva I, Huang GF, Estrada S, Ausen B, Debnath ML, Barletta J, Price JC, Sandell J, Lopresti BJ, Wall A, Koivisto P, Antoni G, Mathis CA, Langstrom B. Imaging brain amyloid in Alzheimer's disease with Pittsburgh Compound-B. Ann Neurol 2004;55:306-319.

Kothari LS, Shah PN, Mhatre MC. Pineal ablation in varying photoperiods and the incidence of 9,10-dimethyl-1,2-benzanthracene induced mammary cancer in rats. Cancer Lett 1984;22:99-102.

Kotler M, Rodriguez C, Sainz RM, Antolin I, Menendez-Pelaez A. Melatonin increases gene expression for antioxidant enzymes in rat brain cortex. J Pineal Res 1998;24:83-89.

Labréche F, Goldberg MS. Exposure to organic solvents and breast cancer in women. Am J Ind Med 1997;32:1-14.

Labréche F, Goldberg MS, Valois MF, Nadon L, Richardson L, Lakhani R, Latreille B. Occupational exposures to extremely low frequency magnetic fields and postmenopausal breast cancer. Am J Ind Med 2003;44:643-652.

Lahiri DK, Chen D, Ge YW, Bondy SC, Sharman EH. Dietary supplementation with melatonin reduces levels of amyloid beta-peptides in the murine cerebral cortex. J Pineal Res 2004;36:224-231.

Levallois P, Dumont M, Touitou Y, Gingras S, Mâsse B, Gauvin D, Kröger E, Bourdages M, Douville P. Effects of electric and magnetic fields from high-power lines on female urinary excretion of 6-sulfatoxymelatonin. Am J Epidemiol 2001;154:601-609.

Lewy AJ, Wehr TA, Goodwin FK, Newsome DA, Markey SP. Light suppresses melatonin secretion in humans. Science 1980;210:1267-1269.

Lie JA, Roessink J, Kjaerheim K. Breast cancer and night work among Norwegian nurses. Cancer Causes Control 2006;17:39-44.

London SJ, Pogoda JM, Hwang KL, Langholz B, Monroe KR, Kolonel LN, Kaune WT, Peters JM, Henderson BE. Residential magnetic field exposure and breast cancer risk: a nested casecontrol study from a multiethnic cohort in Los Angeles County, California. Am J Epidemiol 2003;158:969-980.

Loomis DP, Savitz DA, Ananth CV. Breast cancer mortality among female electrical workers in the United States. *J Natl Cancer Inst* 1994;86:921-925.

Lowden A, Akerstedt T, Wibom R. Suppression of sleepiness and melatonin by bright light exposure during breaks in night work. *J Sleep Res* 2004;13:37-43.

Maestroni GJM. Therapeutic potential of melatonin in immunodeficiency states, viral diseases, and cancer. In: (eds.) Heuther G, Kochen W, Simat TJ, Steinhart H (eds), *Tryptophan, Serotonin, and Melatonin: Basic Aspects and Applications*, Kluwer Academic/Plenum Publishers, New York, 217-226, 1999.

Matsubara E, Bryant-Thomas T, Pacheco Quinto J, Henry TL, Poeggeler B, Herbert D, Cruz-Sanchez F, Chyan YJ, Smith MA, Perry G, Shoji M, Abe K, Leone A, Grundke-Ikbal I, Wilson GL, Ghiso J, Williams C, Refolo LM, Pappolla MA, Chain DG, Neria E. Melatonin increases survival and inhibits oxidative and amyloid pathology in a transgenic model of Alzheimer's disease. *J Neurochem* 2003;85:1101-1108. Erratum in: *J Neurochem* 2003;86:1312.

Mayeux R, Tang MX, Jacobs DM, Manly J, Bell K, Merchant C, Small SA, Stern Y, Wisniewski HM, Mehta PD: Plasma amyloid beta-peptide 1-42 and incipient Alzheimer's disease. *Ann Neurol* 1999;46:412-416.

Mayeux R, Honig LS, Tang MX, Manly J, Stern Y, Schupf N, Mehta PD. Plasma A[ $\beta$ ]40 and A[ $\beta$ ]42 and Alzheimer's disease: relation to age, mortality, and risk. *Neurology* 2003;61:1185-1190.

McKhann G, Drachman D, Folstein M, Katzman R, Price D, Stadlan EM. Clinical diagnosis of Alzheimer's disease: report of the NINCDS-ADRDA Work Group under the auspices of Department of Health and Human Services Task Force on Alzheimer's Disease. *Neurology* 1984;34:939-944.

Melchiorri D, Reiter RJ, Attia AM, Hara M, Burgos A, Nistico G. Potent protective effect of melatonin on in vivo paraquat-induced oxidative damage in rats. *Life Sci* 1995;56:83-89.  
Milham S, Hatfield JB, Tell R. Magnetic fields from steel-belted radial tires: implications for epidemiologic studies. *Bioelectromagnetics* 1999;20:440-445.

Montilla P, Tunez I, Munoz MC, Soria JV, Lopez A. Antioxidative effect of melatonin in rat brain oxidative stress induced by Adriamycin. *Rev Esp Fisiol* 1997;53:301-305.

Noonan C, Reif J, Burch J, Ichinose TY, Yost MG, Magnusson K: Relationship between amyloid  $\beta$  protein and melatonin metabolite in a study of electric utility workers. *J Occup Environ Med* 2002a;44:769-775.

Noonan CW, Reif JS, Yost M, Touchstone J. Occupational exposure to magnetic fields in casereferent

studies of neurodegenerative diseases. Scand J Work Environ Health 2002b;28:42-48.

O'Leary ES, Schoenfeld ER, Stevens RG, Kabat GC, Henderson K, Grimson R, Gammon MD, Leske MC; Electromagnetic Fields and Breast Cancer on Long Island Study Group. Shift work, light at night, and breast cancer on Long Island, New York. Am J Epidemiol 2006;164:358-366.

Pablos MI, Chuang JI, Reiter JR, Ortiz GG, Daniels WM, Sewerynek E, Melchiorri D, Poeggeler B. Time course of melatonin-induced increase in glutathione peroxidase activity in chick tissues. Biol Signals 1995;4:325-330.

Pappolla MA, Sos M, Omar RA, Bick RJ, Hickson-Bick DL, Reiter RJ, Efthimiopoulos S, Robakis NK. Melatonin prevents death of neuroblastoma cells exposed to the Alzheimer amyloid peptide. J Neurosci 1997;17:1683-1690.

Pappolla M, Bozner P, Soto C, Shao H, Robakis NK, Zagorski M, Frangione B, Ghiso J. Inhibition of Alzheimer beta-fibrillogenesis by melatonin. J Biol Chem 1998;273:7185-7188.

Pappolla MA, Chyan YJ, Poeggeler B, Bozner P, Ghiso J, LeDoux SP, Wilson GL. Alzheimer beta protein mediated oxidative damage of mitochondrial DNA: prevention by melatonin. J Pineal Res 1999;27:226-229.

Pappolla MA, Chyan YJ, Poeggeler B, Frangione B, Wilson G, Ghiso J, Reiter RJ. An assessment of the antioxidant and the antiamyloidogenic properties of melatonin: implications for Alzheimer's disease. J Neural Transm 2000;107:203-231.

Pappolla MA, Simovich MJ, Bryant-Thomas T, Chyan YJ, Poeggeler B, Dubocovich M, Bick R, Perry G, Cruz-Sanchez F, Smith MA. The neuroprotective activities of melatonin against the Alzheimer beta-protein are not mediated by melatonin membrane receptors. J Pineal Res 2002;32:135-142.

Park RM, Schulte PA, Bowman JD, Walker JT, Bondy SC, Yost MG, Touchstone JA, Dosemeci M. Potential occupational risks for neurodegenerative diseases. Am J Ind Med 2005;48:63-77.

Peplonska B, Stewart P, Szeszenia-Dabrowska N, Rusiecki J, Garcia-Closas M, Lissowska J, Bardin-Mikolajczak A, Zatonski W, Gromiec J, Brzeznicki S, Brinton LA, Blair A. Occupation and breast cancer risk in Polish women: a population-based case-control study. Am J Ind Med 2007;50:97-111.

Pfluger DH, Minder CE. Effects of exposure to 16.7 Hz magnetic fields on urinary 6-hydroxymelatonin sulfate excretion of Swiss railway workers. J Pineal Res 1996;21:91-100. Pieri C, Marra M, Moroni F, Recchioni R, Marcheselli F. Melatonin: A peroxy radical scavenger more effective than vitamin E. Life Sci 1994;55:PL271-276.

Poeggeler B, Miravalle L, Zagorski MG, Wisniewski T, Chyan YJ, Zhang Y, Shao H, Bryant-Thomas T, Vidal R, Frangione B, Ghiso J, Pappolla MA. Melatonin reverses the profibrillrogenic

activity of apolipoprotein E4 on the Alzheimer Amyloid A  $\beta$  peptide. Biochemistry 2001;40:14995-15001.

Qiu C, Fratiglioni L, Karp A, Winblad B, Bellander T. Occupational exposure to electromagnetic fields and risk of Alzheimer's disease. Epidemiology 2004;15:687-694.

Quinn J, Kulhanek D, Nowlin J, Jones R, Pratico D, Rokach J, Stackman R. Chronic melatonin therapy fails to alter amyloid burden or oxidative damage in old Tg2576 mice: implications for clinical trials. Brain Res 2005;1037:209-213.

Reiter RJ. Pineal melatonin: Cell biology of its synthesis and of its physiological interactions. Endocr Rev 1991;12:151-158.

Reiter RJ, Melchiorri D, Sewerynek E, Poeggeler B, Barlow-Walden L, Chuang J, Ortiz GG, Acuna-Castroviejo D.. A review of the evidence supporting melatonin's role as an antioxidant. J Pineal Res 1995;18:1-11.

Reiter RJ, Tang L, Garcia JJ, Munoz-Hoyos A. Pharmacological actions of melatonin in oxygen radical pathophysiology. Life Sci 1997;60:2255-2271.

Reiter RJ, Tan D-X, Qi W, Manchester LC, Karbownik M, Calvo JR. Pharmacology and physiology of melatonin in the reduction of oxidative stress in vivo. Biol Signals Recept 2000;9:160-171.

Reiter RJ, Tan DX, Manchester LC, Qi W. Biochemical reactivity of melatonin with reactive oxygen and nitrogen species: A review of the evidence. Cell Biochem Biophys 2001a;34:237-256.

Reiter RJ, Acuna-Castroviejo D, Tan DX, Burkhardt S. Free radical-mediated molecular damage: Mechanisms for the protective actions of melatonin in the central nervous system. Ann NY Acad Sci 2001b;939:200-215.

Reiter RJ, Tan DX, Burkhardt S. Reactive oxygen and nitrogen species and cellular and organismal decline; Amelioration with melatonin. Mech Ageing Dev 2002;123:1007-1019.

Rosales-Corral S, Tan DX, Reiter RJ, Valdivia-Velazquez M, Martinez-Barboza G, Acosta-Martinez JP, Ortiz GG. Orally administered melatonin reduces oxidative stress and proinflammatory cytokines induced by amyloid-beta peptide in rat brain: a comparative, in vivo study versus vitamin C and E. J Pineal Res 2003;35:80-84.

Santini R, Messagier R, Claustre B, Fillion-Robin M, Youbicier-Simo BJ. Video screen exposure and 6-sulfatoxymelatonin urinary excretion in women. Pathol Biol (Paris) 2003;51:143-146 (French).

Savitz DA, Checkoway H, Loomis DP. Magnetic field exposure and neurodegenerative disease mortality among electric utility workers. *Epidemiology* 1998a;9:398-404.

Savitz DA, Loomis DP, Tse CK. Electrical occupations and neurodegenerative disease: Analysis of U.S. mortality data. *Arch Environ Health* 1998b;53:71-74.

Schernhammer ES, Laden F, Speizer FE, Willett WC, Hunter DJ, Kawachi I, Colditz GA. Rotating night shifts and risk of breast cancer in women participating in the nurses' health study. *J Natl Cancer Inst* 2001;93:1563-1568.

Schernhammer ES, Laden F, Speizer FE, Willett WC, Hunter DJ, Kawachi I, Fuchs CS, Colditz GA. Night-shift work and risk of colorectal cancer in the nurses' health study. *J Natl Cancer Inst* 2003;95:825-828.

Schernhammer ES, Rosner B, Willett WC, Laden F, Colditz GA, Hankinson SE. Epidemiology of urinary melatonin in women and its relation to other hormones and night work. *Cancer Epidemiol Biomarkers Prev* 2004;13:936-943.

Schernhammer ES, Hankinson SE. Urinary melatonin levels and breast cancer risk. *J Natl Cancer Inst* 2005;97:1084-1087.

Schoenfeld ER, O'Leary ES, Henderson K, Grimson R, Kabat GC, Ahnn S, Kaune WT, Gammon MD, Leske MC; EBCLIS Group. Electromagnetic fields and breast cancer on Long Island: a case-control study. *Am J Epidemiol* 2003;158:47-58.

Shah PN, Mhatre MC, Kothari LS. Effect of melatonin on mammary carcinogenesis in intact and pinealectomized rats in varying photoperiods. *Cancer Res* 1984;44:3403-3407.

Shen YX, Wei W, Yang J, Liu C, Dong C, Xu SY. Improvement of melatonin to the learning and memory impairment induced by amyloid beta-peptide 25 - 35 in elder rats. *Acta Pharmacol Sin* 2001;22:797-803.

Shen YX, Wei W, Xu SY. Protective effects of melatonin on cortico-hippocampal neurotoxicity induced by amyloid beta-peptide 25-35. *Acta Pharmacol Sin* 2002a;23:71-76.

Shen YX, Xu SY, Wei W, Sun XX, Liu LH, Yang J, Dong C. The protective effects of melatonin from oxidative damage induced by amyloid beta-peptide 25-35 in middle-aged rats. *J Pineal Res* 2002b;32:85-89.

Siemiatycki J, Nadon L, Lakhani R, Bégin D, Gérin M. Exposure assessment. In: Siemiatycki J, editor. *Risk Factors for Cancer in the Workplace*. Boca Raton, FL: CRC Press, pp. 45-114, 1991.

Siemiatycki J, Fritschi, L, Nadon L, Gérin M. Reliability of an expert rating procedure

retrospective assessment of occupational exposures for community-based case-control studies. Am J Ind Med 1997;31:280-286.

Sizonenko PC. Normal sexual maturation. Pediatrician. 1987;14:191-201.

Skribanek Z, Balaspiri L, Mak M. Interaction between synthetic amyloid-beta-peptide (1-40) and its aggregation inhibitors studied by electrospray ionization mass spectrometry. J Mass Spectrom 2001;36:1226-1229.

Small GW, Kepe V, Ercoli LM, Siddarth P, Bookheimer SY, Miller KJ, Lavretsky H, Burggren AC, Cole GM, Vinters HV, Thompson PM, Huang SC, Satyamurthy N, Phelps ME, Barrio JR. PET of brain amyloid and tau in mild cognitive impairment. N Engl J Med 2006;355:2652-2663.

Sobel E, Davanipour Z, Sulkava R, Erkinjuntti T, Wikstrom J, Henderson VW, Buckwalter G, Bowman JD, Lee PJ. Occupations with exposure to electromagnetic fields: a possible risk factor for Alzheimer's disease. Am J Epidemiol 1995;142:515-524.

Sobel E, Davanipour Z. Electromagnetic field exposure may cause increased production of amyloid beta and eventually lead to Alzheimer's disease. Neurology 1996a;47:1594-1600.

Sobel E, Dunn M, Davanipour Z, Qian Z, Chui HC. Elevated risk of Alzheimer's disease among workers with likely electromagnetic field exposure. Neurology 1996b;47:1477-1481.

Sobel E, Davanipour Z. Preliminary Investigation into EMF Exposures Resulting from the Use of Home Sewing Machines: Final Report. Funded by the RAPID Program, Department of Energy, 1996c.

Srinivasan V, Pandi-Perumal S, Cardinali D, Poeggeler B, Hardeland R. Melatonin in Alzheimer's disease and other neurodegenerative disorders. Behav Brain Funct 2006;2:15 (doi:10.1186/1744-9081-2-15).

Stasica P, Ulanski P, Rosiak JM. Melatonin as a hydroxyl radical scavenger. J Radioanal Nucl Chem 1998;232:107-113.

Subramanian A, Kothari L. Suppressive effect by melatonin on different phases of 9,10-dimethyl-1,2-benzanthracene (DMBA)-induced rat mammary gland carcinogenesis. Anticancer Drugs 1991a;2:297-303.

Subramanian A, Kothari L. Melatonin, a suppressor of spontaneous murine mammary tumors. J Pineal Res 1991b;10:136-140.

Szabó J, Mezai K, Thuróczy G, Mezei G. Occupational 50 Hz magnetic field exposure measurements among female sewing machine operators in Hungary. Bioelectromagnetics 2006;27:451-457.

Tamarkin L, Cohen M, Roselle D, Reichert C, Lippman M, Chabner B. Melatonin inhibition and pinealectomy enhancement of 7,12-dimethylbenz(a)anthracene-induced mammary tumors in the rat. *Cancer Res* 1981;41:4432-4436.

Tan DX, Chen LD, Poeggeler B, Manchester LC, Reiter RJ. Melatonin: A potent, endogenous hydroxyl radical scavenger. *Endocrine J* 1993a;1:57-60.

Tan DX, Poeggeler B, Reiter RJ, Chen LD, Chen S, Manchester LC, Barlow-Walden LR. The pineal hormone melatonin inhibits DNA-adduct formation induced by the chemical carcinogen safrole in vivo. *Cancer Lett* 1993b;70:65-71.

Tan DX, Reiter RJ, Chen LD, Poeggeler B, Manchester LC, Barlow-Walden LR. Both physiological and pharmacological levels of melatonin reduce DNA adduct formation induced by the carcinogen safrole. *Carcinogenesis* 1994;15:215-218.

Tan DX, Manchester LC, Reiter RJ, Plummer BF. Cyclic 3-hydroxymelatonin: A melatonin metabolite generated as a result of hydroxyl radical scavenging. *Biol Signals Recept* 1999;8:70-74.

Tan DX, Manchester LC, Reiter RJ, Qi WB, Karbownik M, Calvo JR. Significance of melatonin in antioxidant defense system: Reactions and products. *Biol Signals Recept* 2000;9:137-159.

Tan DX, Reiter RJ, Manchester LC, Yan MT, El-Sawi M, Sainz RM, Mayo JC, Kohen R, Allegra M, Hardeland R. Chemical and physical properties and potential mechanisms: Melatonin as a broad spectrum antioxidant and free radical scavenger. *Curr Top Med Chem* 2002;2:181-197.

Tan DX, Manchester LC, Terron MP, Flores LJ, Reiter RJ. One molecule, many derivatives: A never-ending interaction of melatonin with reactive oxygen and nitrogen species? (Mini Review) *J Pineal Res* 2007;42:28-42.

Tang F, Nag S, Shiu SY, Pang SF. The effects of melatonin and Ginkgo biloba extract on memory loss and choline acetyltransferase activities in the brain of rats infused intracerebroventricularly with beta-amyloid 1-40. *Life Sci* 2002;71:2625-2631.

Teplitzky SR, Kiefer TL, Cheng Q, Dwivedi PD, Moroz K, Myers L, Anderson MB, Collins A,

Dai J, Yuan L, Spriggs LL, Blask DE, Hill SM. Chemoprevention of NMU-induced rat mammary carcinoma with the combination of melatonin and 9-cis-retinoic acid. *Cancer Lett* 2001;26:155-163.

Touitou Y, Lambrozo J, Camus F, Charbuy H. Magnetic fields and the melatonin hypothesis: a study of workers chronically exposed to 50-Hz magnetic fields. *Am J Physiol Regul Integr Comp Physiol* 2003;284:R1529-1535.

Travis RC, Allen DS, Fentiman IS, Key TJ. Melatonin and breast cancer: A prospective study. *J Natl Cancer Inst* 2004;96:375-482.

Tynes T, Hannevik M, Andersen A, Vistnes AI, Haldorsen T. Incidence of breast cancer in Norwegian female radio and telegraph operators. *Cancer Causes Control* 1996;7:194-204.

Vijayalaxmi, Reiter RJ, Meltz ML. Melatonin protects human blood lymphocytes from radiation-induced chromosome damage. *Mutat Res* 1995;346:23-31.

Vijayalaxmi, Reiter RJ, Herman TS, Meltz ML. Melatonin and radioprotection from genetic damage: DNA damage in human blood lymphocytes. *Mutat Res* 1996;371:221-228.

Vijayalaxmi, Reiter RJ, Meltz ML, Herman TS. Melatonin: Possible mechanisms involved in its "radioprotective" effect. *Mutat Res* 1998;404:187-189.

Vijayalaxmi, Meltz ML, Reiter RJ, Herman TS, Kumar KS. Melatonin and protection from whole-body irradiation: Survival studies in mice. *Mutat Res* 1999;425:21-27.

Vijayalaxmi, Meltz ML, Reiter RJ, Herman TS, Kumar KS. Melatonin and protection from whole-body irradiation: Survival studies in mice. *Mutat Res* 1999;425:21-27.

Vijayalaxmi, Thomas CR, Reiter RJ, Herman TS. Melatonin: From basic research to cancer treatment clinics. *J Clin Oncol* 2002;20:2575-2601.

Wang JZ, Wang ZF. Role of melatonin in Alzheimer-like neurodegeneration. *Acta Pharmacol Sin* 2006;27:41-49.

Weinstock M, Shoham S. Rat models of dementia based on reductions in regional glucose metabolism, cerebral blood flow and cytochrome oxidase activity. *J Neural Transm* 2004;111:347-366.

Wertheimer N, Leeper E. RE: Are electric or magnetic fields affecting mortality from breast cancer in women? (Letter) *J Natl Cancer Inst* 1994;86:1797.

Zatta P, Tognon G, Carampin P. Melatonin prevents free radical formation due to the interaction between beta-amyloid peptides and metal ions [Al(III), Zn(II), Cu(II), Mn(II), Fe(II)]. *J Pineal Res* 2003;35:98-103.

Ziolko SK, Weissfeld LA, Klunk WE, Mathis CA, Hoge JA, Lopresti BJ, DeKosky ST, Price JC. Evaluation of voxel-based methods for the statistical analysis of PIB PET amyloid imaging studies in Alzheimer's disease. *Neuroimage* 2006;33:94-102.

Liburdy, R. P., T. R. Sloma, et al, 1993. ELF magnetic fields, breast cancer, and melatonin: 60 Hz fields block melatonin's oncostatic action on ER+ breast cancer cell proliferation. *J of Pineal Research*. 14: 89-97.

Luben et al, 1996. Replication of 12 mG EMF effects on melatonin responses of MCF-7 breast cancer cells in vitro. Abstract A-1 of the 1996 Annual review of research on biological effects of electric and magnetic fields from the generation, delivery and use of electricity, November 17-21, 1996. San Antonio, Texas, p.1

Luben et al, 1998. Independent replication of 60-Hz 1.2 µT EMF effects on melatonin and

tamoxifen responses of MCF-7 cells in vitro. Abstract A-3.4, Bioelectromagnetics Society Annual Meeting, St. Pete Beach, FL. June 7-11, p 17-18.

Morris et al, 1998. In vitro exposure of MCF-7 human breast cancer cells to 60-Hz magnetic fields. Abstract p-125A, Bioelectromagnetics Society Annual Meeting, St. Pete Beach, FL. June 7-11, p 204-205.

Ishido et al, 2001. Magnetic fields (MF) of 50 Hz at 1.2  $\mu$ T as well as 100  $\mu$ T cause uncoupling of inhibitory pathways of adenylyl cyclase mediated by melatonin 1a receptor in MF-sensitive MCF-7 cells.

D.E. Blask, S.M. Hill, Effects of melatonin on cancer: studies on MCF-7 human breast cancer cells in culture, *J. Neural Transm. Suppl.* 21 (1986) 433–449.

Loberg LI et al 1999. Gene expression in human breast epithelial cells exposed to 60 Hz magnetic fields, *Carcinogenesis* 20 1633–1636.

Liburdy et al, 1997. Magnetic Fields, Melatonin, Tamoxifen, and Human Breast Cancer Cell Growth. In: Stevens R. G., Wilson B. W., Anderson L.E. (Eds). *The Melatonin Hypothesis - Breast Cancer and Use of Electric Power*. Battelle Press, Columbus, Richland 1997: 669- 700.

Harland et al, 1997. Environmental magnetic fields inhibit the antiproliferative action of tamoxifen and melatonin in a human breast cancer cell line. *Bioelectromagnetics*, 18, 555-562.

Harland et al, 1999. Evidence for a slow time-scale of interaction for magnetic fields inhibiting tamoxifen's antiproliferative action in human breast cancer cells. *Cell Biochemistry & Biophysics*, 31(3), 295-306.

Blackman et al, 2001. The influence of 1.2  $\mu$ T, 60 Hz magnetic fields on melatonin and tamoxifen-induced inhibition of MCF-7 cell growth. *Bioelectromagnetics*, 22(2), 122-128.

Girgert et al, 2005. Induction of tamoxifen resistance in breast cancer cells by ELF electromagnetic fields. *Biochemical & Biophysics Research Communications*, 336, 1144-1149.  
A. De Cupis et al, 1997. Oestrogen/growth factor cross-talk in breast carcinoma: a specific target for novel antioestrogens, *TIPS* 18 245–251.

Anderson, L. E., G. A. Boorman, et al. (1999). Effect of 13 week magnetic field exposures on DBMA-initiated mammary gland carcinomas in female Sprague-Dawley Rats. *Carcinogenesis*. 20: 1615-1620.

Beniashvili, D. S., V. Bilanishvili, et al. (1991). Low-frequency electromagnetic radiation enhances the induction of rat mammary tumors by nitrosomethyl urea. *Cancer Letters*. 61: 75-79.

Ekstrom, T., K. H. Mild, et al. (1998). Mammary tumours in sprague-dawley rats after initiation with dmbo followed by exposure to 50 Hz electromagnetic fields in a promotional scheme. *Cancer Letters*. 123: 107-111.

Loscher, W., M. Mevissen, et al. (1993). Tumor promotion in a breast cancer model by exposure to a weak alternating magnetic field. *Cancer Letters*. 71: 75-81.

Loscher, W., U. Wahnschaffe, et al. (1994). Effects of weak alternating magnetic fields on nocturnal melatonin production and mammary carcinogenesis in rats. *Oncology*. 51: 288-295.

Mevissen, M., A. Stamm, et al. (1993). Effects of magnetic fields on mammary tumor development induced by 7, 12-dimethylbenz(a)anthracene in rats. *Bioelectromagnetics*. 14: 131-143.

Mevissen M et al, 1995. In vivo exposure of rats to a weak alternating magnetic field increases ornithine decarboxylase activity in the mammary gland by a similar extent as the carcinogen DMBA, *Cancer Lett.* 90 (1995) 207–214.

Mevissen, M., A. Lerchl, et al. (1996). Exposure of DMBA-treated female rats in a 50 Hz, 50 microtesla magnetic field: effects on mammary tumor growth. *Carcinogenesis*. 17: 903-910.

Mevissen, M., A. Lerchl, et al. (1996). Study on pineal function and DMBA-induced breast cancer formation in rats during exposure to a 100-mg, 50 Hz magnetic field. *J of Toxicology & Environmental Health*. 48: 169-185.

Mevissen, M., M. Haussler, et al. (1998). Complex effects of long-term 50 Hz magnetic field exposure in vivo on immune functions in female Sprague-Dawley rats depend on duration of exposure. *Bioelectromagnetics*. 19: 259-270.

Thun-Battersby, S., M. Mevissen, et al. (1999). Exposure of Sprague-Dawley rats to a 50 Hz, 100 uTesla magnetic field for 27 weeks facilitates mammary tumorigenesis in the

Milham S. (in press) 2006. Electric typewriter exposure and increased female breast cancer mortality in typists. *Medical Hypotheses*. Elsevier Ltd.

Cantor, K. P., M. Dosemeci, et al. (1995). Re: 'Breast cancer mortality among female electrical workers in the United States' (letter). *J of the National Cancer Institute*. 87: 227-228.

Cantor, K. P., P. A. Stewart, et al. (1995). Occupational exposures and female breast cancer mortality in the United States. *J of Occupational & Environmental Medicine*. 37: 336-348.

Demers, P. and e. al. (1991). Occupational Exposure to Electromagnetic fields and breast cancer in men. *Amer J of Epidemiology*. 134: 340-347.

Coogan, P. F., R. W. Clapp, et al. (1996). Occupational exposure to 60Hz Magnetic Fields and

- risk of breast cancer in women. *Epidemiology*. 7: 459-464.
- Erren, T. (2001). "A meta-analysis of epidemiologic studies of electric and magnetic fields and breast cancer in women and men." *Bioelectromagnetics*(Supplement 5, 2001): S105-S119.
- Floderus, B., C. Stenlund, et al. (1999). Occupational magnetic field exposure and site-specific cancer incidence: a Swedish cohort study. *Cancer Causes & Control*. 10: 323-332.
- Feychting, M., Forssen, U, L. E. Rutqvist, et al. (1998). Magnetic fields and breast cancer in Swedish adults residing near high-voltage power lines. *Epidemiology*.
- Forssen, U. M., M. Feychting, et al. (2000). Occupational and Residential magnetic field exposure and breast cancer in females. *Epidemiology*. 11: 24-29.
- Loomis, D. P., D. A. Savitz, et al. (1994). Breast cancer mortality among female electrical workers in the United States. *J of the National Cancer Institute*. 86: 921- 925.
- Petralia, S. A., W.-H. Chow, et al. (1998). Occupational risk factors for breast cancer among women in Shanghai. *Amer J Industrial Med*. 34: 477-483.
- Rosenbaum, P. F., J. E. Vena, et al. (1994). Occupational exposures associated with male breast cancer. *Amer J of Epidemiology*. 139: 30-36.
- Stenlund, C. and B. Floderus (1997). Occupational exposure to magnetic fields in relation to male breast cancer and testicular cancer: a Swedish case-control study. *Cancer Causes & Control*. 8: 184-191.
- Tynes, T. H., M; Andersen, A; Vistnes, AL; Haldorsen, T (1996). "Incidence of breast cancer in Norwegian female radio and telegraph operators." *Cancer Causes Control* 7: 197-204.
- Tynes et al, 1992. Incidence of cancer in Norwegian workers potentially exposed to electromagnetic fields. *American Journal of Epidemiology*, 136, 81-88.
- Vena, J. E., J. L. Freudenheim, et al. (1994). Risk of premenopausal breast cancer and use of electric blankets. *Amer J of Epidemiology*. 140: 974-979.
- Verkasalo et al, 1996. Magnetic fields of high voltage power lines and risk of cancer in Finnish adults: nationwide cohort study. *British Medical Journal*, 313(7064), 1047–1051.
- Demers et al, 1991. Occupational exposure to electromagnetic fields and breast cancer in men. *American Journal of Epidemiology*, 134, 340-347.
- Feychting, M., Forssen, U, L. E. Rutqvist, et al. (1998). Magnetic fields and breast cancer in Swedish adults residing near high-voltage power lines. *Epidemiology*.
- Floderus et al, 1999. Occupational magnetic field exposure and site-specific cancer incidence: a Swedish cohort study. *Cancer Causes and Control*, 10, 323-332.

Floderus et al, 1994. Incidence of selected cancers in Swedish railway workers, 1961-1979. *Cancer Causes and Control*, 5, 189-194.

Guenel et al, 1993. Incidence of cancer in persons with occupational exposure to electromagnetic fields in Denmark. *British Journal of Industrial Medicine*, 50, 758-764.

Johansen et al, 1998. Risk of Cancer Among Danish Utility Workers – A Nationwide Cohort Study. *American Journal of Epidemiology*, 147, 548-555.

Loomis et al, 1992. Cancer of breast among men in electrical occupations. *Lancet*, 339, 1482-1483.

Abelson, P.H. 1989. *Science* 245: 241.

Albert, E., Blackman, C, Slaby, F. 1980. In Berteaud and Servantie (eds): URSI Ondes Electromagnetique et Biologie, p325-329.

Bawin, S.M., Gavalas-Medici, R.J., Adey, W.R. 1973. *Brain Res.*, 58: 365-384.

Bawin, S.M., Kaczmarek, L.K., Adey, W.R. 1975. *Ann. N. Y. Acad. Sci.* 247:74-81.

Bawin, S.M., Adey, W.R. 1976. *Proc. Natl. Acad. Sci. USA* 73:1999-2003.

Bawin, S.M., Adey, W.R., Sabbot, I.M. 1978a. *Proc. Natl. Acad. Sci. USA* 75:6314-6318.

Bawin,

S.M., Sheppard, A., Adey, W.R. 1978b. *Bioelectrochemistry and Bioenergetics* 5:67-76.

Blackman, C.F., Elder, J.A., Weil, C.M., Benane, S.G., Eichinger, D.C., House, D.E. 1979. *Radio Sci.* 14(6S):93-98.

Blackman, C.F., Benane, S.G., Elder, J.A., House, D.E., Lampe, J.A., Faulk, J.M. 1980a. *Bioelectromagnetics* 1:35-43.

Blackman, C.F., Benane, S.G., Joines, W.T., Hollis, M.A., House, D.E. 1980b. *Bioelectromagnetics* 1:277-283.

Blackman, C.F., Joines, W.T., and Elder, J.A. In Illinger KH (ed): 1981. "Biological Effects of Nonionizing Radiation," *Symposium Series Proceedings Vol. 157*.

Washington, DC,American Chemical Society, pp. 299-314.

Blackman, C.F., Benane, S.G., Kinney, L.S., Joines, W.T., and House, D.E. 1982. *Radiation Research* 92: 510-520.

Blackman, C.F., Benane, S.G., Rabinowitz, J.R., House, D.E., and Joines, W.T. 1985. *Bioelectromagnetics* 6(4): 327-337.

Blackman, C.F., Benane, S.G., Elliott, D.J., Wood, A.R., House, D.E., and Pollock, M.M. 1988a. *Bioelectromagnetics* 9:215-227.

Blackman, C.F., House, D.E., Benane, S.G., Joines, W.T., and Spiegel, R.J. 1988b. Bioelectromagnetics 9(2):129-140.

Blackman, C.F., Kinney, L.S., House, D.E., Joines, W.T. 1989. Bioelectromagnetics 10(2):115-128.

Blackman, C.F., Benane, S.G., House, D.E., Elliott, D.J. 1990. Bioelectromagnetics, 11:159-167.

Blackman, C.F., Most, B. 1993. Bioelectromagnetics, 14:413-431.

Blackman, C.F., Benane, S.G., House, D.E. and Pollock, M.M. 1993a.

Bioelectromagnetics 14:273-286.

Blackman, C.F., Benane, S.G., House, D.E. 1993a, 1993b. FASEB J., 7:801-806.

Blackman, C.F., Benane, S.G., House, D.E. 1995. Bioelectromagnetics, 16:387-395.

Blackman, C.F., Blanchard, J.P., Benane, S.G., House, D.E. 1996. Biochemical and Biophysical Research Communications 220: 807-811.

Blackman, C.F., Blanchard, J.P., Benane, S.G., House, D.E. 1999. Bioelectromagnetics, 20:5-12.

Blackman, C.F. 2006. Electromagn. Biol. Med. 25: 217-225.

Carrubba S, Frilot C, Chesson A, Marino AA. 2006. J Neurosci Methods. 157:39-47.

Carrubba S, Frilot II C, Chesson AL Jr, Marino AA. 2007a. Neuroscience. 144:356-67.

Carrubba S, Frilot C, Chesson AL, Marino AA. Neurosci Lett. 417:212-6, 2007b.

Chiabrera, A., Bianco, B., Moggia, E., Kaufman, J.J. 2000. Bioelectromagnetics. 21(4):312-24.

Chiabrera, A., Hinsenkamp, M., Pilla, A.A., Ryaby, J., Ponta, D., Belmont, A., Beltrame, F., Grattarola, M., Nicolini, C. J. Histochem. 1979. Cytochem. 27: 375-381.

Chiabrera, A., Bianco, B., Moggia, E., Kaufman, J.J. 2000. Bioelectromagnetics 21(4):312-24.

Dutta, S.K., Subramoniam, A., Ghosh, B., Parshad, R. 1984. Bioelectromagnetics 5:71-78.

Dutta, S.K., Ghosh, B., Blackman, C.F. 1989. Bioelectromagnetics 10(2):197-202.

Dutta, S.K., Das, K., Ghosh, B., and Blackman, C.F. 1992. Bioelectromagnetics, 13: 317-322.

Dutta, S.K., Verma, M., Blackman, C.F. 1994. Bioelectromagnetics 15:377-384.

Fedrowitz, M., Kamino, K., Loscher, W. 2004. Cancer Res. 64:243-251.

Fedrowitz, M., Loscher, W. 2005. Oncology 69:486-498.

Freude, G, Ullsperger, P, Eggert, S, Ruppe, I. 1998. Bioelectromagnetics 19(6): 384-387.

- Freude, G., Ullsperger, P., Eggert, S., Ruppe, I. 2000. *Eur. J Appl. Physiol.* 81(1-2): 18-27.
- Greene, J.J., Skowronski, W.J., Mullins, J.M., Nardone, R.M., Penafiel, M., Meister, R. 1991. *Biochem. Biophys. Res. Comm.* 174:742-749.
- Gavalas, R.J., Walter, D.O., Hamer, J., Adey, W.R. 1970. *Brain Res.* 18: 491-501.
- Gavalas-Medici, R., Day-Magdaleno, S.R. 1976. *Nature* 261:256-258.
- Hamer, J. 1968. *Commun. Behav. Biol.*, 2(5) part A: 217-222.
- Havas, M. 2000. *Environ. Rev.* 8:173-253.
- Joines, W.T. Blackman, C.F. 1981a. *Bioelectromagnetics* 2: 411-413.
- Joines, W.T., Blackman, C.F., Hollis, M.A. 1981b. *IEEE Transactions on Bio-Medical Engineering*, BME-28:563-573.
- Joines, W.T., Blackman, C.F., Spiegel, R.J. 1986. *Bioelectromagnetics* 7(2): 163-176.
- Kaczmarek, L.K., Adey, W.R. 1973. *Brain Res.* 63: 331-342.
- Kaczmarek, L.K., Adey, W.R. 1974. *Brain Res.* 66: 537-540.
- Koivisto M, Revonsuo A, Krause C, Haarala C, Sillanmaki L, Laine M, Hamalainen H. 2000a. *Neuroreport*. 11(2):413-415.
- Koivisto M, Krause CM, Revonsuo A, Laine M, Hamalainen H. 2000b. *Neuroreport*. 11(8):1641-1643.
- Krause CM, Sillanmaki L, Koivisto M, Haggqvist A, Saarela C, Revonsuo A, Laine M, Hamalainen H. 2000a. *Int. J Radiat. Biol.* 76(12):1659-1667.
- Krause CM, Sillanmaki L, Koivisto M, Haggqvist A, Saarela C, Revonsuo A, Laine M, Hamalainen H.. 2000b. *Neuroreport*. 11(4):761-764.
- Liburdy, R.P. 1992. *FEBS Lett.* 301(1):53-59.
- Marino, A., Wolcott, R.M., Chervenak, R., Jourd'heuil, F., Nilsen, E., Frilot II, C. Am J 2000. *Physiol Regulatory Integrative Comp Physiol* 279:R761-R768.
- Marino AA, Wolcott RM, Chervenak R, Jourd'heuil F, Nilsen E, Frilot II C., Pruett SB. 2001a. *Neuroimmunomodulation*. 9:65-77.
- Marino AA, Wolcott RM, Chervenak R, Jourd'heuil F, Nilsen E, Frilot LL C. 2001b. *Bioelectromagnetics*. 22:529-46.
- Marino AA, Wolcott RM, Chervenak R, Jourd'heuil F, Nilsen E, Frilot II C. 2001c, *Immunol Invest.* 30:313-34.
- Marino AA, Nilsen E, Frilot C. 2003. *Brain Res.* 964:317-26.
- Marino AA, Nilsen E, Chesson AL Jr, Frilot C. 2004. *Clin Neurophysiol.* 115:1195-201.
- Marron, M.T., Goodman, E.M., Sharpe, P.T., Greenebaum, B. 1988. *FEBS Letters* 230:13-16.

NIEHS Working Group Report, 1998. Assessment of health effects from exposure to power-line frequency electric and magnetic fields. NIH Pub No. 98-3981, page 402.

NIEHS Report, 1999. Health effects from exposure to power-line frequency electric and magnetic fields. NIH Pub No. 99-4493, p. iii, NRC.

National Research Council, 1997. (U.S.) Committee on the possible effects of electromagnetic fields on biologic systems. National Academy Press, Washington, D.C. 356 pp.

National Council for Radiation Protection and Measurements. 1986. NCRP Report 86, Biological effects and exposure criteria for radiofrequency electromagnetic fields. Ossenkopp, K.-P., Kavaliers, M, Hirst, M. 1983. *Neurosci. Lett.* 40: 321-325.

Preece, A.W., Wesnes, K.A., Iwi, G.R. 1998. *Int. J Radiat. Biol.* 74 (4):463-70.

Preece, A.W., Iwi, G., Davies-Smith, A., Wesnes, K., Butler, S, Lim, E., Varey, A. 1999. *Int J Radiat Biol.* 75(4):447-56.

Scarfì, M.R., Prisco, F., Lioi, M.B., Zeni, O., Dela Noce, M., Di Pietro, R., Bersani, F. 1996. European Bioelectromagnetics Association 3rd International Congress, 29 Feb - 3 March, Nancy, France.

Scarfì, M.R., Prisco, F., Lioi, M.B., Zeni, O., Della Noce, M., Di Pietro, R., Franceschi, C., Iafusco, D., Motta, M., Bersani, F. 1997. *Bioelectrochemistry and Bioenergetics* 43:221-226.

Schwartz, J.-L., House, D.E., Mealing, G.A.R. 1990. *Bioelectromagnetics* 11:349-358.

Schwartz, J.-L., Mealing, G.A.R. 1993. *Bioelectromagnetics*. 14:521-33.

Sheppard, A.R., Bawin, S.M., Adey, W.R. 1999. *Radio Sci* 14(6S):141-145.

Slovic, P. 1999. *Risk Anal.* 19(4):689-701.

Takahashi, K., Kaneko, I., Date, M., Fukada, E. 1986. *Experientia* 42:185-186.

Thompson, C.J., Yang, Y.S., Anderson, V., Wood, A.W. 2000. *Bioelectromagnetics*. 21(6):455-64.

Trillo, M.A., Ubeda, A., Blanchard, J.P., House, D.E., Blackman, C.F. 1996. *Bioelectromagnetics*, 17:10-20.

Ubeda, A., Leal J., Trillo, M.A., Jimenez, M.A., Delgado, J.M.R. 1983. *J Anat* 137:513-536.201.

Pilla AA. Mechanisms and Therapeutic Applications of Time-Varying and Static Magnetic Fields. Handbook of Biological Effects of Electromagnetic Fields Third Edition: Biological and Medical Aspects of Electromagnetic Fields, 2007. Barnes FS and Greenebaum B. editors, pages 392-393.

Pilla AA. Mechanisms and Therapeutic Applications of Time-Varying and Static Magnetic Fields. Handbook of Biological Effects of Electromagnetic Fields Third Edition: Biological and Medical Aspects of Electromagnetic Fields, 2007. Barnes FS and Greenebaum B. editors, page 352.

Ibid, page 356.

Liboff AR. Signal Shapes in Electromagnetic Therapies: A Primer. Bioelectromagnetic Medicine. 2004, Rosch PJ and Markov MS, editors, page 32.

Pilla AA. Mechanisms and Therapeutic Applications of Time-Varying and Static Magnetic Fields. Handbook of Biological Effects of Electromagnetic Fields Third Edition: Biological and Medical Aspects of Electromagnetic Fields, 2007. Barnes FS and Greenebaum B. editors, page 357.

Oschman JL. Recent Developments in Bioelectromagnetic Medicine. Bioelectromagnetic Medicine. 2004, Rosch PJ and Markov MS, editors, page 79. 77-92 entire chapter?

7. Markov MS. Magnetic and Electromagnetic Field Therapy: Basic Principles of Application for Pain Relief. Bioelectromagnetic Medicine. 2004, Rosch PJ and Markov MS, editors, page 258.

Prato FS. Image-Guided Electromagnetic Therapy. Bioelectromagnetic Medicine. 2004, Rosch PJ and Markov MS, editors, page 51.

Shealy CN Liss S Liss BS. Evolution of Electrotherapy: From TENS to Cyberpharmacology. Bioelectromagnetic Medicine. 2004, Rosch PJ and Markov MS, editors, page 93-114.

Adey, WR. Potential Therapeutic Applications of Nonthermal Electromagnetic Fields: Ensemble Organization of Cells in Tissue as a Factor in Biological Field Sensing. Bioelectromagnetic Medicine. 2004, Rosch PJ and Markov MS, editors, page 1.

Albertini A, Zucchini P, Noera G, Cadossi R, Napoleone CP, Pierangeli A. 1999. Protective effect of low frequency low energy pulsing electromagnetic fields on acute experimental myocardial infarcts in rats. Bioelectromagnetics 20:372-377.

Di Carlo AL, Farrell JM, Litovitz TA. 1999a. Myocardial protection conferred by electromagnetic fields. Circulation 99:813-816.

Goodman R, Blank M. 1998. Magnetic field stress induces expression of hsp70. Cell Stress Chaperones 3:79±88.

Goodman R, Blank M, Lin H, Dai R, Khorkova O, Soo L, Weisbrot D, Henderson A. 1994. Increased levels of HSP70 transcripts induced when cells are exposed to low frequency electromagnetic fields. Bioelectrochem Bioenerg 33:115-120.

Han L, Lin H, Head M, Jin M, Blank M, Goodman R. 1998. Application of magnetic fieldinduced heat shock protein 70 for presurgical cytoprotection. J Cell Biochem 71:577-583

Pipkin JL, Hinson WG, Young JF, Rowland KL, Shaddock JG, Tolleson WH, Duffy PH, Casciano DA. 1999. Induction of stress proteins by electromagnetic fields in cultured HL-60 cells. Bioelectromagnetics 20:347-357.

Raskmark P, Kwee S. 1998. The minimizing effect of electromagnetic noise on the changes in cell proliferation cause by ELF magnetic fields. Bioelectrochem Bioenerg 40:193-196.

APHA, 2001. The Precautionary Principle and Children's Health. American Journal of Public Health March 91, p.20.

Beierle, T.C. The quality of stakeholder-based decisions, Risk Analysis, 22(4), 739-

Boehmer-Christiansen S. 1994. The Precautionary Principle in Germany: enabling government. In: Interpreting the precautionary principle (O'Riordan T. and Cameron J. eds). London: Cameron and May, p. 31-68.

Bradford Hill A. 1965. The Environment and Disease: Association or Causation? Proceedings of the Royal Society of Medicine 58: 295-300.

Case C-157/96, BSE, 1998, European Court Report 1-2211, Brussels.

Case T-13/99 Pfizer 2002 ECR II-3305 and in Case T-70/99, Alpharma 2002, ECR, II-3495, September 11, 2002.

Christoforou T. 2002. Science, law and precaution in dispute resolution on health and environmental protection: what role for scientific experts? In Le commerce international des organismes génétiquement modifiés, Centre d'Etudes et de Recherches Internationales et Communautaires, Université d'Aix-Marseille 111.

Christoforou T. 2003. The precautionary principle and democratising expertise: a European legal perspective, Science and Public Policy 30 No 3, June, 205-21, Surrey, England.

Coglianò, V.J. (2007), "The IARC Monographs: a resource for Precaution and Prevention", a Commentary on the Editorial by Martuzzi on "The Precautionary Principle: in Action for Public Health", *oem.bmjjournals.com*, p569-574.

Cox Jnr., L.A., 2007, Does Concern-Driven Risk Management Provide a Viable Alternative to QRA?, *Risk Analysis*, vol 27, No 1.

De Sadaleer, N. (2007), Implementing the Precautionary Principle : Approaches from the Nordic Countries, EU and USA, Earthscan, London

Edqvist L, Pedersen KB. 2001. Antimicrobials as growth promoters: resistance to common sense: In Late lessons from early warnings: the precautionary principle 1896-2000, Copenhagen, Denmark. EEA 2001.

EEA. 2001. Late Lessons from Early Warnings. The Precautionary Principle 1896-2000. Copenhagen, Denmark. European Environment Agency.

Late Lessons from Early Warnings and EMF Mr. Gee

European Commission 2000. Communication from the Commission on the Precautionary Principle, COM (2000) 1, Brussels.

European Council 2000). European Council meeting, Nice 7-10 December 2000. Conclusions of the Presidency. Annex III – Council Resolution on the precautionary principle.

Funtowicz S, Ravetz J. 1990. Uncertainty and Quality in Science for Policy, Kluwer Amsterdam.

Funtowicz S, Ravetz J. 1992. Three Types of Risk Assessment and the Emergency of Post-Normal Science: In Social Theories of Risk (S. Krinsky and D. Golding, eds.), 251-273, Praeger, Westport.

Gee D., 2006. Late lessons from early warnings: towards realism and precaution with endocrine disrupting substances. Environ Health Perspect 114, Supl. 1, 152-160.  
General Food Law regulation, EC No 178/2002, Official Journal of the EU, L31, 0.02.2002, Luxembourg.

German Advisory Council on Global Change 2001. Strategies for Managing Global Environmental Risks.

Goldstein, B.D. (2007) , Problems in Applying the Precautionary Principle, Commentary on the editorial on the PP by Martuzzi, [oem.bmjjournals.com](http://oem.bmjjournals.com), downloaded on Aug 24<sup>th</sup>.

Graham J. 2002. Europe's Precautionary Principles: promise and pitfalls, J of Risk Research 5, No 4, p. 375.

Grandjean P, Soffriti M, Minardi F, Brazier J. 2003. The Precautionary Principle: Implications for Research and Prevention in Environmental and Occupational Health, European Journal of Oncology Library Vol 2, European Ramazzini Foundation, Bologna, Italy.

Grandjean P, Bailar JC, Gee D, Needleman HL, Ozonoff DM, Richter E et al., 2004. Implications of the Precautionary Principle in Research and Policy-Making, Am. J. Ind. Med. 45 (4):382-385.

Grandjean P. 2004. Implications of the Precautionary Principle for Primary Prevention and Research, Annu. Rev. Public Health Vol 25, 199-223.

IPCC - Intergovernmental Panel on Climate Change. Second Assessment Report – Climate Change 1995. <http://www.ipcc.ch/pub/reports.htm>

IPCC - Intergovernmental Panel on Climate Change. Third Assessment Report – Climate Change 2001. Cambridge University Press  
<http://www.ipcc.ch/pub/reports.htm>

IRGC, 2005, Risk Governance –Towards an Integrative Approach, IRGC, Geneva.  
Late Lessons from Early Warnings and EMF Mr. Gee

Jorosinska, D, Gee, D., Children's Environmental Health and the Precautionary Principle, In J. of En. Health, (in press).

Marine Pollution Bulletin 1997. 34, No 9, 680-681

Mazur A. 2004. True Warnings and False Alarms. Evaluating Fears about the Health Risks of Technology, 1948-1971. Resources for the Future, Washington.

Milham S. 1998. Carcinogenicity of Electromagnetic Fields.  
European Journal of Oncology Vol. 3 #2. Table 14, pages 93-100.

National Research Council. 1994. Science and Judgment in Risk Assessment,

National Academy Press, Washington.

Needleman H.L. 1995. Making Models of Real World events: the use and abuse of inference, Neurotoxicology and Teratology, 17, No 3.

Royal Commission on Environmental Pollution 1998. "Environmental Standards", London.

Royal Society 2003. Nanoscience and Nanotechnologies: Opportunities and Uncertainties. London. <http://www.nanotec.org.uk/finalReport.htm>

Rushton, L. (2007), The precautionary Principle in the Context of Multiple Risks, Commentary on the editorial by Martuzzi M. in *oem.bmj.com*, downloaded on Aug 24<sup>th</sup> 2007

Sing CF, Stengard JH, Kardia SLR. 2004. Dynamic relationships between the Genome and Exposures to environments as causes of common human diseases. Chapter in Nutrigenetics and Nutrigenomics World Review of Nutrition and Diet, Basel, Karger, Vol 93, p. 77-91.

Stewart Report 2000 and 2004, Mobile Phones and Health, IEGMP Reports, NRPB. <http://www.iegmp.org.uk/report/text.htm> & [http://www.hpa.org.uk/radiation/publications/documents\\_of\\_nrpbs\\_pdfs/doc\\_15\\_5.pdf](http://www.hpa.org.uk/radiation/publications/documents_of_nrpbs_pdfs/doc_15_5.pdf)

Stirling A. 1999. On science and precaution in the management of technological risk. Final summary report Technological Risk and Uncertainty project, European Scientific Technology Observatory, EC Forward studies unit, Brussels.

Stroebe M, Scheringer M, Hungerbuhler K. 2004. Measures of Overall Persistence and the Temporal Remote State, Environ. Sci. Technol. 2004, 38, 5665-5673.

Swann MM 1969. Report, Joint Committee on the use of Antibiotics in Animal Husbandry and Veterinary Medicine, HMSO, London.  
Swedish Environmental Protection Agency 2001:  
[http://www.naturvardsverket.se/dokument/omverket/forskn/fokonf/dokument/bridgning\\_arkiv/index.htm](http://www.naturvardsverket.se/dokument/omverket/forskn/fokonf/dokument/bridgning_arkiv/index.htm). [accessed 31 August 2005]

Treaty establishing the European Community (consolidated text), Official Journal C 325 of 24 December 2002 and ([http://europa.eu.int/eurlex/lex/en/treaties/dat/12002E/pdf/12002E\\_EN.pdf](http://europa.eu.int/eurlex/lex/en/treaties/dat/12002E/pdf/12002E_EN.pdf)) [ accessed 7 September 2005]

UN 1982. World Charter for Nature. UN General Assembly 37th Session (UN/GA/RES/37/ 7), New York  
US Presidential/Congressional Commission on Risk Assessment & Risk Management (1997). Framework for Environmental Health Risk Assessment. Final report 1997, Volume 1 <http://www.riskworld.com/Nreports/1997/riskrpt/pdf/EPAJAN.PDF> [accessed 7 September 2005]

Vineis P. 2004. A self-fulfilling prophecy: are we underestimating the role of the

environment in gene-environment interaction research? International Journal of Epidemiology 2004;33:945-946.

WHO, 2004a. Declaration of Fourth Ministerial Conference on Environment and Health, Budapest, Hungary, 23–25 June 2004. Available: <http://www.euro.who.int/document/e83335.pdf> [accessed 03 January 2007]

WHO, 2004 b. Dealing with uncertainty – how can the precautionary principle help protect the future of our children? Working paper for the Fourth Ministerial Conference on Environment and Health, Budapest, Hungary, 23–25 June 2004. Available: <http://www.euro.who.int/document/hms/edoc11.pdf> [accessed 05 January 2007]

WHO 2002. Global Assessment of the State-of-the-Science of Endocrine Disruptors, World Health Organization, Geneva.

[http://www.who.int/ipcs/publications/new\\_issues/endocrine\\_disruptors/en/print.html](http://www.who.int/ipcs/publications/new_issues/endocrine_disruptors/en/print.html)

Wilsdon J and Willis R. 2004 See-through Science – why public engagement needs to move upstream, Demos. London.

Wynne, B. et al., “Science and Governance: Taking European Knowledge Society

Abelson, PH. 1989. Effects of electric and magnetic fields. Science 245: 241.

Ahlbom A Day N Feychtung M Roman E Skinner J Docterty J Linet M McBride M Michaelis J Olsen JH Tynes T and Verkasalo PK 2000. A pooled analysis of magnetic fields and childhood leukaemia. Br J Cancer 83: 692-698.

California Air Resources Board 2005. Appendix III, Part B-Health Effects. Proposed identification of environmental tobacco smoke as a toxic air contaminant.

Carpenter DO and Ahlbom A 1988. Power lines and cancer: Public health and policy implications. Forum Appl Res Pub Policy, Winter, 96-101.

Charles LE Loomis D Shy CM Newman B Millikan R Nylander-French LA Couper D 2003. Electromagnetic fields, polychlorinated biphenyls and prostate cancer mortality in electric utility workers. Am J Epidemiol 157: 683-691.

Erren TC 2001. A meta-analysis of epidemiologic studies of electric and magnetic fields and breast cancer in women and men. Bioelectromagnetics Supplement 5: S105-S119.

Feychtung M, Jonsson F, Pedersen NL and Ahlbom A 2003. Occupational magnetic field exposure and neurodegenerative disease. Epidemiology 14: 413-419.

Foliart DE Pollock BH Mezei G Iriye R Silva JM Epi KL Kheifets L Lind MP Kavet R 2006. Magnetic field exposure and long-term survival among children with leukemia. British Journal of Cancer 94 161-164.

Goedert M and Spillantini MG 2006. A century of Alzheimer's Disease. Science 314: 777-784.

Green L 1999. Childhood leukemia and EMF. Cancer Causes Control 10: 233-243.

Greenland S 1987. Quantitative methods in the review of epidemiological literature.

Epidemiologic Reviews 9:1-30.

Greenland S Sheppard AR Kaune WT Poole C, Kelsh MA and the Chilhood leukemia-EMF study group 2000. A pooled analysis of magnetic fields, wire codes, and childhood leukemia. *Epidemiology* 11: 624-634.

Ha M Im H Le M Kim HJ Kim BC Gimm YM and Pack JK 2007. Radio-frequency radiation exposure from AM radio transmitters and childhood leukemia and brain cancer. *Am J Epidemiol* 166: 270-279.

Hakansson N, Gustavsson P, Johansen C and Floderus B 2003. Neurodegenerative diseases in welders and other workers exposed to high levels of magnetic fields. *Epidemiology* 14: 420-426.

Hardell L Carlberg M Söderqvist F Hansson Mild K Morgan 2007. Long-term use of cellular phones and brain tumours: increased risk associated with use for > 10 years. *Occup Environ Med*; doi:10.1136/oem.2006.029751.

Hill, AB. 1971. Principles of Medical Statistics Chapter XXIV. Statistical Evidence and Inference, Oxford University Press, Oxford, UK, p. 309-323.

IARC (International Agency for Research on Cancer) 2002. Monographs on the evaluation of carcinogenic risks to humans: Volume 80. Non-ionizing radiation, Part 1: Static and extremely low frequency (ELF) electric and magnetic fields. Lyon, France: IARC Press.

Jarosinska D Gee D. 2007. Children's environmental health and the precautionary principle. *Int J Hyg. Environ Health*. doi:10.1016/j.ijheh.2007.07.017.

Juutilainen J Kumlin T Naarala J. 2006 Do extremely low frequency magnetic fields enhance the effects of environmental carcinogens? A meta-analysis of experimental studies. *Ing J Radiat Biol* 82: 1-12.

Kamel F Umbach DM Munsat TL Shefner JM Hu H Sandler DP 2002. Lead exposure and amyotrophic lateral sclerosis. *Epidemiology* 13: 311-319.

Kan P Simonsen SE Lyon JL Kestle JRW 2007. Cellular phone use and brain tumor: a metaanalysis. *J. Neurooncol DOI* 10.1007/s11060-007-9432-1.

Kheifets Afifi AA Buffler PA Zhang ZW 1995. Occupational electric and magnetic field exposure and brain cancer: a meta-analysis. *JOEM* 37:12. 1327-1341.

Kheifets L 2001. Electric and magnetic field exposure and brain cancer: a review. *Bioelectromagnetics Supplemnt* 5:S120-S131,

Kheifets L Shimkhada R 2005a. Childhood Leukemia and EMF: Review of the Epidemiologic Evidence. *Bioelectromagnetics Supplement* 7: S51-S59.

Kheifets L Sahl JD Shimkhada R Repacholi MH 2005b. Developing policy in the face of scientific uncertainty: Interpreting 0.3 or 0.4  $\mu$ T cutpoints from EMF epidemiology studies. *J Risk Anal* 25: 927-935.

Kheifets Afifi AA and Shimkhada R 2006. Public health impact of extremely low-frequency electromagnetic fields. *Environ Health Perspect* 114: 1532-1537.

Lai H and Singh NP 2004. Magnetic-field-induced DNA strand breaks in brain cells of the rat. *Environ Health Perspect* 112: 687-694.

Lahkola A Tokola K, Auvinen A 2006. Meta-analysis of mobile phone use and intracranial

tumors. *Scand J Work Environ Health* 32(3):171-177.

Land Salzburg - Landessanitätsdirektion – Umweltmedizin - Federal State of Salzburg - Public Health Department - Environmental Health Unit, International Conference on Cell Tower Siting, Salzburg Resolution, Salzburg, Austria, June 2000.

Lichtenstein P Holm NV Verkasalo PK Iliadou A Kaprio J Koskenvuo M Pukkala E Skytthe A and Hemminki K 2000. Environmental and heritable factors in the causation of cancer: Analyses of cohorts of twins from Sweden, Denmark and Finland. *N Engl J Med* 343: 78-85.

Lowenthal RM Tuck DM and Bray IC 2007. Residential exposure to electric power transmission lines and risk of lymphoproliferative and myeloproliferative disorders: a case-control study. *Int Med J* doi:10.1111/j.1445-5994.2007.01389.x

McCann J Kavet R and Rafferty CN 1999. Testing electromagnetic fields for potential carcinogenic activity: A critical review of animal models. *Environ Health Perspect* 105 (Suppl 81-103.

Milham S Ossiander EM 2001. Historical evidence that residential electrification caused the emergence of the childhood leukemia peak. *Medical Hypoth* 56: 290-29

Qio C Fratiglioni , Karp A Winblad B Bellander T 2004. Occupational exposure to electromagnetic fields and risk of Alzheimer's Disease. *Epidemiology* 15: 687-694.

Reif JS Lower KS Oglivie GK 1995. Residential exposure to magnetic fields and risk of canine lymphoma. *Am J Epidemiol* 141: 352-359.

Repacholi MH, Basten A, Gebski V, Noonan D, Finnie J and Harris AW (1997) Lymphomas in  $\text{E}\mu\text{-Pim}1$  transgenic mice exposed to pulsed 900 MHz electromagnetic fields. *Rad Res* 147: 631-640.

Rothman KJ Greenland S. 1998. Modern Epidemiology, 2<sup>nd</sup> ed. Philadelphia: Lippincott-Raven.  
Savitz DA Checkoway H Loomis DP 1998. Magnetic field exposure and neurodegenerative disease mortality among electric utility workers. *Epidemiology* 9: 398-404.

Savitz DA Wachtel H Barnes FA 1988. Case-control study of childhood cancer and exposure to 60-Hz magnetic fields. *Am J Epidemiol* 128: 21-38.

European Commission, Health and Consumer Protection, 2007. Scientific Committee on SCENIHR Report on Emerging and Newly Identified Health Risks – Possible Effects of Electromagnetic Fields (EMF) on Human Health.

Shcherbatykh I Carpenter DO 2007. The role of metals in the etiology of Alzheimer's Disease. *J Alzheimer's Dis* 11: 191-205.

Svendsen AL Weihkopf T Kaatsch P Schuz J 2007. Exposure to magnetic fields and survival after diagnosis of childhood leukemia: a German cohort study. *Cancer Epidemiol Biomarkers Prev* 16(6) 1167-1171.

Tynes T Klaeboe L Haldorsen T 2003. Residential and occupational exposure to 50 Hz magnetic fields and malignant melanoma: a population based study. *Occup Enviro Med* 60: 343-347.  
US Department of Health and Human Services (US DHHS, 2004). The health consequences of smoking: cancer. A report of the Surgeon General. US DHHS Public Health Service, Office on Smoking and Health, U Government Printing Office, Washington DC, 17-24.

US Department of Health and Human Services (US DHHS) 2006. The Health Consequences of Involuntary Exposure to Tobacco Smoke: A Report of the Surgeon General

Villeneuve PJ Agnew DA Miller AB Corey PN 2000. Non-Hodgkin's lymphoma among electric utility workers in Ontario: the evaluation of alternate indices of exposure to 60 Hz electric and magnetic fields. *Occup Environ Med* 57: 249-257.

Wartenberg D 1998. Residential magnetic fields and childhood leukemia: A meta-analysis. *Am J Public Health* 88: 1787-1794.

Wertheimer N Leeper E 1979. Electrical wiring configurations and childhood cancer. *Am J Epidemiol* 109: 273-284.

WHO - World Health Organization 2007. Extremely low frequency fields. Environmental Health Criteria, Vol. 238. Geneva, World Health Organization.